



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Thursday, February 09, 2023** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=72320&Standard=061&>

NSF/ANSI/CAN 61 Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. [Click here for a list of Abbreviations used in these Listings.](#) [Click here for the definitions of Water Contact Temperatures denoted in these Listings.](#)

Viega LLC.

585 Interlocken Boulevard
Broomfield, CO 80021
United States
800-774-5237

Facility : # 1 USA

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings			
Model 0911XL 20823 Copper Male Adapter, P x M NPT, 2 1/2"[1] [G]	2 1/2"	C. HOTCU	
Model 0911XL 20828 Copper Male Adapter, P x M NPT, 3"[1] [G]	3"	C. HOTCU	
Model 0911XL 20838 Copper Male Adapter, P x M NPT, 4"[1] [G]	4"	C. HOTCU	
Model 0912XL 20819 Copper Female Adapter, P x F NPT, 2 1/2"[1] [G]	2 1/2"	C. HOTCU	
Model 0912XL 20829 Copper Female Adapter, P x F NPT, 3"[1] [G]	3"	C. HOTCU	
Model 0912XL 20839 Copper Female Adapter, P x F NPT, 4"[1] [G]	4"	C. HOTCU	

Model 0915.1XL 20758 Copper Reducer, FTG x P, 2 1/2" x 2"[1] [G]	2 1/2" x 2"	C. HOTCU
Model 0915.1XL 20763 Copper Reducer, FTG x P, 3" x 2"[1] [G]	3" x 2"	C. HOTCU
Model 0915.1XL 20768 Copper Reducer, FTG x P, 3" x 2 1/2"[1] [G]	3" x 2 1/2"	C. HOTCU
Model 0915.1XL 20773 Copper Reducer, FTG x P, 4" x 2"[1] [G]	4" x 2"	C. HOTCU
Model 0915.1XL 20778 Copper Reducer, FTG x P, 4" x 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0915.1XL 20783 Copper Reducer, FTG x P, 4" x 3"[1] [G]	3"	C. HOTCU
Model 0915.1XL 20813 Copper Reducer, FTG x P, 2 1/2" x 1 1/2"[1] [G]	2 1/2" x 1 1/2"	C. HOTCU
Model 0915.1XL 20814 Copper Reducer, FTG x P, 2 1/2" x 1"[1] [G]	2 1/2" x 1"	C. HOTCU
Model 0915.1XL 20815 Copper Reducer, FTG x P, 2 1/2" x 1 1/4"[1] [G]	2 1/2" x 1 1/4"	C. HOTCU
Model 0915.1XL 20817 Copper Reducer, FTG x P, 3" x 1 1/4"[1] [G]	3" x 1 1/4"	C. HOTCU
Model 0915.1XL 20818 Copper Reducer, FTG x P, 3" x 1 1/2"[1] [G]	3" x 1 1/2"	C. HOTCU
Model 0915.2XL 20685 Copper Reducer, P x P, 2 1/2" x 1"[1] [G]	2 1/2" x 1"	C. HOTCU
Model 0915.2XL 20690 Copper Reducer, P x P, 2 1/2" x 1 1/4"[1] [G]	2 1/2" x 1 1/4"	C. HOTCU
Model 0915.2XL 20695 Copper Reducer, P x P, 2 1/2" x 1 1/2"[1] [G]	2 1/2" x 1 1/2"	C. HOTCU
Model 0915.2XL 20700 Copper Reducer, P x P, 2 1/2" x 2"[1] [G]	2 1/2" x 2"	C. HOTCU
Model 0915.2XL 20705 Copper Reducer, P x P, 3" x 1 1/2"[1] [G]	3" x 1 1/2"	C. HOTCU
Model 0915.2XL 20710 Copper Reducer, P x P, 3" x 2"[1] [G]	3" x 2"	C. HOTCU
Model 0915.2XL 20715 Copper Reducer, P x P, 3" x 2 1/2"[1] [G]	3" x 2 1/2"	C. HOTCU
Model 0915.2XL 20720 Copper Reducer, P x P, 4" x 2"[1] [G]	4" x 2"	C. HOTCU
Model 0915.2XL 20725 Copper Reducer, P x P, 4" x 2 1/2"[1] [G]	4" x 2 1/2"	C. HOTCU
Model 0915.2XL 20730 Copper Reducer, P x P, 4" x 3"[1] [G]	4" x 3"	C. HOTCU
Model 0915.5XL 20743 Copper Coupling - No Stop, P x P, 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0915.5XL 20748 Copper Coupling - No Stop, P x P, 3"[1] [G]	3"	C. HOTCU
Model 0915.5XL 20753 Copper Coupling - No Stop, P x P, 4"[1] [G]	4"	C. HOTCU
Model 0915XL 20728 Copper Coupling w/Stop, P x P, 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0915XL 20733 Copper Coupling w/Stop, P x P, 3"[1] [G]	3"	C. HOTCU
Model 0915XL 20738 Copper Coupling w/Stop, P x P, 4"[1] [G]	4"	C. HOTCU
Model 0916 XL 20623 Copper Elbow 90°, P x P, 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0916 XL 20628 Copper Elbow 90°, P x P, 3"[1] [G]	3"	C. HOTCU
Model 0916 XL 20633 Copper Elbow 90°, P x P, 4"[1] [G]	4"	C. HOTCU
Model 0916.1XL 20638 Copper Elbow 90°, FTG x P, 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0916.1XL 20643 Copper Elbow 90°, FTG x P, 3"[1] [G]	3"	C. HOTCU
Model 0916.1XL 20648 Copper Elbow 90°, FTG x P, 4"[1] [G]	4"	C. HOTCU
Model 0917.2XL 20868 Copper Tee, P xP x F NPT, 4" x 4" x 2"[1] [G]	4" x 4" x 2"	C. HOTCU
Model 0917.2XL 20873 Copper Tee, P xP x F NPT, 4" x 4" x 3/4"[1] [G]	4" x 4" x 3/4"	C. HOTCU
Model 0917.2XL 20878 Copper Tee, P xP x F NPT, 2 1/2" x 2 1/2" x 2"[1] [G]	2 1/2" x 2 1/2" x 2"	C. HOTCU
Model 0917.2XL 20883 Copper Tee, P xP x F NPT, 2 1/2" x 2 1/2" x 3/4"[1] [G]	2 1/2" x 2 1/2" x 3/4"	C. HOTCU
Model 0917.2XL 20888 Copper Tee, P xP x F NPT, 3" x 3" x 2"[1] [G]	3" x 3" x 2"	C. HOTCU
Model 0917.2XL 20893 Copper Tee, P xP x F NPT, 3" x 3" x 3/4"[1] [G]	3" x 3" x 3/4"	C. HOTCU
Model 0918XL 20683 Copper Tee, P x P x P, 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0918XL 20684 Copper Tee, P x P x P, 2 1/2" x 3/4" x 2 1/2"[1] [G]	2 1/2" x 3/4" x 2 1/2"	C. HOTCU

Model 0918XL 20688 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 2"[1] [G]	2 1/2" x 2 1/2" x 2"	C. HOTCU
Model 0918XL 20689 Copper Tee, P x P x P, 2 1/2" x 1" x 2 1/2"[1] [G]	2 1/2" x 1" x 2 1/2"	C. HOTCU
Model 0918XL 20693 Copper Tee, P x P x P, 3"[1] [G]	3"	C. HOTCU
Model 0918XL 20694 Copper Tee, P x P x P, 2 1/2" x 1 1/4" x 2 1/2"[1] [G]	2 1/2" x 1 1/4" x 2 1/2"	C. HOTCU
Model 0918XL 20698 Copper Tee, P x P x P, 3" x 3" x 2"[1] [G]	3" x 3" x 2"	C. HOTCU
Model 0918XL 20699 Copper Tee, P x P x P, 2 1/2" x 1 1/2" x 2 1/2"[1] [G]	2 1/2" x 1 1/2" x 2 1/2"	C. HOTCU
Model 0918XL 20703 Copper Tee, P x P x P, 3" x 3" x 2 1/2"[1] [G]	3" x 3" x 2 1/2"	C. HOTCU
Model 0918XL 20704 Copper Tee, P x P x P, 2 1/2" x 2" x 3/4"[1] [G]	2 1/2" x 2" x 3/4"	C. HOTCU
Model 0918XL 20708 Copper Tee, P x P x P, 4"[1] [G]	4"	C. HOTCU
Model 0918XL 20709 Copper Tee, P x P x P, 2 1/2" x 2" x 1"[1] [G]	2 1/2" x 2" x 1"	C. HOTCU
Model 0918XL 20713 Copper Tee, P x P x P, 4" x 4" x 2"[1] [G]	4" x 4" x 2"	C. HOTCU
Model 0918XL 20714 Copper Tee, P x P x P, 2 1/2" x 2" x 2 1/2"[1] [G]	2 1/2" x 2" x 2 1/2"	C. HOTCU
Model 0918XL 20718 Copper Tee, P x P x P, 4" x 4" x 2 1/2"[1] [G]	4" x 4" x 2 1/2"	C. HOTCU
Model 0918XL 20719 Copper Tee, P x P x P, 3" x 3/4" x 3" [1] [G]	3" x 3/4" x 3"	C. HOTCU
Model 0918XL 20723 Copper Tee, P x P x P, 4" x 4" x 3"[1] [G]	4" x 4" x 3"	C. HOTCU
Model 0918XL 20724 Copper Tee, P x P x P, 3" x 1" x 3"[1] [G]	3" x 1" x 3"	C. HOTCU
Model 0918XL 20727 Copper Tee, P x P x P, 3" x 1 1/2" x 3"[1] [G]	3" x 1 1/2" x 3"	C. HOTCU
Model 0918XL 20729 Copper Tee, P x P x P, 3" x 1 1/4" x 3"[1] [G]	3" x 1 1/4" x 3"	C. HOTCU
Model 0918XL 20732 Copper Tee, P x P x P, 3" x 2" x 2"[1] [G]	3" x 2" x 2"	C. HOTCU
Model 0918XL 20734 Copper Tee, P x P x P, 3" x 2" x 2 1/2"[1] [G]	3" x 2" x 2 1/2"	C. HOTCU
Model 0918XL 20739 Copper Tee, P x P x P, 3" x 2" x 3"[1] [G]	3" x 2" x 3"	C. HOTCU
Model 0918XL 20744 Copper Tee, P x P x P, 3" x 2 1/2" x 2"[1] [G]	3" x 2 1/2" x 2"	C. HOTCU
Model 0918XL 20749 Copper Tee, P x P x P, 3" x 2 1/2" x 2 1/2"[1] [G]	3" x 2 1/2" x 2 1/2"	C. HOTCU
Model 0918XL 20754 Copper Tee, P x P x P, 3" x 2 1/2" x 3"[1] [G]	3" x 2 1/2" x 3"	C. HOTCU
Model 0918XL 20759 Copper Tee, P x P x P, 3" x 3" x 1/2"[1] [G]	3" x 3" x 1/2"	C. HOTCU
Model 0918XL 20774 Copper Tee, P x P x P, 4" x 3" x 2"[1] [G]	4" x 3" x 2"	C. HOTCU
Model 0918XL 20784 Copper Tee, P x P x P, 4" x 3" x 3"[1] [G]	4" x 3" x 3"	C. HOTCU
Model 0918XL 20788 Copper Tee, P x P x P, 4" x 4" x 1/2"[1] [G]	4" x 4" x 1/2"	C. HOTCU
Model 0918XL 20793 Copper Tee, P x P x P, 4" x 4" x 3/4"[1] [G]	4" x 4" x 3/4"	C. HOTCU
Model 0918XL 20794 Copper Tee, P x P x P, 4" x 4" x 1"[1] [G]	4" x 4" x 1"	C. HOTCU
Model 0918XL 20795 Copper Tee, P x P x P, 4" x 4" x 1 1/4"[1] [G]	4" x 4" x 1 1/4"	C. HOTCU
Model 0918XL 20798 Copper Tee, P x P x P, 3" x 3" x 1 1/2"[1] [G]	3" x 3" x 1 1/2"	C. HOTCU
Model 0918XL 20803 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 1 1/2"[1] [G]	2 1/2" x 2 1/2" x 1 1/2"	C. HOTCU
Model 0918XL 20808 Copper Tee, P x P x P, 4" x 4" x 1 1/2"[1] [G]	4" x 4" x 1 1/2"	C. HOTCU
Model 0918XL 22278 Copper Tee, P x P x P, 2 1/2" x 2" x 2"[1] [G]	2 1/2" x 2" x 2"	C. HOTCU
Model 0918XL 22283 Copper Tee, P x P x P, 2 1/2" x 2" x 1 1/2"[1] [G]	2 1/2" x 2" x 1 1/2"	C. HOTCU
Model 0918XL 22293 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 1"[1] [G]	2 1/2" x 2 1/2" x 1"	C. HOTCU
Model 0918XL 22298 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 3/4"[1] [G]	2 1/2" x 2 1/2" x 3/4"	C. HOTCU

Model 0918XL 22303 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 1/2"[1] [G]	2 1/2"x2 1/2"x1/2"	C. HOTCU
Model 0918XL 22308 Copper Tee, P x P x P, 3" x 3" x 1"[1] [G]	3" x 3" x 1"	C. HOTCU
Model 0918XL 22313 Copper Tee, P x P x P, 3" x 3" x 1 1/4"[1] [G]	3" x 3" x 1 1/4"	C. HOTCU
Model 0918XL 22323 Copper Tee, P x P x P, 3" x 3" x 3/4"[1] [G]	3" x 3" x 3/4"	C. HOTCU
Model 0926.1XL 20668, Copper Elbow 45°, FTG x P, 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0926.1XL 20673 Copper Elbow 45°, FTG x P, 3"[1] [G]	3"	C. HOTCU
Model 0926.1XL 20678 Copper Elbow 45°, FTG x P, 4"[1] [G]	4"	C. HOTCU
Model 0926XL 20653 Copper Elbow 45°, P x P, 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0926XL 20658 Copper Elbow 45°, P x P, 3"[1] [G]	3"	C. HOTCU
Model 0926XL 20663 Copper Elbow 45°, P x P, 4"[1] [G]	4"	C. HOTCU
Model 0956XL 20833 Copper Cap, P, 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0956XL 20843 Copper Cap, P, 3"[1] [G]	3"	C. HOTCU
Model 0956XL 20848 Copper Cap, P, 4"[1] [G]	4"	C. HOTCU
Model 0959.5XL 20853 Copper Adapter Flange, Flange x P, 2 1/2"[1] [G]	2 1/2"	C. HOTCU
Model 0959.5XL 20858 Copper Adapter Flange, Flange x P, 3"[1] [G]	3"	C. HOTCU
Model 0959.5XL 20863 Copper Adapter Flange, Flange x P, 4"[1] [G]	4"	C. HOTCU
Model 2915 78047 ProPress ProPress Copper Coupling w/ Stop, P x P, 1/2"[1] [G]	1/2"	C. HOTCU
Model 2915 78052 ProPress Copper Coupling w/ Stop, P x P, 3/4"[1] [G]	3/4"	C. HOTCU
Model 2915 78057 ProPress Copper Coupling w/ Stop, P x P, 1"[1] [G]	1"	C. HOTCU
Model 2915 78062 ProPress Copper Coupling w/ Stop, P x P, 1 1/4"[1] [G]	1 1/4"	C. HOTCU
Model 2915 78067 ProPress Copper Coupling w/ Stop, P x P, 1 1/2"[1] [G]	1 1/2"	C. HOTCU
Model 2915 78072 ProPress Copper Coupling w/ Stop, P x P, 2"[1] [G]	2"	C. HOTCU
Model 2915.1 14543 ProPress Copper Reducer, FTG x P, 1 1/2" x 3/4"[1] [G]	1 1/2" x 3/4"	C. HOTCU
Model 2915.1 22333 ProPress Copper Reducer, FTG x P, 1 1/4" x 1/2"[1] [G]	1 1/4" x 1/2"	C. HOTCU
Model 2915.1 78077 ProPress Copper Reducer, FTG x P, 3/4" x 1/2"[1] [G]	3/4" x 1/2"	C. HOTCU
Model 2915.1 78082 ProPress Copper Reducer, FTG x P, 1" x 1/2"[1] [G]	1" x 1/2"	C. HOTCU
Model 2915.1 78087 ProPress Copper Reducer, FTG x P, 1" x 3/4"[1] [G]	1" x 3/4"	C. HOTCU
Model 2915.1 78092 ProPress Copper Reducer, FTG x P, 1 1/4" x 3/4"[1] [G]	1 1/4" x 3/4"	C. HOTCU
Model 2915.1 78097 ProPress Copper Reducer, FTG x P, 1 1/4" x 1"[1] [G]	1 1/4" x 1"	C. HOTCU
Model 2915.1 78102 ProPress Copper Reducer, FTG x P, 1 1/2" x 1"[1] [G]	1 1/2" x 1"	C. HOTCU
Model 2915.1 78107 ProPress Copper Reducer, FTG x P, 1 1/2" x 1 1/4"[1] [G]	1 1/2" x 1 1/4"	C. HOTCU
Model 2915.1 78112 ProPress Copper Reducer, FTG x P, 2" x 1"[1] [G]	2" x 1"	C. HOTCU
Model 2915.1 78117 ProPress Copper Reducer, FTG x P, 2" x 1 1/4"[1] [G]	2" x 1 1/4"	C. HOTCU
Model 2915.1 78122 ProPress Copper Reducer, FTG x P, 2" x 1 1/2"[1] [G]	2" x 1 1/2"	C. HOTCU
Model 2915.2 15588 ProPress Copper Reducer, P x P, 1 1/2" x 1"[1] [G]	1 1/2" x 1"	C. HOTCU
Model 2915.2 15593 ProPress Copper Reducer, P x P, 1 1/4" x 3/4"[1] [G]	1 1/4" x 3/4"	C. HOTCU
Model 2915.2 15603 ProPress Copper Reducer, P x P, 1" x 1/2"[1] [G]	1" x 1/2"	C. HOTCU
Model 2915.2 15608 ProPress Copper Reducer, P x P, 2" x 1"[1] [G]	2" x 1"	C. HOTCU
Model 2915.2 18468 ProPress Copper Reducer, P x P, 2" x 3/4"[1] [G]	2" x 3/4"	C. HOTCU
Model 2915.2 18473 ProPress Copper Reducer, P x P, 1 1/2" x 3/4"[1] [G]	1 1/2" x 3/4"	C. HOTCU
Model 2915.2 22328 ProPress Copper Reducer, P x P, 2" x 1 1/4"[1] [G]	2" x 1 1/4"	C. HOTCU
Model 2915.2 78147 ProPress Copper Reducer, P x P, 3/4" x 1/2"[1] [G]	3/4" x 1/2"	C. HOTCU
Model 2915.2 78152 ProPress Copper Reducer, P x P, 1" x 3/4"[1] [G]	1" x 3/4"	C. HOTCU
Model 2915.2 78157 ProPress Copper Reducer, P x P, 1 1/4" x 1"[1] [G]	1 1/4" x 1"	C. HOTCU

Model 2915.2 78162 ProPress Copper Reducer, P x P, 1 1/2" x 1 1/4"[1] [G]	1 1/2" x 1 1/4"	C. HOTCU
Model 2915.2 78167 ProPress Copper Reducer, P x P, 2" x 1 1/2"[1] [G]	2" x 1 1/2"	C. HOTCU
Model 2915.3 78172 ProPress Copper Coupling - No Stop, P x P, 1/2"[1] [G]	1/2"	C. HOTCU
Model 2915.3 78177 ProPress Copper Coupling - No Stop, P x P, 3/4"[1] [G]	3/4"	C. HOTCU
Model 2915.3 78182 ProPress Copper Coupling - No Stop, P x P, 1"[1] [G]	1"	C. HOTCU
Model 2915.3 78187 ProPress Copper Coupling - No Stop, P x P, 1 1/4"[1] [G]	1 1/4"	C. HOTCU
Model 2915.3 78192 ProPress Copper Coupling - No Stop, P x P, 1 1/2"[1] [G]	1 1/2"	C. HOTCU
Model 2915.3 78197 ProPress Copper Coupling - No Stop, P x P, 2"[1] [G]	2"	C. HOTCU
Model 2915.5 79005 ProPress Copper Coupling - Extended, No Stop, P x P, 1/2" [1] [G]	1/2"	C. HOTCU
Model 2915.5 79010 ProPress Copper Coupling - Extended, No Stop, P x P, 3/4" [1] [G]	3/4"	C. HOTCU
Model 2915.5 79015 ProPress Copper Coupling - Extended, No Stop, P x P, 1" [1] [G]	1"	C. HOTCU
Model 2915.5 79020 ProPress Copper Coupling - Extended, No Stop, P x P, 1 1/4" [1] [G]	1 1/4"	C. HOTCU
Model 2915.5 79025 ProPress Copper Coupling - Extended, No Stop, P x P, 1 1/2" [1] [G]	1 1/2"	C. HOTCU
Model 2915.5 79030 ProPress Copper Coupling - Extended, No Stop, P x P, 2" [1] [G]	2"	C. HOTCU
Model 2916 77022 ProPress Copper Elbow 90°, P x P, 3/4"[1] [G]	3/4"	C. HOTCU
Model 2916 77027 ProPress Copper Elbow 90°, P x P, 1"[1] [G]	1"	C. HOTCU
Model 2916 77032 ProPress Copper Elbow 90°, P x P, 1 1/4"[1] [G]	1 1/4"	C. HOTCU
Model 2916 77037 ProPress Copper Elbow 90°, P x P, 1 1/2"[1] [G]	1 1/2"	C. HOTCU
Model 2916 77042 ProPress Copper Elbow 90°, P x P, 2"[1] [G]	2"	C. HOTCU
Model 2916 77317 ProPress Copper Elbow 90°, P x P, 1/2"[1] [G]	1/2"	C. HOTCU
Model 2916.1 77052 ProPress Copper Elbow 90°, FTG x P, 3/4"[1] [G]	3/4"	C. HOTCU
Model 2916.1 77057 ProPress Copper Elbow 90°, FTG x P, 1"[1] [G]	1"	C. HOTCU
Model 2916.1 77062 ProPress Copper Elbow 90°, FTG x P, 1 1/4"[1] [G]	1 1/4"	C. HOTCU
Model 2916.1 77067 ProPress Copper Elbow 90°, FTG x P, 1 1/2"[1] [G]	1 1/2"	C. HOTCU
Model 2916.1 77072 ProPress Copper Elbow 90°, FTG x P, 2"[1] [G]	2"	C. HOTCU
Model 2916.1 77347 ProPress Copper Elbow 90°, FTG x P, 1/2"[1] [G]	1/2"	C. HOTCU
Model 2916.3 77325 ProPress Copper Reducing Elbow 90°, P x P, 3/4" x 1/2" [1] [G]	3/4" x 1/2"	C. HOTCU
Model 2916.3 77330 ProPress Copper Reducing Elbow 90°, P x P, 1" x 3/4"[1] [G]	1" x 3/4"	C. HOTCU
Model 2918 14568 ProPress Copper Tee, P x P x P, 1 1/4" x 1" x 1"[1] [G]	1 1/4" x 1" x 1"	C. HOTCU
Model 2918 15448 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/2" x 1/2"[1] [G]	1 1/2" x 1 1/2" x 1/2"	C. HOTCU
Model 2918 15453 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/4" x 1"[1] [G]	1 1/2" x 1 1/4" x 1"	C. HOTCU
Model 2918 15458 ProPress Copper Tee, P x P x P, 1 1/2" x 1" x 1"[1] [G]	1 1/2" x 1" x 1"	C. HOTCU
Model 2918 15463 ProPress Copper Tee, P x P x P, 1 1/2" x 1" x 1 1/2"[1] [G]	1 1/2" x 1" x 1 1/2"	C. HOTCU
Model 2918 15483 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/4" x 1 1/4"[1] [G]	1 1/2" x 1 1/4" x 1 1/4"	C. HOTCU
Model 2918 15488 ProPress Copper Tee, P x P x P, 1" x 1" x 1 1/4"[1] [G]	1" x 1" x 1 1/4"	C. HOTCU
Model 2918 15493 ProPress ProPress Copper Tee, P x P x P, 1/2" x 1/2" x 1"[1] [G]	1/2" x 1/2" x 1"	C. HOTCU
Model 2918 15498 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 1"[1] [G]	2" x 1 1/2" x 1"	C. HOTCU

Model 2918 15503 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 1 1/2"[1] [G]	2" x 1 1/2" x 1 1/2" C. HOTCU
Model 2918 15508 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 1 1/4"[1] [G]	2" x 1 1/2" x 1 1/4" C. HOTCU
Model 2918 15513 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 3/4"[1] [G]	2" x 1 1/2" x 3/4" C. HOTCU
Model 2918 15518 ProPress Copper Tee, P x P x P, 2" x 1 1/4" x 1 1/4"[1] [G]	2" x 1 1/4" x 1 1/4" C. HOTCU
Model 2918 15538 ProPress Copper Tee, P x P x P, 2" x 2" x 1/2"[1] [G]	2" x 2" x 1/2" C. HOTCU
Model 2918 22228 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 2"[1] [G]	2" x 1 1/2" x 2" C. HOTCU
Model 2918 22233 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/4" x 3/4"[1] [G]	1 1/2"x1 1/4"x3/4" C. HOTCU
Model 2918 22238 ProPress Copper Tee, P x P x P, 1 1/4" x 1" x 1/2"[1] [G]	1 1/4" x 1" x 1/2" C. HOTCU
Model 2918 22243 ProPress Copper Tee, P x P x P, 1 1/4" x 3/4" x 1/2"[1] [G]	1 1/4" x 3/4" x 1/2" C. HOTCU
Model 2918 22248 ProPress Copper Tee, P x P x P, 1 1/4" x 3/4" x 1 1/4"[1] [G]	1 1/4"x3/4"x1 1/4" C. HOTCU
Model 2918 22253 ProPress Copper Tee, P x P x P, 1 1/4" x 1/2" x 1 1/4"[1] [G]	1 1/4"x1/2"x1 1/4" C. HOTCU
Model 2918 22258 ProPress Copper Tee, P x P x P, 1 1/4" x 3/4" x 3/4"[1] [G]	1 1/4" x 3/4" x 3/4" C. HOTCU
Model 2918 22263 ProPress ProPress Copper Tee, P x P x P, 1" x 1/2" x 3/4" [1] [G]	1" x 1/2" x 3/4" C. HOTCU
Model 2918 22268 ProPress Copper Tee, P x P x P, 1 1/4" x 3/4" x 1"[1] [G]	1 1/4" x 3/4" x 1" C. HOTCU
Model 2918 77377 ProPress ProPress Copper Tee, P x P x P, 1/2"[1] [G]	1/2" C. HOTCU
Model 2918 77382 ProPress ProPress Copper Tee, P x P x P, 1/2" x 1/2" x 3/4" [1] [G]	1/2" x 1/2" x 3/4" C. HOTCU
Model 2918 77387 ProPress ProPress Copper Tee, P x P x P, 3/4"[1] [G]	3/4" C. HOTCU
Model 2918 77392 ProPress ProPress Copper Tee, P x P x P, 3/4" x 1/2" x 1/2" [1] [G]	3/4" x 1/2" x 1/2" C. HOTCU
Model 2918 77397 ProPress ProPress Copper Tee, P x P x P, 3/4" x 1/2" x 3/4" [1] [G]	3/4" x 1/2" x 3/4" C. HOTCU
Model 2918 77402 ProPress ProPress Copper Tee, P x P x P, 3/4" x 3/4" x 1/2" [1] [G]	3/4" x 3/4" x 1/2" C. HOTCU
Model 2918 77407 ProPress ProPress Copper Tee, P x P x P, 3/4" x 3/4" x 1" [1] [G]	3/4" x 3/4" x 1" C. HOTCU
Model 2918 77412 ProPress Copper Tee, P x P x P, 1"[1] [G]	1" C. HOTCU
Model 2918 77417 ProPress ProPress Copper Tee, P x P x P, 1" x 3/4" x 1/2"[1] [G]	1" x 3/4" x 1/2" C. HOTCU
Model 2918 77422 ProPress ProPress Copper Tee, P x P x P, 1" x 3/4" x 3/4" [1] [G]	1" x 3/4" x 3/4" C. HOTCU
Model 2918 77427 ProPress Copper Tee, P x P x P, 1" x 3/4" x 1"[1] [G]	1" x 3/4" x 1" C. HOTCU
Model 2918 77432 ProPress Copper Tee, P x P x P, 1" x 1" x 1/2"[1] [G]	1" x 1" x 1/2" C. HOTCU
Model 2918 77437 ProPress Copper Tee, P x P x P, 1" x 1" x 3/4"[1] [G]	1" x 1" x 3/4" C. HOTCU
Model 2918 77442 ProPress Copper Tee, P x P x P, 1 1/4"[1] [G]	1 1/4" C. HOTCU
Model 2918 77447 ProPress Copper Tee, P x P x P, 1 1/4" x 1 1/4" x 1"[1] [G]	1 1/4" x 1 1/4" x 1" C. HOTCU
Model 2918 77452 ProPress Copper Tee, P x P x P, 1 1/4" x 1 1/4" x 3/4"[1] [G]	1 1/4"x1 1/4"x3/4" C. HOTCU
Model 2918 77457 ProPress Copper Tee, P x P x P, 1 1/2"[1] [G]	1 1/2" C. HOTCU
Model 2918 77462 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/2" x 3/4"[1] [G]	1 1/2"x1 1/2"x3/4" C. HOTCU
Model 2918 77467 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/2" x 1"[1] [G]	1 1/2" x 1 1/2" x 1" C. HOTCU
Model 2918 77472 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/2" x 1 1/4"[1] [G]	1 1/2"x1 1/2"x1 1/4" C. HOTCU
Model 2918 77477 ProPress Copper Tee, P x P x P, 2"[1] [G]	2" C. HOTCU

Model 2918 77482 ProPress Copper Tee, P x P x P, 2" x 2" x 1 1/2"[1] [G]	2" x 2" x 1 1/2"	C. HOTCU
Model 2918 77487 ProPress Copper Tee, P x P x P, 2" x 2" x 1 1/4"[1] [G]	2" x 2" x 1 1/4"	C. HOTCU
Model 2918 79660 ProPress Copper Tee, P x P x P, 1 1/2" x 1" x 3/4"[1] [G]	1 1/2" x 1" x 3/4"	C. HOTCU
Model 2918 94757 ProPress Copper Tee, P x P x P, 1 1/4" x 1 1/4" x 1/2"[1] [G]	1 1/4" x 1 1/4" x 1/2"	C. HOTCU
Model 2918 94762 ProPress Copper Tee, P x P x P, 1 1/4" x 1" x 3/4"[1] [G]	1 1/4" x 1" x 3/4"	C. HOTCU
Model 2918 94767 ProPress ProPress Copper Tee, P x P x P, 1" x 1/2" x 1"[1] [G]	1" x 1/2" x 1"	C. HOTCU
Model 2918 94772 ProPress Copper Tee, P x P x P, 2" x 2" x 1"[1] [G]	2" x 2" x 1"	C. HOTCU
Model 2918 94777 ProPress Copper Tee, P x P x P, 2" x 2" x 3/4"[1] [G]	2" x 2" x 3/4"	C. HOTCU
Model 2926 77023 ProPress Copper Elbow 45°, P x P, 3/4"[1] [G]	3/4"	C. HOTCU
Model 2926 77028 ProPress Copper Elbow 45°, P x P, 1"[1] [G]	1"	C. HOTCU
Model 2926 77033 ProPress Copper Elbow 45°, P x P, 1 1/4"[1] [G]	1 1/4"	C. HOTCU
Model 2926 77038 ProPress Copper Elbow 45°, P x P, 1 1/2"[1] [G]	1 1/2"	C. HOTCU
Model 2926 77043 ProPress Copper Elbow 45°, P x P, 2"[1] [G]	2"	C. HOTCU
Model 2926 77607 ProPress Copper Elbow 45°, P x P, 1/2"[1] [G]	1/2"	C. HOTCU
Model 2926.1 77053 ProPress Copper Elbow 45°, FTG x P, 3/4"[1] [G]	3/4"	C. HOTCU
Model 2926.1 77058 ProPress Copper Elbow 45°, FTG x P, 1"[1] [G]	1"	C. HOTCU
Model 2926.1 77063 ProPress Copper Elbow 45°, FTG x P, 1 1/4"[1] [G]	1 1/4"	C. HOTCU
Model 2926.1 77068 ProPress Copper Elbow 45°, FTG x P, 1 1/2"[1] [G]	1 1/2"	C. HOTCU
Model 2926.1 77073 ProPress Copper Elbow 45°, FTG x P, 2"[1] [G]	2"	C. HOTCU
Model 2926.1 77637 ProPress Copper Elbow 45°, FTG x P, 1/2"[1] [G]	1/2"	C. HOTCU
Model 2928 77742 ProPress Copper Cross-Over, P x P, 1/2"[1] [G]	1/2"	C. HOTCU
Model 2928 77747 ProPress Copper Cross-Over, P x P, 3/4"[1] [G]	3/4"	C. HOTCU
Model 2956 77712 ProPress Copper Cap, P, 1/2"[1] [G]	1/2"	C. HOTCU
Model 2956 77717 ProPress Copper Cap, P, 3/4"[1] [G]	3/4"	C. HOTCU
Model 2956 77722 ProPress Copper Cap, P, 1"[1] [G]	1"	C. HOTCU
Model 2956 77727 ProPress Copper Cap, P, 1 1/4"[1] [G]	1 1/4"	C. HOTCU
Model 2956 77732 ProPress Copper Cap, P, 1 1/2"[1] [G]	1 1/2"	C. HOTCU
Model 2956 77737 ProPress Copper Cap, P, 2"[1] [G]	2"	C. HOTCU
Model 2975.2 19786 ProPress Copper 90° Stub-Out, FTG x Closed, 1/2"[1] [G]	1/2"	C. HOTCU
Model 2975.2 19791 ProPress Copper 90° Stub-Out, FTG x Closed, 3/4"[1] [G]	3/4"	C. HOTCU
Model 2975.2 19961 ProPress Copper 90° Stub-Out, FTG x Closed, 1"[1] [G]	1"	C. HOTCU
Viega PureFlow Polymer Fittings, MNPT Coupler (V5215.1 43953)[2] [3] [G]	1/2"	C. HOTMLTPL
Viega PureFlow Polymer Fittings, MNPT Elbow 90 (V5216.1 43963)[2] [3] [G]	1/2"	C. HOTMLTPL
Viega PureFlow Polymer Fittings, MNPT Tee (V5218.2 43966)[2] [3] [G]	1/2"	C. HOTMLTPL

[1] Use of this material may not be appropriate in all water chemistries. Copper (tube, pipe, or fitting) may require corrosion control to limit the leaching of copper into drinking water under certain water chemistries. Refer to Informative Annex I-6.1 of NSF/ANSI/CAN 61 for water quality considerations to be used before installing this product.

[2] Accepted by NSF for use in residential and commercial construction, including manufactured housing.

[3] Product tested and Listed for use with Viega PureFlow, ViegaPEX, ViegaPEX ULTRA, ViegaPEX Barrier, and Viega FostaPEX tubing only.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Manifolds

PEX Press Polymer Manifold 1" PEX Press x 1/2" PEX Press, 6 outlets,closed (49206)[2] [3] [G]	1" x 1/2"	C. HOTPPSU
PEX Press Polymer Manifold 1" PEX Press x 1/2" PEX Press, 6 outlets,through(49256)[2] [3] [G]	1" x 1/2"	C. HOTPPSU
PEX Press Polymer Manifold 1" PEX Press x 1/2" PEX Press, 8 outlets,through(49258)[2] [3] [G]	1" x 1/2"	C. HOTPPSU
PEX Press Polymer Manifold 1"PEX Press x 1/2"PEX Press, 8 outlets, closed (49208)[2] [3] [G]	1" x 1/2"	C. HOTPPSU
PEX Press Polymer Manifold 1"x3/4" PEX Pressx1/2" PEX Press,4 outlets,through(49254)[2] [3] [G]	1" x 3/4" x 1/2"	C. HOTPPSU
PEX Press Polymer Manifold 3/4" PEX Press x 1/2" PEX Press, 2 outlets,through(49152)[2] [3] [G]	3/4" x 1/2"	C. HOTPPSU
PEX Press Polymer Manifold 3/4" PEX Press x 1/2" PEX Press, 3 outlets,through(49153)[2] [3] [G]	3/4" x 1/2"	C. HOTPPSU
PEX Press Polymer Manifold 3/4" PEX Press x 1/2" PEX Press, 4 outlets,closed (49004)[2] [3] [G]	3/4" x 1/2"	C. HOTPPSU
PEX Press Polymer Manifold 3/4" PEX Press x 1/2" PEX Press, 4 outlets,through(49054)[2] [3] [G]	3/4" x 1/2"	C. HOTPPSU
PollyAlloy Manifold 3/4" PEX Crimp x 1/2" PEX Crimp, 3 outlets, through(65153)[2] [3] [G]	3/4" x 1/2"	C. HOTPPSU
PolyAlloy Manifold 1" PEX Crimp x 1/2" PEX Crimp, 6 outlets, closed (65206) [2] [3] [G]	1" x 1/2"	C. HOTPPSU
PolyAlloy Manifold 1" PEX Crimp x 1/2" PEX Crimp, 6 outlets, through(65256) [2] [3] [G]	1" x 1/2"	C. HOTPPSU
PolyAlloy Manifold 1" PEX Crimp x 1/2" PEX Crimp, 8 outlets, through(65258) [2] [3] [G]	1" x 1/2"	C. HOTPPSU
PolyAlloy Manifold 1"x3/4" PEX Crimpx1/2" PEX Crimp, 4 outlets, through(65254)[2] [3] [G]	1" x 3/4" x 1/2"	C. HOTPPSU
PolyAlloy Manifold 3/4" PEX Crimp x 1/2" PEX Crimp, 2 outlets, through(65152) [2] [3] [G]	3/4" x 1/2"	C. HOTPPSU
PolyAlloy Manifold 3/4" PEX Crimp x 1/2" PEX Crimp, 4 outlets, closed (65104) [2] [3] [G]	3/4" x 1/2"	C. HOTPPSU
PolyAlloy Manifold 3/4" PEX Crimp x 1/2" PEX Crimp, 4 outlets, through(65154) [2] [3] [G]	3/4" x 1/2"	C. HOTPPSU
Viega ManaBloc™[2] [3] [4] [5] [G]	3/8" - 1"	D. MLTPL HOT

[2] Accepted by NSF for use in residential and commercial construction, including manufactured housing.

[3] Product tested and Listed for use with Viega PureFlow, ViegaPEX, ViegaPEX ULTRA, ViegaPEX Barrier, and Viega FostaPEX tubing only.

[4] Configurations Include:

Viega ManaBloc MXBD6

1/2" (8 hot, 10 cold) - 18 ports (PN 49615)

1/2" (9 hot, 15 cold) - 24 ports (PN 49620)

1/2" (12 hot, 18 cold) - 30 ports (PN 49625)

1/2" (14 hot, 22 cold) - 36 ports (PN49630)

Viega ManaBloc MXBD10

1/2" (10 hot, 16 cold) - 26 ports (PN 49635)

1/2" (13 hot, 19 cold) - 32 ports (PN 49640)

1/2" (14 hot, 22 cold) - 36 ports (PN 49645)

PEX Press Polymer ManaBloc

3/8" (6 hot, 8 cold) - 14 ports (PN 49142)

1/2" (6 hot, 8 cold) - 14 ports (PN 49143)

1/2" (8 hot, 10 cold) - 18 ports (PN 49183)

1/2" (9 hot, 15 cold) - 24 ports (PN 49243)

1/2" (12 hot, 18 cold) - 30 ports (PN 49303)

1/2" (14 hot, 22 cold) - 36 ports (PN 49363)

3/8" (6 hot, 7 cold) & 1/2" (2 hot, 3 cold) - 18 ports (PN 49186)

3/8" (7 hot, 11 cold) & 1/2" (2 hot, 4 cold) - 24 ports (PN 49246)

3/8" (10 hot, 12 cold) & 1/2" (2 hot, 6 cold) - 30 ports (PN 49306)

3/8" (11 hot, 15 cold) & 1/2" (3 hot, 7 cold) - 36 ports (PN 49366)

PEX Press Polymer MiniBloc

1/2" - 3 ports (PN 49033)

1/2" - 4 ports (PN 49043)

1/2" - 6 ports (PN 49063)

1/2" - 8 ports (PN 49083)

1/2" (2 hot, 3 cold) - 5 ports (PN 49453)

1/2" (3 hot, 4 cold) - 7 ports (PN 49473)

1/2" (4 hot, 6 cold) - 10 ports (PN 49410)

PEX Crimp PolyAlloy ManaBloc

3/8" (6 hot, 6 cold) - 12 ports (PN 50244)

3/8" (6 hot, 8 cold) - 14 ports (PN 50142)

3/8" (8 hot, 10 cold) - 18 ports (PN 50245)

3/8" (9 hot, 15 cold) - 24 ports (PN 50247)

3/8" (12 hot, 18 cold) - 30 ports (PN 50248)

3/8" (14 hot, 22 cold) - 36 ports (PN 50249)

1/2" (6 hot, 8 cold) - 14 ports (PN 50143)

1/2" (8 hot, 10 cold) - 18 ports (PN 50250)
1/2" (9 hot, 15 cold) - 24 ports (PN 50243)
1/2" (12 hot, 18 cold) - 30 ports (PN 50303)
1/2" (14 hot, 22 cold) - 36 ports (PN 50363)
3/8" (6 hot, 7 cold) & 1/2" (2 hot, 3 cold) - 18 ports (PN 51618)
3/8" (7 hot, 11 cold) & 1/2" (2 hot, 4 cold) - 24 ports (PN 50624)
3/8" (10 hot, 12 cold) & 1/2" (2 hot, 6 cold) - 30 ports (PN 50630)
3/8" (11 hot, 15 cold) & 1/2" (3 hot, 7 cold) - 36 ports (PN 50636)

PEX Crimp PolyAlloy MiniBloc

3/8" - (4 cold) - 4 ports (PN 50021)
3/8" - (6 cold) - 6 ports (PN 50022)
3/8" - (8 cold) - 8 ports (PN 50024) 1/2" - 3 ports (PN 50033)
1/2" - 4 ports (PN 50043)
1/2" - 6 ports (PN 50063)
1/2" - 8 ports (PN 50083)
1/2" (2 hot, 3 cold) - 5 ports (PN 51063)
1/2" (3 hot, 4 cold) - 7 ports (PN 51073)
1/2" (4 hot, 6 cold) - 10 ports (PN 51003)

PEX Compression ManaBloc

3/8" (6 hot, 8 cold) - 14 ports (PN 36142)
3/8" (8 hot, 10 cold) - 18 ports (PN 36182)
3/8" (9 hot, 15 cold) - 24 ports (PN 36242)
3/8" (12 hot, 18 cold) - 30 ports (PN 36302)
3/8" (14 hot, 22 cold) - 36 ports (PN 36362)
1/2" (6 hot, 8 cold) - 14 ports (PN 36144)
1/2" (8 hot, 10 cold) - 18 ports (PN 36183)
1/2" (9 hot, 15 cold) - 24 ports (PN 36243)
1/2" (12 hot, 18 cold) - 30 ports (PN 36303)
1/2" (14 hot, 22 cold) - 36 ports (PN 36363)
3/8" (7 hot, 11 cold) & 1/2" (2 hot, 4 cold) - 24 ports (PN 36624)
3/8" (10 hot, 12 cold) & 1/2" (2 hot, 6 cold) - 30 ports (PN 36630)
3/8" (11 hot, 15 cold) & 1/2" (3 hot, 7 cold) - 36 ports (PN 36636)

PEX Compression MiniBloc

3/8" - 3 ports (PN 36032)
3/8" - 4 ports (PN 36042)
3/8" - 6 ports (PN 36062)
3/8" - 8 ports (PN 36082)
1/2" - 3 ports (PN 36033)
1/2" - 4 ports (PN 36043)
1/2" - 6 ports (PN 36063)
1/2" - 8 ports (PN 36083)

[5] Certified for a maximum of 36 ports. Manifold ports (barb) are 3/8" or 1/2" and manifold inlets/outlets (supply ports) are 1".

Certification includes lead-free brass adapters with a maximum of (22) barb adapters

(3/8" x 1/2" or 1/2" x 1/2") with (1) inlet supply adapter and (1) outlet supply adapter (3/4" x 1" or 1" x 1") for cold applications.

Certification includes lead-free brass adapters with a maximum of (14) barb adapters (3/8" x 1/2" or 1/2" x 1/2") and (1) inlet supply adapter (3/4" x 1" or 1"x 1") for hot applications.

Certification includes bronze adapters with a maximum of (22) barb adapters (3/8" x 1/2" or 1/2" x 1/2") with (1) inlet supply adapter and (1) outlet supply adapter (3/4" x 1" or 1" x 1") for cold applications.

Certification includes bronze adapters with a maximum of (14) barb adapters (3/8" x 1/2" or 1/2" x 1/2") and (1) inlet supply adapter (3/4" x 1" or 1"x 1") for hot applications.

Certification includes polysulphone adapters with a maximum of (22) barb adapters (3/8" x 1/2" or 1/2" x 1/2") and (2) supply adapters (3/4" x 1" or 1"x 1") for cold applications.

Certification includes polysulphone adapters with a maximum of (14) barb adapters (3/8" x 1/2" or 1/2" x 1/2") and (1) supply adapter (3/4" x 1" or 1"x 1") for hot applications.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : # 2 USA

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Pipe[G] Viega PureFlow Icemaker Tubing	1/8"	CLD 23	PE

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : Manchester, TN

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Pipe[G] Viega ProPress 316 Eco Tubing	1/2" - 3"	C. HOT	SS

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : Waterloo, Ontario, Canada

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Pipe[G] Viega ProPress 316 Eco Tubing	4"	C. HOT	SS

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : Ennest, Germany

Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
Valves			
MegaPress 316 Ball Valve (3pc) Model 5175.8 #86540, PxP	1"	C. HOT	MLTPL
MegaPress 316 Ball Valve (3pc) Model 5175.8 #86545, PxP	1 1/4"	C. HOT	MLTPL
MegaPress 316 Ball Valve (3pc) Model 5175.8 #86550, PxP	1 1/2"	C. HOT	MLTPL
MegaPress 316 Ball Valve (3pc) Model 5175.8 #86555, PxP	2"	C. HOT	MLTPL
MegaPress 316 Ball Valve (3pc) Model 5175.8 #86565, PxP	2 1/2"	C. HOT	MLTPL
MegaPress 316 Ball Valve (3pc) Model 5175.8 #86570, PxP	3"	C. HOT	MLTPL
MegaPress 316 Ball Valve (3pc) Model 5175.8 #86575, PxP	4"	C. HOT	MLTPL
MegaPress 316 Ball Valve (3pc) Model 5175.8 #86530, PxP	1/2"	C. HOT	MLTPL
MegaPress 316 Ball Valve (3pc) Model 5175.8 #86535, PxP	3/4"	C. HOT	MLTPL
ProPress Ball Valve (formerly known as Lead Free ProPress Bronze Ball Valve)[G]	1/2" - 2"	C. HOT	MLTPL
ProPress 316 Ball Valve (formerly known as ProPress Stainless Steel Ball Valve)[G]	1/2" - 2"	C. HOT	MLTPL
ProPress 316 Ball Valve Model 4070 #81080 ProPress 316 Valve (2pc), PxP, 1/2" x 1/2"[G]	1/2" x 1/2"	C. HOT	MLTPL
ProPress 316 Ball Valve Model 4070 #81085 ProPress 316 Valve (2Pc),P x P, 3/4" x 3/4"[G]	3/4" x 3/4"	C. HOT	MLTPL
ProPress 316 Ball Valve Model 4070 #81090 ProPress 316 Valve (2pc),P x P,1" x 1"[G]	1" x 1"	C. HOT	MLTPL
ProPress 316 Ball Valve Model 4070 #81095 ProPress 316 Valve (2pc),P x P,1 1/4"x1 1/4"[G]	1 1/4" x 1 1/4"	C. HOT	MLTPL
ProPress 316 Ball Valve Model 4070 #81100 ProPress 316 Valve (2pc),P x P,1 1/2"x1 1/2"[G]	1 1/2" x 1 1/2"	C. HOT	MLTPL
ProPress 316 Ball Valve Model 4070 #81105 ProPress 316 Valve (2pc),P x P,2" x 2"[G]	2" x 2"	C. HOT	MLTPL

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings			
# 2870ZL 98200 Viega PureFlow Press Ball Valve Lead Free, P x Pμ [1] [G]	1"	C. HOT	MLTPL
# 2870ZL 98201 Viega PureFlow Press Ball Valve Lead Free, P x Pμ [1] [G]	1 1/4"	C. HOT	MLTPL
# 2870ZL 98202 Viega PureFlow Press Ball Valve Lead Free, P x Pμ [1] [G]	1 1/2"	C. HOT	MLTPL
# 2870ZL 98203 Viega PureFlow Press Ball Valve Lead Free, P x Pμ [1] [G]	2"	C. HOT	MLTPL
# 2914.2ZL 79520 Bronze Elbow 90°, P x F NPT[G]	1/2" x 3/8"	C. HOT	BRONZE
# 2914.2ZL 79525 Bronze Elbow 90°, P x F NPT[G]	1/2" x 1/2"	C. HOT	BRONZE
# 2914.2ZL 79530 Bronze Elbow 90°, P x F NPT[G]	1/2" x 3/4"	C. HOT	BRONZE
# 2914.2ZL 79535 Bronze Elbow 90°, P x F NPT[G]	3/4" x 1/2"	C. HOT	BRONZE
# 2914.2ZL 79540 Bronze Elbow 90°, P x F NPT[G]	3/4" x 3/4"	C. HOT	BRONZE
# 2914.2ZL 79545 Bronze Elbow 90°, P x F NPT[G]	1" x 1/2"	C. HOT	BRONZE
# 2914.2ZL 79550 Bronze Elbow 90°, P x F NPT[G]	1" x 1"	C. HOT	BRONZE
# 2914.2ZL 79560 Bronze Elbow 90°, P x F NPT[G]	1 1/4" x 1 1/4"	C. HOT	BRONZE
# 2914.2ZL 79565 Bronze Elbow 90°, P x F NPT[G]	1 1/2" x 1 1/2"	C. HOT	BRONZE
# 2914.2ZL 79570 Bronze Elbow 90°, P x F NPT[G]	2" x 2"	C. HOT	BRONZE
# 2917.2ZL 79580 Bronze Tee, P x P x F NPT[G]	1/2" x 1/2" x 1/2"	C. HOT	BRONZE
# 2917.2ZL 79585 Bronze Tee, P x P x F NPT[G]	3/4" x 3/4" x 1/4"	C. HOT	BRONZE
# 2917.2ZL 79590 Bronze Tee, P x P x F NPT[G]	3/4" x 3/4" x 1/2"	C. HOT	BRONZE
# 2917.2ZL 79595 Bronze Tee, P x P x F NPT[G]	3/4" x 3/4" x 3/4"	C. HOT	BRONZE
# 2917.2ZL 79760 Bronze Tee, P x P x F NPT[G]	1" x 1" x 1/2"	C. HOT	BRONZE
# 2917.2ZL 79765 Bronze Tee, P x P x F NPT[G]	1" x 1" x 3/4"	C. HOT	BRONZE
# 2917.2ZL 79770 Bronze Tee, P x P x F NPT[G]	1 1/4"x1 1/4"x1/2"	C. HOT	BRONZE
# 2917.2ZL 79775 Bronze Tee, P x P x F NPT[G]	1 1/4"x1 1/4"x3/4"	C. HOT	BRONZE
# 2917.2ZL 79780 Bronze Tee, P x P x F NPT[G]	1 1/2"x1 1/2"x1/2"	C. HOT	BRONZE
# 2917.2ZL 79785 Bronze Tee, P x P x F NPT[G]	1 1/2"x1 1/2"x3/4"	C. HOT	BRONZE
# 2917.2ZL 79790 Bronze Tee, P x P x F NPT[G]	2" x 2" x 1/2"	C. HOT	BRONZE
# 2917.2ZL 79795 Bronze Tee, P x P x F NPT[G]	2" x 2" x 3/4"	C. HOT	BRONZE
# 2917.3ZL 79634 Bronze Vent Tee, P x F NPT x P[G]	1/2" x 1/8" x 1/2"	C. HOT	BRONZE
# 2917.3ZL 79639 Bronze Vent Tee, P x F NPT x P[G]	3/4" x 1/8" x 3/4"	C. HOT	BRONZE
# 2925.2ZL 79205 Bronze Elbow Hi Ear 90° w/ Wallplate, P x F NPT[G]	1/2" x 1/2"	C. HOT	BRONZE
# 2925.5ZL 79185 Bronze Elbow Drop 90° w/ Wallplate, P x F NPT[G]	1/2" x 3/8"	C. HOT	BRONZE

# 2925.5ZL 79190 Bronze Elbow Drop 90° w/ Wallplate, P x F NPT[G]	1/2" x 1/2"	C. HOT BRONZE
# 2925.5ZL 79195 Bronze Elbow Drop 90° w/ Wallplate, P x F NPT[G]	3/4" x 3/4"	C. HOT BRONZE
# 2928.7ZL 78800 Bronze Double Drop Elbow, P x P x F NPT[G]	1/2" x 1/2" x 1/2"	C. HOT BRONZE
# 2928.7ZL 78801 Bronze Double Drop Elbow, P x P x F NPT[G]	3/4" x 3/4" x 3/4"	C. HOT BRONZE
# 2928.7ZL 78802 Bronze Double Drop Elbow, P x P x F NPT[G]	3/4" x 3/4" x 1/2"	C. HOT BRONZE
# 2928.7ZL 78803 Bronze Double Drop Elbow, P x P x F NPT[G]	1" x 1" x 1/2"	C. HOT BRONZE
#2816ZL 93560 Press 90° Elbow, Pμ [1] [G]	1"	C. HOT BRONZE
#2816ZL 93570 Press 90° Elbow, Pμ [1] [G]	1 1/4"	C. HOT BRONZE
#2816ZL 93580 Press 90° Elbow, Pμ [1] [G]	1 1/2"	C. HOT BRONZE
#2818ZL 94039 Press Tee, P x P x Pμ [1] [G]	1" x 1/2" x 1"	C. HOT BRONZE
#2818ZL 94053 Press Tee, P x P x Pμ [1] [G]	1" x 3/4" x 1"	C. HOT BRONZE
#2818ZL 94056 Press Tee, P x P x Pμ [1] [G]	1" x 1" x 3/4"	C. HOT BRONZE
#2818ZL 94060 Press Tee, Pμ [1] [G]	1"	C. HOT BRONZE
#2825.4 94646 Press Double Drop Ear Elbow, P x P x F NPTμ [1] [G]	3/4" x 3/4" x 1/2"	C. HOT BRONZE
#2825.5ZL 94505 Press Drop Ear 90 Elbow, P x F NPTμ [1] [G]	3/8" x 1/2"	C. HOT BRONZE
#2825.5ZL 94520 Press Drop Ear 90 Elbow, P x F NPTμ [1] [G]	1/2" x 1/2"	C. HOT BRONZE
#2825.5ZL 94535 Press Drop Ear 90 Elbow, P x F NPTμ [1] [G]	3/4" x 1/2"	C. HOT BRONZE
#2825.5ZL 94540 Press Drop Ear 90 Elbow, P x F NPTμ [1] [G]	3/4" x 3/4"	C. HOT BRONZE
2818ZL 94050 Press Tee, P x P x Pμ [1] [G]	1" x 1" x 1/2"	C. HOT BRONZE
2818ZL 94052 Press Tee, P x P x Pμ [1] [G]	1" x 3/4" x 3/4"	C. HOT BRONZE
94050 Press Tee, P x P x Pμ [1] [G]	1" x 1" x 1/2"	C. HOT BRONZE
94052 Press Tee, P x P x Pμ [1] [G]	1" x 3/4" x 3/4"	C. HOT BRONZE

μ Product Listed for use with ViegaPEX, ViegaPEX ULTRA, ViegaPEX Barrier, and Viega FostaPEX tubing only.

[1] These Viega PureFlow products may also be marked as Viega PEX Press.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : Grossheringen, Germany

Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
Valves			
#2974ZL Lead Free Inline Check Valve[G]	1/2" - 2"	D. HOT	MLTPL

#5174 MegaPress 316 Inline Spring Check Valve[G]

1/2" - 2" C. HOT MLTPL

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings			
# 2911.1ZL 79375 ProPress Male Adapter, FTG x M NPT[G]	1/2" x 3/8"	C. HOT	BRONZE
# 2911.1ZL 79380 ProPress Male Adapter, FTG x M NPT[G]	1/2" x 1/2"	C. HOT	BRONZE
# 2911.1ZL 79385 ProPress Male Adapter, FTG x M NPT[G]	1/2" x 3/4"	C. HOT	BRONZE
# 2911.1ZL 79390 ProPress Male Adapter, FTG x M NPT[G]	3/4" x 1/2"	C. HOT	BRONZE
# 2911.1ZL 79395 ProPress Male Adapter, FTG x M NPT[G]	3/4" x 3/4"	C. HOT	BRONZE
# 2911.1ZL 79400 ProPress Male Adapter, FTG x M NPT[G]	1" x 3/4"	C. HOT	BRONZE
# 2911.1ZL 79405 ProPress Male Adapter, FTG x M NPT[G]	1" x 1"	C. HOT	BRONZE
# 2911.1ZL 79410 ProPress Male Adapter, FTG x M NPT[G]	1 1/4" x 1 1/4"	C. HOT	BRONZE
# 2911.1ZL 79415 ProPress Male Adapter, FTG x M NPT[G]	1 1/2" x 1 1/2"	C. HOT	BRONZE
# 2911.1ZL 79420 ProPress Male Adapter, FTG x M NPT[G]	2" x 2"	C. HOT	BRONZE
# 2911.5ZL 78810 Venturi Insert, FTG x FTG[G]	1 1/4" x 1 1/4"	C. HOT	BRONZE
# 2911.5ZL 78811 Venturi Insert, FTG x FTG[G]	1 1/2" x 1 1/2"	C. HOT	BRONZE
# 2911.5ZL 78812 Venturi Insert, FTG x FTG[G]	2" x 2"	C. HOT	BRONZE
# 2911ZL 79210 ProPress Male Adapter, P x M NPT[G]	1/2" x 3/8"	C. HOT	BRONZE

# 2911ZL 79215 ProPress Male Adapter, P x M NPT[G]	1/2" x 1/2"	C.	BRONZE HOT
# 2911ZL 79220 ProPress Male Adapter, P x M NPT[G]	1/2" x 3/4"	C.	BRONZE HOT
# 2911ZL 79225 ProPress Male Adapter, P x M NPT[G]	3/4" x 1/2"	C.	BRONZE HOT
# 2911ZL 79230 ProPress Male Adapter, P x M NPT[G]	3/4" x 3/4"	C.	BRONZE HOT
# 2911ZL 79235 ProPress Male Adapter, P x M NPT[G]	3/4" x 1"	C.	BRONZE HOT
# 2911ZL 79240 ProPress Male Adapter, P x M NPT[G]	1" x 3/4"	C.	BRONZE HOT
# 2911ZL 79245 ProPress Male Adapter, P x M NPT[G]	1" x 1"	C.	BRONZE HOT
# 2911ZL 79250 ProPress Male Adapter, P x M NPT[G]	1" x 1-1/4"	C.	BRONZE HOT
# 2911ZL 79255 ProPress Male Adapter, P x M NPT,[G]	1 1/4" x 1"	C.	BRONZE HOT
# 2911ZL 79260 ProPress Male Adapter, P x M NPT[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
# 2911ZL 79265 ProPress Male Adapter, P x M NPT[G]	1 1/4" x 1 1/2"	C.	BRONZE HOT
# 2911ZL 79270 ProPress Male Adapter, P x M NPT[G]	1 1/2" x 1 1/4"	C.	BRONZE HOT
# 2911ZL 79275 ProPress Male Adapter, P x M NPT[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
# 2911ZL 79280 ProPress Male Adapter, P x M NPT[G]	1 1/2" x 2"	C.	BRONZE HOT
# 2911ZL 79285 ProPress Male Adapter, P x M NPT[G]	2" x 1 1/2"	C.	BRONZE HOT
# 2911ZL 79290 ProPress Male Adapter, P x M NPT[G]	2" x 2"	C.	BRONZE HOT
# 2912.1ZL 79425 ProPress Female Adapter, FTG x F NPT[G]	1/2" x 3/8"	C.	BRONZE HOT
# 2912.1ZL 79430 ProPress Female Adapter, FTG x F NPT[G]	1/2" x 1/2"	C.	BRONZE HOT
# 2912.1ZL 79435 ProPress Female Adapter, FTG x F NPT[G]	1/2" x 3/4"	C.	BRONZE HOT
# 2912.1ZL 79440 ProPress Female Adapter, FTG x F NPT[G]	3/4" x 1/2"	C.	BRONZE HOT
# 2912.1ZL 79445 ProPress Female Adapter, FTG x F NPT[G]	3/4" x 3/4"	C.	BRONZE HOT
# 2912.1ZL 79450 ProPress Female Adapter, FTG x F NPT[G]	1" x 1/2"	C.	BRONZE HOT

# 2912.1ZL 79455 ProPress Female Adapter, FTG x F NPT[G]	1" x 1"	C.	BRONZE HOT
# 2912.1ZL 79460 ProPress Female Adapter, FTG x F NPT[G]	1 1/4" x 1/2"	C.	BRONZE HOT
# 2912.1ZL 79465 ProPress Female Adapter, FTG x F NPT[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
# 2912.1ZL 79470 ProPress Female Adapter, FTG x F NPT[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
# 2912.1ZL 79475 ProPress Female Adapter, FTG x F NPT[G]	2" x 2"	C.	BRONZE HOT
# 2915.1ZL 79850 ProPress Reducer, FTG x P[G]	1 1/2" x 1/2"	C.	BRONZE HOT
# 2915.1ZL 79855 ProPress Reducer, FTG x P[G]	2" x 1/2"	C.	BRONZE HOT
# 2915.1ZL 79860 ProPress Reducer, FTG x P[G]	2" x 3/4"	C.	BRONZE HOT
# 2959.5ZL 79680 ProPress Two Piece Flange - P x Flange[G]	1"	C.	BRONZE HOT
# 2959.5ZL 79685 ProPress Two Piece Flange - P x Flange[G]	1 1/4"	C.	BRONZE HOT
# 2959.5ZL 79690 ProPress Two Piece Flange - P x Flange[G]	1 1/2"	C.	BRONZE HOT
# 2959.5ZL 79695 ProPress Two Piece Flange - P x Flange[G]	2"	C.	BRONZE HOT
#2911WA 79861 ProPress Male Adapter, P x M NPT[G]	3/4" x 3/4"	C.	BRONZE HOT
#2911WA 79862 ProPress Male Adapter, P x M NPT[G]	1/2" x 1/2"	C.	BRONZE HOT
#2911WA 79863 ProPress Male Adapter, P x M NPT[G]	1" x 1"	C.	BRONZE HOT
#2911WA 79864 ProPress Male Adapter, P x M NPT[G]	1-1/4" x 1-1/4"	C.	BRONZE HOT
#2911WA 79865 ProPress Male Adapter, P x M NPT[G]	1-1/2" x 1-1/2"	C.	BRONZE HOT
#2911WA 79866 ProPress Male Adapter, P x M NPT[G]	2" x 2"	C.	BRONZE HOT
5111 #90230 MegaPress 316 Adapter, PxMPT 1/2"x1/2"[2] [G]	1/2" x 1/2"	C.	SS HOT
5111 #90235 MegaPress 316 Adapter, PxMPT 3/4"x1/2"[2] [G]	3/4" x 1/2"	C.	SS HOT
5111 #90240 MegaPress 316 Adapter, PxMPT 3/4"x3/4"[2] [G]	3/4" x 3/4"	C.	SS HOT
5111 #90245 MegaPress 316 Adapter, PxMPT 1"x1"[2] [G]	1" x 1"	C.	SS HOT

5111 #90250 MegaPress 316 Adapter, PxMPT 1-1/2"[2] [G]	1 1/2" x 1 1/2"	C.	SS
		HOT	
5111 #90255 MegaPress 316 Adapter, PxMPT 2"x2"[2] [G]	2" x 2"	C.	SS
		HOT	
5111 #90880 MegaPress 316 Adapter, PxMPT 1 1/4" x 1 1/4"[2] [G]	1 1/4" x 1 1/4"	C.	SS
		HOT	
5112 #90260 MegaPress 316 Adapter, PxFPT 1/2"x1/2"[2] [G]	1/2" x 1/2"	C.	SS
		HOT	
5112 #90265 MegaPress 316 Adapter, PxFPT 3/4"x3/4"[2] [G]	3/4" x 3/4"	C.	SS
		HOT	
5112 #90270 MegaPress 316 Adapter, PxFPT 1"x1"[2] [G]	1" x 1"	C.	SS
		HOT	
5112 #90275 MegaPress 316 Adapter, PxFPT 1-1/2"[2] [G]	1 1/2" x 1 1/2"	C.	SS
		HOT	
5112 #90280 MegaPress 316 Adapter, PxFPT 2"x2"[2] [G]	2" x 2"	C.	SS
		HOT	
5112 #90885 MegaPress 316 Adapter, PxFPT 1 1/4" x 1 1/4"[2] [G]	1 1/4" x 1 1/4"	C.	SS
		HOT	
5113 #90465 MegaPress 316 Coupling, P x P (CTS x IPS)[2] [G]	1/2"	C.	SS
		HOT	
5113 #90470 MegaPress 316 Coupling, P x P (CTS x IPS)[2] [G]	3/4"	C.	SS
		HOT	
5113 #90475 MegaPress 316 Coupling, P x P (CTS x IPS)[2] [G]	1"	C.	SS
		HOT	
5113 #90485 MegaPress 316 Coupling, P x P (CTS x IPS)[2] [G]	1 1/2"	C.	SS
		HOT	
5113 #90490 MegaPress 316 Coupling, P x P (CTS x IPS)[2] [G]	2"	C.	SS
		HOT	
5113 #90890 MegaPress 316 Transition Coupling, PxP 1 1/4" x 1 1/4" (CTS) [2] [G]	1 1/4" x 1 1/4" (CTS)	C.	SS
		HOT	
5115 #90285 MegaPress 316 Coupling w/ Stop, 1/2"[2] [G]	1/2" x 1/2"	C.	SS
		HOT	
5115 #90290 MegaPress 316 Coupling w/ Stop, 3/4"[2] [G]	3/4" x 3/4"	C.	SS
		HOT	
5115 #90295 MegaPress 316 Coupling w/ Stop, 1"[2] [G]	1"	C.	SS
		HOT	
5115 #90300 MegaPress 316 Coupling w/ Stop, 1-1/2"[2] [G]	1 1/2"	C.	SS
		HOT	
5115 #90305 MegaPress 316 Coupling w/ Stop, 2"[2] [G]	2"	C.	SS
		HOT	
5115 #90850 MegaPress 316 Coupling w/ Stop, PxP 1 1/4"[2] [G]	1 1/4"	C.	SS
		HOT	
5115.1 #90335 MegaPress 316 Reducer, PxP 3/4"x1/2"[2] [G]	3/4" x 1/2"	C.	SS
		HOT	

5115.1 #90340 MegaPress 316 Reducer, PxP 1"x3/4"[2] [G]	1" x 3/4"	C.	SS HOT
5115.1 #90345 MegaPress 316 Reducer, PxP 1-1/2"x1"[2] [G]	1 1/2" x 1"	C.	SS HOT
5115.1 #90350 MegaPress 316 Reducer, PxP 2"x1-1/2"[2] [G]	2" x 1 1/2"	C.	SS HOT
5115.1 #90355 MegaPress 316 Reducer, FTGxP 3/4"x1/2"[2] [G]	3/4" x 1/2"	C.	SS HOT
5115.1 #90360 MegaPress 316 Reducer, FTGxP 1"x1/2"[2] [G]	1" x 1/2"	C.	SS HOT
5115.1 #90365 MegaPress 316 Reducer, FTGxP 1"x3/4"[2] [G]	1" x 3/4"	C.	SS HOT
5115.1 #90370 MegaPress 316 Reducer FTGxP 1-1/2"x3/4"[2] [G]	1 1/2" x 3/4"	C.	SS HOT
5115.1 #90375 MegaPress 316 Reducer FTGxP 1-1/2"x1"[2] [G]	1 1/2" x 1"	C.	SS HOT
5115.1 #90380 MegaPress 316 Reducer FTGxP 2"x1"[2] [G]	2" x 1"	C.	SS HOT
5115.1 #90385 MegaPress 316 Reducer FTGxP 2"x1-1/2"[2] [G]	2" x 1 1/2"	C.	SS HOT
5115.1 #90860 MegaPress 316 Reducer, FTGxP 1 1/4" x 1"[2] [G]	1 1/4" x 1"	C.	SS HOT
5115.1 #90865 MegaPress 316 Reducer FTGxP 1 1/2" x 1 1/4"[2] [G]	1 1/2" x 1 1/4"	C.	SS HOT
5115.1 #90870 MegaPress 316 Reducer, PxP 1 1/4" x 1"[2] [G]	1 1/4" x 1"	C.	SS HOT
5115.5 #90310 MegaPress 316 Coupling no Stop, 1/2"[2] [G]	1/2"	C.	SS HOT
5115.5 #90315 MegaPress 316 Coupling no Stop, 3/4"[2] [G]	3/4"	C.	SS HOT
5115.5 #90320 MegaPress 316 Coupling no Stop, 1"[2] [G]	1"	C.	SS HOT
5115.5 #90325 MegaPress 316 Coupling no Stop, 1-1/2"[2] [G]	1 1/2"	C.	SS HOT
5115.5 #90330 MegaPress 316 Coupling no Stop, 2"[2] [G]	1 1/2"	C.	SS HOT
5115.5 #90855 MegaPress 316 Coupling no Stop, PxP 1 1/4"[2] [G]	1 1/4"	C.	SS HOT
51151XL #90675 MegaPress 316 FTG x P Reducer 2-1/2" x 2"[2] [G]	2 1/2" x 2"	C.	SS HOT
51151XL #90680 MegaPress 316 FTG x P Reducer 3" x 2"[2] [G]	3 x 2	C.	SS HOT
51151XL #90685 MegaPress 316 FTG x P Reducer 3" x 2-1/2"[2] [G]	3" x 2 1/2"	C.	SS HOT

51151XL #90690 MegaPress 316 FTG x P Reducer 4" x 2"[2] [G]	4" x 2"	C.	SS HOT
51151XL #90695 MegaPress 316 FTG x P Reducer 4" x 2-1/2"[2] [G]	4" x 2 1/2"	C.	SS HOT
51151XL #90700 MegaPress 316 FTG x P Reducer 4" x 3"[2] [G]	4" x 3"	C.	SS HOT
51155XL #60660 MegaPress 316 P x P Coupling No-Stop 2-1/2"[2] [G]	2 1/2"	C.	SS HOT
51155XL #90665 MegaPress 316 P x P Coupling No-Stop 3"[2] [G]	3"	C.	SS HOT
51155XL #90670 MegaPress 316 P x P Coupling No-Stop 4"[2] [G]	4"	C.	SS HOT
5116 #90005 MegaPress 316 90° Elbow, PxP 1/2"[2] [G]	1/2"	C.	SS HOT
5116 #90010 MegaPress 316 90° Elbow, PxP 3/4"[2] [G]	3/4"	C.	SS HOT
5116 #90015 MegaPress 316 90° Elbow, PxP 1"[2] [G]	1"	C.	SS HOT
5116 #90020 MegaPress 316 90° Elbow, PxP 1-1/2"[2] [G]	1 1/2"	C.	SS HOT
5116 #90025 MegaPress 316 90° Elbow, PxP 2"[2] [G][2] [G]	2"	C.	SS HOT
5116 #90835 MegaPress 316 90° Elbow, PxP 1 1/4"[2] [G]	1 1/4"	C.	SS HOT
5116.1 #90030 MegaPress 316 90° Elbow, FTGxP 1/2"[2] [G]	1/2"	C.	SS HOT
5116.1 #90035 MegaPress 316 90° Elbow, FTGxP 3/4"[2] [G]	3/4"	C.	SS HOT
5116.1 #90040 MegaPress 316 90° Elbow, FTGxP 1"[2] [G]	1"	C.	SS HOT
5116.1 #90045 MegaPress 316 90° Elbow, FTGxP 1-1/2"[2] [G]	1 1/2"	C.	SS HOT
5116.1 #90050 MegaPress 316 90° Elbow, FTGxP 2"[2] [G]	2"	C.	SS HOT
5116.1 #90895 MegaPress 316 90° Elbow, FTGxP 1 1/4"[2] [G]	1 1/4"	C.	SS HOT
5116XL #90500 MegaPress 316 P x P Elbow 90° 2-1/2"[2] [G]	2 1/2"	C.	SS HOT
5116XL #90505 MegaPress 316 P x P Elbow 90° 3"[2] [G]	3"	C.	SS HOT
5116XL #90510 MegaPress 316 P x P Elbow 90° 4"[2] [G]	4"	C.	SS HOT
5117.2 #90180 MegaPress 316 Tee PxPxFT 3/4"x3/4"x1/2"[2] [G]	3/4" x 3/4" x 1/2"	C.	SS HOT

5117.2 #90185 MegaPress 316 Tee PxFxFPT 3/4"x3/4"x3/4"[2] [G]	3/4" x 3/4" x 3/4"	C.	SS
		HOT	
5117.2 #90190 MegaPress 316 Tee PxFxFPT 1"x1"x1/2"[2] [G]	1" x 1" x 1/2"	C.	SS
		HOT	
5117.2 #90195 MegaPress 316 Tee PxFxFPT 1"x1"x3/4"[2] [G]	1" x 1" x 3/4"	C.	SS
		HOT	
5117.2 #90200 MegaPress 316 Tee, 1-1/2"x1-1/2"x1/2"[2] [G]	1 1/2"x1 1/2"x1/2"	C.	SS
		HOT	
5117.2 #90205 MegaPress 316 Tee, 1-1/2"x1-1/2"x3/4"[2] [G]	1 1/2"x1 1/2"x3/4"	C.	SS
		HOT	
5117.2 #90210 MegaPress 316 Tee, 1-1/2"x1-1/2"x1"[2] [G]	1 1/2"x 1 1/2"x1"	C.	SS
		HOT	
5117.2 #90215 MegaPress 316 Tee, PxFxFPT 2"x2"x1/2"[2] [G]	2" x 2" x 1/2"	C.	SS
		HOT	
5117.2 #90220 MegaPress 316 Tee, PxFxFPT 2"x2"x3/4"[2] [G]	2" x 2" x 3/4"	C.	SS
		HOT	
5117.2 #90225 MegaPress 316 Tee, PxFxFPT 2"x2"x1"[2] [G]	2" x 2" x 1"	C.	SS
		HOT	
51172XL #90620 MegaPress 316 PxFxFNPT Reducing Tee 2-1/2" x 2-1/2" x 3/4"[2] [G]	2 1/2"x2 1/2"x3/4"	C.	SS
		HOT	
51172XL #90625 MegaPress 316 PxFxFNPT Reducing Tee 3" x 3" x 3/4"[2] [G]	3" x 3" x 3/4"	C.	SS
		HOT	
51172XL #90630 MegaPress 316 PxFxFNPT Reducing Tee 4" x 4" x 3/4"[2] [G]	4" x 4" x 3/4"	C.	SS
		HOT	
5118 #90105 MegaPress 316 Tee, PxFxP 1/2"[2] [G]	1/2"	C.	SS
		HOT	
5118 #90110 MegaPress 316 Tee, PxFxP 3/4"[2] [G]	3/4"	C.	SS
		HOT	
5118 #90115 MegaPress 316 Tee, PxFxP 1"[2] [G]	1"	C.	SS
		HOT	
5118 #90120 MegaPress 316 Tee, PxFxP 1-1/2"[2] [G]	1 1/2"	C.	SS
		HOT	
5118 #90125 MegaPress 316 Tee, PxFxP 2"[2] [G]	2"	C.	SS
		HOT	
5118 #90130 MegaPress 316 Tee, PxFxP 3/4"x3/4"x1/2"[2] [G]	3/4" x 3/4" x 1/2"	C.	SS
		HOT	
5118 #90135 MegaPress 316 Tee, PxFxP 1"x1"x1/2"[2] [G]	1" x 1" x 1/2"	C.	SS
		HOT	
5118 #90140 MegaPress 316 Tee, PxFxP 1"x1"x3/4"[2] [G]	1" x 1" x 3/4"	C.	SS
		HOT	
5118 #90145 MegaPress 316 Tee, 1-1/2"x1-1/2"x1/2"[2] [G]	1 1/2"x1 1/2"x1/2"	C.	SS
		HOT	
5118 #90150 MegaPress 316 Tee, 1-1/2"x1-1/2"x3/4"[2] [G]	1 1/2"x 1 1/2"x3/4"	C.	SS
		HOT	

5118 #90155 MegaPress 316 Tee, 1-1/2"x1-1/2"x1"[2] [G]	1 1/2"x1 1/2"x1"	C.	SS HOT
5118 #90160 MegaPress 316 Tee, PxPxP 2"x2"x1/2"[2] [G]	2" x 2" x 1/2"	C.	SS HOT
5118 #90165 MegaPress 316 Tee, PxPxP 2"x2"x3/4"[2] [G]	2" x 2" x 3/4"	C.	SS HOT
5118 #90170 MegaPress 316 Tee, PxPxP 2"x2"x1"[2] [G]	2" x 2" x 1"	C.	SS HOT
5118 #90175 MegaPress 316 Tee, PxPxP 2"x2"x1-1/2"[2] [G]	2" x 2" x 1 1/2"	C.	SS HOT
5118 #90845 MegaPress 316 Tee, PxPxP 1 1/4"[2] [G]	1 1/4"	C.	SS HOT
5118 #90905 MegaPress 316 Tee, PxPxP 1 1/4" x 1 1/4" x 1/2"[2] [G]	1 1/4"x1 1/4"x1/2"	C.	SS HOT
5118 #90910 MegaPress 316 Tee, PxPxP 1 1/4" x 1 1/4" x 3/4"[2] [G]	1 1/4"x1 1/4"x3/4"	C.	SS HOT
5118 #90915 MegaPress 316 Tee, PxPxP 1 1/4" x 1 1/4" x 1"[2] [G]	1 1/4" x 1 1/4" x 1"	C.	SS HOT
5118XL #90560 MegaPress 316 PxPxP Tee 2-1/2"[2] [G]	2 1/2"	C.	SS HOT
5118XL #90565 MegaPress 316 PxPxP Tee 3"[2] [G]	3"	C.	SS HOT
5118XL #90570 MegaPress 316 PxPxP Tee 4"[2] [G]	4"	C.	SS HOT
5118XL #90575 MegaPress 316 PxPxP Reducing Tee 2-1/2" x 2-1/2" x 1-1/2"[2] [G]	12 1/2"x2 1/2"x1"-1"	C.	SS HOT
5118XL #90580 MegaPress 316 PxPxP Reducing Tee 2-1/2" x 2-1/2" x 2"[2] [G]	2 1/2"x2 1/2"x2"	C.	SS HOT
5118XL #90585 MegaPress 316 PxPxP Reducing Tee 3" x3" x 2"[2] [G]	3" x 3" x 2"	C.	SS HOT
5118XL #90590 MegaPress 316 PxPxP Reducing Tee 3" x 3" x 1-1/2"[2] [G]	3" x 3" x 1 1/2"	C.	SS HOT
5118XL #90595 MegaPress 316 PxPxP Reducing Tee 3" x 3" x 2-1/2"[2] [G]	3" x 3" x 2 1/2"	C.	SS HOT
5118XL #90600 MegaPress 316 PxPxP Reducing Tee 4" x 4" x 1-1/2"[2] [G]	4" x 4" x 1 1/2"	C.	SS HOT
5118XL #90605 MegaPress 316 PxPxP Reducing Tee 4" x 4" x 2"[2] [G]	4" x 4" x 2"	C.	SS HOT
5118XL #90610 MegaPress 316 PxPxP Reducing Tee 4" x 4" x 2-1/2"[2] [G]	4" x 4" x 2 1/2"	C.	SS HOT
5118XL #90615 MegaPress 316 PxPxP Reducing Tee 4" x 4" x 3"[2] [G]	4" x 4" x 3"	C.	SS HOT
5126 #90055 MegaPress 316 45° Elbow, PxP 1/2"[2] [G]	1/2"	C.	SS HOT

5126 #90060 MegaPress 316 45° Elbow, PxP 3/4"[2] [G]	3/4"	C.	SS
		HOT	
5126 #90065 MegaPress 316 45° Elbow, PxP 1"[2] [G]	1"	C.	SS
		HOT	
5126 #90070 MegaPress 316 45° Elbow, PxP 1-1/2"[2] [G]	1 1/2"	C.	SS
		HOT	
5126 #90075 MegaPress 316 45° Elbow, PxP 2"[2] [G]	2"	C.	SS
		HOT	
5126 #90840 MegaPress 316 45° Elbow, PxP 1 1/4"[2] [G]	1 1/4"	C.	SS
		HOT	
5126.1 #90080 MegaPress 316 45° Elbow, FTGxP 1/2"[2] [G]	1/2"	C.	SS
		HOT	
5126.1 #90085 MegaPress 316 45° Elbow, FTGxP 3/4"[2] [G]	3/4"	C.	SS
		HOT	
5126.1 #90090 MegaPress 316 45° Elbow, FTGxP 1"[2] [G]	1"	C.	SS
		HOT	
5126.1 #90095 MegaPress 316 45° Elbow, FTGxP 1-1/2"[2] [G]	1 1/2"	C.	SS
		HOT	
5126.1 #90100 MegaPress 316 45° Elbow, FTGxP 2"[2] [G]	2"	C.	SS
		HOT	
5126.1 #90900 MegaPress 316 45° Elbow, FTGxP 1 1/4"[2] [G]	1 1/4"	C.	SS
		HOT	
51261XL #90545 MegaPress 316 FTG x P Elbow 45 2-1/2"[2] [G]	2 1/2"	C.	SS
		HOT	
51261XL #90550 MegaPress 316 FTG x P Elbow 45° 3"[2] [G]	3"	C.	SS
		HOT	
51261XL #90555 MegaPress 316 FTG x P Elbow 45° 4"[2] [G]	4"	C.	SS
		HOT	
5126XL #90530 MegaPress 316 P x P Elbow 45° 2-1/2"[2] [G]	2 1/2"	C.	SS
		HOT	
5126XL #90535 MegaPress 316 P x P Elbow 45° 3"[2] [G]	3"	C.	SS
		HOT	
5126XL #90540 MegaPress 316 P x P Elbow 45° 4"[2] [G]	4"	C.	SS
		HOT	
5156 #90390 MegaPress 316 Cap, PxCap 1/2"[2] [G]	1/2"	C.	SS
		HOT	
5156 #90395 MegaPress 316 Cap, PxCap 3/4"[2] [G]	3/4"	C.	SS
		HOT	
5156 #90400 MegaPress 316 Cap, PxCap 1"[2] [G]	1"	C.	SS
		HOT	
5156 #90405 MegaPress 316 Cap, PxCap 1-1/2"[2] [G]	1 1/2"	C.	SS
		HOT	
5156 #90410 MegaPress 316 Cap, PxCap 2"[2] [G]	2"	C.	SS
		HOT	

5156 #90875 MegaPress 316 Cap, PxCap 1 1/4"[2] [G]	1 1/4"	C.	SS
		HOT	
51561XL #90705 MegaPress 316 Cap P 2-1/2"[2] [G]	2 1/2"	C.	SS
		HOT	
51561XL #90710 MegaPress 316 Cap P 3"[2] [G]	3"	C.	SS
		HOT	
51561XL #90715 MegaPress 316 Cap P 4"[2] [G]	4"	C.	SS
		HOT	
5159 #90440 MegaPress 316 2pc Flange, 1/2"[2] [G]	1/2"	C.	SS
		HOT	
5159 #90445 MegaPress 316 2pc Flange, 3/4"[2] [G]	3/4"	C.	SS
		HOT	
5159 #90450 MegaPress 316 2pc Flange, 1"[2] [G]	1"	C.	SS
		HOT	
5159 #90455 MegaPress 316 2pc Flange, 1-1/2"[2] [G]	1 1/2"	C.	SS
		HOT	
5159 #90460 MegaPress 316 2pc Flange, 2"[2] [G]	2"	C.	SS
		HOT	
5159 #90920 MegaPress 316 2pc Flange 1 1/4"[2] [G]	1 1/4"	C.	SS
		HOT	
5159XL #90720 MegaPress 316 P x Flange 2-Piece Class 150 2-1/2"[2] [G]	2 1/2"	C.	SS
		HOT	
5159XL #90725 MegaPress 316 P x Flange 2-Piece Class 150 3"[2] [G]	3"	C.	SS
		HOT	
5159XL #90730 MegaPress 316 P x Flange 2-Piece Class 150 4"[2] [G]	4"	C.	SS
		HOT	
5160 #90415 MegaPress 316 Union, PxP 1/2"[2] [G]	1/2"	C.	SS
		HOT	
5160 #90420 MegaPress 316 Union, PxP 3/4"[2] [G]	3/4"	C.	SS
		HOT	
5160 #90425 MegaPress 316 Union, PxP 1"[2] [G]	1"	C.	SS
		HOT	
5160 #90430 MegaPress 316 Union, PxP 1-1/2"[2] [G]	1 1/2"	C.	SS
		HOT	
5160 #90435 MegaPress 316 Union, PxP 2"[2] [G]	2"	C.	SS
		HOT	
5160 #90925 MegaPress 316 Union, PxP 1 1/4"[2] [G]	1 1/4"	C.	SS
		HOT	
518865 #90465 MegaPress 316 Coupling, CTS x IPS[2] [G]	1/2"	C.	SS
		HOT	
518865 #90470 MegaPress 316 Coupling, CTS x IPS[2] [G]	3/4"	C.	SS
		HOT	
518865 #90475 MegaPress 316 Coupling, CTS x IPS[2] [G]	1"	C.	SS
		HOT	

518865 #90485 MegaPress 316 Coupling, CTS x IPS[2] [G]	1 1/2" x 1 1/2"	C.	SS
		HOT	
518865 #90490 MegaPress 316 Coupling, CTS x IPS[2] [G]	2"	C.	SS
		HOT	
94090 Press Tee, PEX[G]	2"	C.	BRONZE
		HOT	
Model #2911.1ZL 79375 Bronze Male Adapter, FTG x M NPT, 1/2" x 3/8"[G]	1/2" x 3/8"	C.	BRONZE
		HOT	
Model #2911.1ZL 79380 Bronze Male Adapter, FTG x M NPT, 1/2" x 1/2"[G]	1/2" x 1/2"	C.	BRONZE
		HOT	
Model #2911.1ZL 79385 Bronze Male Adapter, FTG x M NPT, 1/2" x 3/4"[G]	1/2" x 3/4"	C.	BRONZE
		HOT	
Model #2911.1ZL 79390 Bronze Male Adapter, FTG x M NPT, 3/4" x 1/2"[G]	3/4" x 1/2"	C.	BRONZE
		HOT	
Model #2911.1ZL 79395 Bronze Male Adapter, FTG x M NPT, 3/4" x 3/4"[G]	3/4" x 3/4"	C.	BRONZE
		HOT	
Model #2911.1ZL 79400 Bronze Male Adapter, FTG x M NPT, 1" x 3/4"[G]	1" x 3/4"	C.	BRONZE
		HOT	
Model #2911.1ZL 79405 Bronze Male Adapter, FTG x M NPT, 1" x 1"[G]	1" x 1"	C.	BRONZE
		HOT	
Model #2911.1ZL 79410 Bronze Male Adapter, FTG x M NPT, 1 1/4" x 1 1/4"[G]	1 1/4" x 1 1/4"	C.	BRONZE
		HOT	
Model #2911.1ZL 79415 Bronze Male Adapter, FTG x M NPT, 1 1/2" x 1 1/2"[G]	1 1/2" x 1 1/2"	C.	BRONZE
		HOT	
Model #2911.1ZL 79420 Bronze Male Adapter, FTG x M NPT, 2" x 2"[G]	2" x 2"	C.	BRONZE
		HOT	
Model #2911.5ZL 78810 Venturi Insert, FTG x FTG, 1 1/4" x 1 1/4"[G]	1 1/4" x 1 1/4"	C.	BRONZE
		HOT	
Model #2911.5ZL 78811 Venturi Insert, FTG x FTG, 1 1/2" x 1 1/2"[G]	1 1/2" x 1 1/2"	C.	BRONZE
		HOT	
Model #2911.5ZL 78812 Venturi Insert, FTG x FTG, 2" x 2"[G]	2" x 2"	C.	BRONZE
		HOT	
Model #2911WA 79861 Bronze Male Adapter, P x M NPT, 3/4" x 3/4"[G]	3/4" x 3/4"	C.	BRONZE
		HOT	
Model #2911WA 79862 Bronze Male Adapter, P x M NPT, 1/2" x 1/2"[G]	1/2" x 1/2"	C.	BRONZE
		HOT	
Model #2911WA 79863 Bronze Male Adapter, P x M NPT, 1" x 1"[G]	1" x 1"	C.	BRONZE
		HOT	
Model #2911WA 79864 Bronze Male Adapter, P x M NPT, 1 1/4" x 1 1/4"[G]	1 1/4" x 1 1/4"	C.	BRONZE
		HOT	
Model #2911WA 79865 Bronze Male Adapter, P x M NPT, 1 1/2" x 1 1/2"[G]	1 1/2" x 1 1/2"	C.	BRONZE
		HOT	
Model #2911WA 79866 Bronze Male Adapter, P x M NPT, 2" x 2"[G]	2" x 2"	C.	BRONZE
		HOT	

Model #2911ZL 79210 Bronze Male Adapter, P x M NPT, 1/2" x 3/8"[G]	1/2" x 3/8"	C.	BRONZE HOT
Model #2911ZL 79215 Bronze Male Adapter, P x M NPT, 1/2" x 1/2"[G]	1/2" x 1/2"	C.	BRONZE HOT
Model #2911ZL 79220 Bronze Male Adapter, P x M NPT, 1/2" x 3/4"[G]	1/2" x 3/4"	C.	BRONZE HOT
Model #2911ZL 79225 Bronze Male Adapter, P x M NPT, 3/4" x 3/4"[G]	3/4" x 3/4"	C.	BRONZE HOT
Model #2911ZL 79230 Bronze Male Adapter, P x M NPT, 3/4" x 1"[G]	3/4" x 1"	C.	BRONZE HOT
Model #2911ZL 79235 Bronze Male Adapter, P x M NPT, 1" x 1"[G]	1" x 1"	C.	BRONZE HOT
Model #2911ZL 79240 Bronze Male Adapter, P x M NPT, 1" x 1 1/4"[G]	1" x 1 1/4"	C.	BRONZE HOT
Model #2911ZL 79245 Bronze Male Adapter, P x M NPT, 1 1/4" x 1"[G]	1 1/4" x 1"	C.	BRONZE HOT
Model #2911ZL 79250 Bronze Male Adapter, P x M NPT, 1 1/4" x 1 1/4"[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
Model #2911ZL 79255 Bronze Male Adapter, P x M NPT, 1 1/4" x 1"[G]	1 1/4" x 1"	C.	BRONZE HOT
Model #2911ZL 79260 Bronze Male Adapter, P x M NPT, 1 1/4" x 1 1/4"[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
Model #2911ZL 79265 Bronze Male Adapter, P x M NPT, 1 1/4" x 1 1/2"[G]	1 1/4" x 1 1/2"	C.	BRONZE HOT
Model #2911ZL 79270 Bronze Male Adapter, P x M NPT, 1 1/2" x 1 1/2"[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
Model #2911ZL 79275 Bronze Male Adapter, P x M NPT, 1 1/2" x 1 1/2"[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
Model #2911ZL 79280 Bronze Male Adapter, P x M NPT, 1 1/2" x 2"[G]	1 1/2" x 2"	C.	BRONZE HOT
Model #2911ZL 79285 Bronze Male Adapter, P x M NPT, 2" x 1 1/2"[G]	2" x 1 1/2"	C.	BRONZE HOT
Model #2911ZL 79290 Bronze Male Adapter, P x M NPT, 2" x 2"[G]	2" x 2"	C.	BRONZE HOT
Model #2912.1ZL 79425 Bronze Female Adapter, FTG x F NPT, 1/2" x 3/8"[G]	1/2" x 3/8"	C.	BRONZE HOT
Model #2912.1ZL 79430 Bronze Female Adapter, FTG x F NPT, 1/2" x 1/2"[G]	1/2" x 1/2"	C.	BRONZE HOT
Model #2912.1ZL 79435 Bronze Female Adapter, FTG x F NPT, 1/2" x 3/4"[G]	1/2" x 3/4"	C.	BRONZE HOT
Model #2912.1ZL 79440 Bronze Female Adapter, FTG x F NPT, 3/4" x 1/2"[G]	3/4" x 1/2"	C.	BRONZE HOT
Model #2912.1ZL 79445 Bronze Female Adapter, FTG x F NPT, 3/4" x 3/4"[G]	3/4" x 3/4"	C.	BRONZE HOT

Model #2912.1ZL 79450 Bronze Female Adapter, FTG x F NPT, 1" x 1/2"[G]	1" x 1/2"	C.	BRONZE HOT
Model #2912.1ZL 79455 Bronze Female Adapter, FTG x F NPT, 1" x 1"[G]	1" x 1"	C.	BRONZE HOT
Model #2912.1ZL 79460 Bronze Female Adapter, FTG x F NPT, 1 1/4" x 1/2"[G]	1 1/4" x 1/2"	C.	BRONZE HOT
Model #2912.1ZL 79465 Bronze Female Adapter, FTG x F NPT, 1 1/4" x 1 1/4"[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
Model #2912.1ZL 79470 Bronze Female Adapter, FTG x F NPT, 1 1/2" x 1 1/2" [G]	1 1/2" x 1 1/2"	C.	MLTPL HOT
Model #2912.1ZL 79475 Bronze Female Adapter, FTG x F NPT, 2" x 2"[G]	2" x 2"	C.	BRONZE HOT
Model #2912ZL 79295 Bronze Female Adapter, P x F NPT, 1" x 1/2"[G]	1" x 1/2"	C.	BRONZE HOT
Model #2912ZL 79295 Bronze Female Adapter, P x F NPT, 1/2" x 3/8"[G]	1/2" x 3/8"	C.	BRONZE HOT
Model #2912ZL 79300 Bronze Female Adapter, P x F NPT, 1/2" x 1/2"[G]	1/2" x 1/2"	C.	BRONZE HOT
Model #2912ZL 79305 Bronze Female Adapter, P x F NPT, 1/2" x 3/4"[G]	1/2" x 3/4"	C.	BRONZE HOT
Model #2912ZL 79310 Bronze Female Adapter, P x F NPT, 3/4" x 1/2"[G]	3/4" x 1/2"	C.	BRONZE HOT
Model #2912ZL 79315 Bronze Female Adapter, P x F NPT, 3/4" x 3/4"[G]	3/4" x 3/4"	C.	BRONZE HOT
Model #2912ZL 79320 Bronze Female Adapter, P x F NPT, 1/2" x 3/8"[G]	1/2" x 3/8"	C.	BRONZE HOT
Model #2912ZL 79325 Bronze Female Adapter, P x F NPT, 1/2" x 3/8"[G]	1/2" x 3/8"	C.	BRONZE HOT
Model #2912ZL 79330 Bronze Female Adapter, P x F NPT, 1" x 3/4"[G]	1" x 3/4"	C.	BRONZE HOT
Model #2912ZL 79340 Bronze Female Adapter, P x F NPT, 1 1/4" x 1/2"[G]	1 1/4" x 1/2"	C.	BRONZE HOT
Model #2912ZL 79345 Bronze Female Adapter, P x F NPT, 1 1/4" x 1"[G]	1 1/4" x 1"	C.	BRONZE HOT
Model #2912ZL 79350 Bronze Female Adapter, P x F NPT, 1 1/4" x 1 1/4"[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
Model #2912ZL 79355 Bronze Female Adapter, P x F NPT, 1 1/4" x 1 1/2"[G]	1 1/4" x 1 1/2"	C.	BRONZE HOT
Model #2912ZL 79360 Bronze Female Adapter, P x F NPT, 1 1/2" x 1 1/4"[G]	1 1/2" x 1 1/4"	C.	BRONZE HOT
Model #2912ZL 79365 Bronze Female Adapter, P x F NPT, 1 1/2" x 1 1/2"[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
Model #2912ZL 79370 Bronze Female Adapter, P x F NPT, 2" x 2"[G]	2" x 2"	C.	BRONZE HOT

Model #2915.1ZL 79850 Bronze Reducer, FTG x P, 1 1/2" x 1/2"[G]	1 1/2" x 1/2"	C. HOT	BRONZE
Model #2915.1ZL 79855 Bronze Reducer, FTG x P, 2" x 1/2"[G]	2" x 1/2"	C. HOT	BRONZE
Model #2915.1ZL 79860 Bronze Reducer, FTG x P, 2" x 3/4"[G]	2" x 3/4"	C. HOT	BRONZE
Model #2957HO 79816 Lead Free Tailpiece, P x Female Union, 1/2" x 1"[G]	1/2" x 1"	C. HOT	MLTPL
Model #2957HO 79817 Lead Free Tailpiece, P x Female Union, 3/4" x 1"[G]	3/4" x 1"	C. HOT	MLTPL
Model #2957HO 79818 Lead Free Tailpiece, P x Female Union, 1" x 1"[G]	1" x 1"	C. HOT	MLTPL
Model #2957ZL 79800 Lead Free Tailpiece, P x Female Union, 1/2" x 1"[G]	1/2" x 1"	C. HOT	MLTPL
Model #2957ZL 79805 Lead Free Tailpiece, P x Female Union, 3/4" x 1"[G]	3/4" x 1"	C. HOT	MLTPL
Model #2957ZL 79810 Lead Free Tailpiece, P x Female Union, 1" x 1"[G]	1" x 1"	C. HOT	MLTPL
Model #2957ZL 79815 Lead Free Tailpiece, P x Female Union, 1" x 1 1/4"[G]	1" x 1 1/4"	C. HOT	MLTPL
Model #2959.5ZL 79680 Bronze Two Piece Flange - P x Flange, 1"[G]	1"	C. HOT	BRONZE
Model #2959.5ZL 79680 Bronze Two Piece Flange - P x Flange, 1"[G]	1"	C. HOT	BRONZE
Model #2959.5ZL 79685 Bronze Two Piece Flange - P x Flange, 1 1/4"[G]	1 1/4"	C. HOT	BRONZE
Model #2959.5ZL 79690 Bronze Two Piece Flange - P x Flange, 1 1/2"[G]	1 1/2"	C. HOT	BRONZE
Model #2959.5ZL 79695 Bronze Two Piece Flange - P x Flange, 2"[G]	2"	C. HOT	BRONZE
Model #2960ZL 79125 Lead Free Bronze Union, P x P, 1/2"[G]	1/2"	C. HOT	MLTPL
Model #2960ZL 79130 Lead Free Bronze Union, P x P, 3/4"[G]	3/4"	C. HOT	MLTPL
Model #2960ZL 79135 Lead Free Bronze Union, P x P, 1"[G]	1"	C. HOT	MLTPL
Model #2960ZL 79140 Lead Free Bronze Union, P x P, 1 1/4"[G]	1 1/4"	C. HOT	MLTPL
Model #2960ZL 79145 Lead Free Bronze Union, P x P, 1 1/2"[G]	1 1/2"	C. HOT	MLTPL
Model #2960ZL 79150 Lead Free Bronze Union, P x P, 2"[G]	2"	C. HOT	MLTPL
Model #2962ZL 79700 Lead Free Bronze Union, P x FPT, 1/2" x 1/2"[G]	1/2" x 1/2"	C. HOT	MLTPL

Model #2962ZL 79705 Lead Free Bronze Union, P x FPT, 3/4" x 3/4"[G]	3/4" x 3/4"	C.	MLTPL HOT
Model #2962ZL 79710 Lead Free Bronze Union, P x FPT, 1" x 1"[G]	1" x 1"	C.	MLTPL HOT
Model #2962ZL 79715 Lead Free Bronze Union, P x FPT, 1 1/4" x 1 1/4"[G]	1 1/4" x 1 1/4"	C.	MLTPL HOT
Model #2962ZL 79720 Lead Free Bronze Union, P x FPT, 1 1/2" x 1 1/2"[G]	1 1/2" x 1 1/2"	C.	MLTPL HOT
Model #2962ZL 79725 Lead Free Bronze Union, P x FPT, 2" x 2"[G]	2" x 2"	C.	MLTPL HOT
Model #2965ZL 79730 Leade Free Bronze Union, P x MPT, 1/2" x 1/2"[G]	1/2" x 1/2"	C.	MLTPL HOT
Model #2965ZL 79735 Leade Free Bronze Union, P x MPT, 3/4" x 3/4"[G]	3/4" x 3/4"	C.	MLTPL HOT
Model #2965ZL 79740 Leade Free Bronze Union, P x MPT, 1" x 1"[G]	1" x 1"	C.	MLTPL HOT
Model #2965ZL 79745 Leade Free Bronze Union, P x MPT, 1 1/4" x 1 1/4"[G]	1 1/4" x 1 1/4"	C.	MLTPL HOT
Model #2965ZL 79750 Leade Free Bronze Union, P x MPT, 1 1/2" x 1 1/2"[G]	1 1/2" x 1 1/2"	C.	MLTPL HOT
Model #2965ZL 79755 Leade Free Bronze Union, P x MPT, 2" x 2"[G]	2" x 2"	C.	MLTPL HOT
Model 0911XL 20823 Copper Male Adapter, P x M NPT, 2 1/2"[1] [G]	2 1/2"	C.	CU HOT
Model 0911XL 20828 Copper Male Adapter, P x M NPT, 3"[1] [G]	3"	C.	CU HOT
Model 0911XL 20838 Copper Male Adapter, P x M NPT, 4"[1] [G]	4"	C.	CU HOT
Model 0912XL 20819 Copper Female Adapter, P x F NPT, 2 1/2"[1] [G]	2 1/2"	C.	CU HOT
Model 0912XL 20829 Copper Female Adapter, P x F NPT, 3"[1] [G]	3"	C.	CU HOT
Model 0912XL 20839 Copper Female Adapter, P x F NPT, 4"[1] [G]	4"	C.	CU HOT
Model 0915.1XL 20758 Copper Reducer, FTG x P, 2 1/2" x 2"[1] [G]	2 1/2" x 2"	C.	CU HOT
Model 0915.1XL 20763 Copper Reducer, FTG x P, 3" x 2"[1] [G]	3" x 2"	C.	CU HOT
Model 0915.1XL 20768 Copper Reducer, FTG x P, 3" x 2 1/2"[1] [G]	3" x 2 1/2"	C.	CU HOT
Model 0915.1XL 20773 Copper Reducer, FTG x P, 4" x 2"[1] [G]	4" x 2"	C.	CU HOT
Model 0915.1XL 20778 Copper Reducer, FTG x P, 4" x 2 1/2"[1] [G]	4" x 2 1/2"	C.	CU HOT

Model 0915.1XL 20778 Copper Reducer, FTG x P, 4" x 2 1/2"[1] [G]	4" x 2 1/2"	C.	CU HOT
Model 0915.1XL 20783 Copper Reducer, FTG x P, 4" x 3"[1] [G]	4" x 3"	C.	CU HOT
Model 0915.1XL 20813 Copper Reducer, FTG x P, 2 1/2" x 1 1/2"[1] [G]	2 1/2" x 1 1/2"	C.	CU HOT
Model 0915.1XL 20814 Copper Reducer, FTG x P, 2 1/2" x 1"[1] [G]	2 1/2" x 1"	C.	CU HOT
Model 0915.1XL 20815 Copper Reducer, FTG x P, 2 1/2" x 1 1/4"[1] [G]	2 1/2" x 1 1/4"	C.	CU HOT
Model 0915.1XL 20817 Copper Reducer, FTG x P, 3" x 1 1/4"[1] [G]	3" x 1 1/4"	C.	CU HOT
Model 0915.1XL 20818 Copper Reducer, FTG x P, 3" x 1 1/2"[1] [G]	3" x 1 1/2"	C.	CU HOT
Model 0915.2XL 20685 Copper Reducer, P x P, 2 1/2" x 1"[1] [G]	2 1/2" x 1"	C.	CU HOT
Model 0915.2XL 20690 Copper Reducer, P x P, 2 1/2" x 1 1/4"[1] [G]	2 1/2" x 1 1/4"	C.	CU HOT
Model 0915.2XL 20695 Copper Reducer, P x P, 2 1/2" x 1 1/2"[1] [G]	2 1/2" x 1 1/2"	C.	CU HOT
Model 0915.2XL 20700 Copper Reducer, P x P, 2 1/2" x 2"[1] [G]	2 1/2" x 2"	C.	CU HOT
Model 0915.2XL 20705 Copper Reducer, P x P, 3" x 1 1/2"[1] [G]	3" x 1 1/2"	C.	CU HOT
Model 0915.2XL 20710 Copper Reducer, P x P, 3" x 2"[1] [G]	3" x 2"	C.	CU HOT
Model 0915.2XL 20710 Copper Reducer, P x P, 3" x 2"[1] [G]	3" x 2"	C.	CU HOT
Model 0915.2XL 20715 Copper Reducer, P x P, 3" x 2 1/2"[1] [G]	3" x 2 1/2"	C.	CU HOT
Model 0915.2XL 20720 Copper Reducer, P x P, 4" x 2"[1] [G]	4" x 2"	C.	CU HOT
Model 0915.2XL 20725 Copper Reducer, P x P, 4" x 2 1/2"[1] [G]	4" x 2 1/2"	C.	CU HOT
Model 0915.2XL 20730 Copper Reducer, P x P, 4" x 3"[1] [G]	4" x 3"	C.	CU HOT
Model 0915.5XL 20743 Copper Coupling - No Stop, P x P, 2 1/2"[1] [G]	2 1/2"	C.	CU HOT
Model 0915.5XL 20748 Copper Coupling - No Stop, P x P, 3"[1] [G]	3"	C.	CU HOT
Model 0915.5XL 20753 Copper Coupling - No Stop, P x P, 4"[1] [G]	4"	C.	CU HOT
Model 0915XL 20728 Copper Coupling w/Stop, P x P, 2 1/2"[1] [G]	2 1/2"	C.	CU HOT

Model 0915XL 20733 Copper Coupling w/Stop, P x P, 3"[1] [G]	3"	C.	CU
		HOT	
Model 0915XL 20738 Copper Coupling w/Stop, P x P, 4"[1] [G]	4"	C.	CU
		HOT	
Model 0916 XL 20623 Copper Elbow 90°, P x P, 2 1/2"[1] [G]	2 1/2"	C.	CU
		HOT	
Model 0916 XL 20628 Copper Elbow 90°, P x P, 3"[1] [G]	3"	C.	CU
		HOT	
Model 0916 XL 20633 Copper Elbow 90°, P x P, 4"[1] [G]	4"	C.	CU
		HOT	
Model 0916.1XL 20638 Copper Elbow 90°, FTG x P, 2 1/2"[1] [G]	2 1/2"	C.	CU
		HOT	
Model 0916.1XL 20643 Copper Elbow 90°, FTG x P, 3"[1] [G]	3"	C.	CU
		HOT	
Model 0916.1XL 20648 Copper Elbow 90°, FTG x P, 4"[1] [G]	4"	C.	CU
		HOT	
Model 0917.2XL 20868 Copper Tee, P xP x F NPT, 4" x 4" x 2"[1] [G]	4" x 4" x 2"	C.	CU
		HOT	
Model 0917.2XL 20873 Copper Tee, P xP x F NPT, 4" x 4" x 3/4"[1] [G]	4" x 4" x 3/4"	C.	CU
		HOT	
Model 0917.2XL 20878 Copper Tee, P xP x F NPT, 2 1/2" x 2 1/2" x 2"[1] [G]	2 1/2" x 2 1/2" x 2"	C.	CU
		HOT	
Model 0917.2XL 20883 Copper Tee, P xP x F NPT, 2 1/2" x 2 1/2" x 3/4"[1] [G]	2 1/2" x 2 1/2" x 3/4"	C.	CU
		HOT	
Model 0917.2XL 20888 Copper Tee, P xP x F NPT, 3" x 3" x 2"[1] [G]	3" x 3" x 2"	C.	CU
		HOT	
Model 0917.2XL 20893 Copper Tee, P xP x F NPT, 3" x 3" x 3/4[1] [G]	3" x 3" x 3/4"	C.	CU
		HOT	
Model 0918XL 20683 Copper Tee, P x P x P, 2 1/2"[1] [G]	2 1/2"	C.	CU
		HOT	
Model 0918XL 20684 Copper Tee, P x P x P, 2 1/2" x 3/4" x 2 1/2"[1] [G]	2 1/2" x 3/4" x 2 1/2"	C.	CU
		HOT	
Model 0918XL 20688 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 2"[1] [G]	2 1/2" x 2 1/2" x 2"	C.	CU
		HOT	
Model 0918XL 20689 Copper Tee, P x P x P, 2 1/2" x 1" x 2 1/2"[1] [G]	2 1/2" x 1" x 2 1/2"	C.	CU
		HOT	
Model 0918XL 20693 Copper Tee, P x P x P, 3"[1] [G]	3"	C.	CU
		HOT	
Model 0918XL 20694 Copper Tee, P x P x P, 2 1/2" x 1 1/4" x 2 1/2"[1] [G]	2 1/2" x 1 1/4" x 2 1/2"	C.	CU
		HOT	
Model 0918XL 20698 Copper Tee, P x P x P, 3" x 3" x 2"[1] [G]	3" x 3" x 2"	C.	CU
		HOT	
Model 0918XL 20699 Copper Tee, P x P x P, 2 1/2" x 1 1/2" x 2 1/2"[1] [G]	2 1/2" x 1 1/2" x 2 1/2"	C.	CU
		HOT	

Model 0918XL 20703 Copper Tee, P x P x P, 3" x 3" x 2 1/2"[1] [G]	3" x 3" x 2 1/2"	C.	CU HOT
Model 0918XL 20704 Copper Tee, P x P x P, 2 1/2" x 2" x 3/4"[1] [G]	2 1/2" x 2" x 3/4"	C.	CU HOT
Model 0918XL 20708 Copper Tee, P x P x P, 4"[1] [G]	4"	C.	CU HOT
Model 0918XL 20709 Copper Tee, P x P x P, 2 1/2" x 2" x 1"[1] [G]	2 1/2" x 2" x 1"	C.	CU HOT
Model 0918XL 20713 Copper Tee, P x P x P, 4" x 4" x 2"[1] [G]	4" x 4" x 2"	C.	CU HOT
Model 0918XL 20714 Copper Tee, P x P x P, 2 1/2" x 2" x 2 1/2"[1] [G]	2 1/2" x 2" x 2 1/2"	C.	CU HOT
Model 0918XL 20718 Copper Tee, P x P x P, 4" x 4" x 2 1/2"[1] [G]	4" x 4" x 2 1/2"	C.	CU HOT
Model 0918XL 20719 Copper Tee, P x P x P, 3" x 3/4" x 3"[1] [G]	3" x 3/4" x 3"	C.	CU HOT
Model 0918XL 20723 Copper Tee, P x P x P, 4" x 4" x 3"[1] [G]	4" x 4" x 3"	C.	CU HOT
Model 0918XL 20724 Copper Tee, P x P x P, 3" x 1" x 3"[1] [G]	3" x 1" x 3"	C.	CU HOT
Model 0918XL 20727 Copper Tee, P x P x P, 3" x 1 1/2" x 3"[1] [G]	3" x 1 1/2" x 3"	C.	CU HOT
Model 0918XL 20729 Copper Tee, P x P x P, 3" x 1 1/4" x 3"[1] [G]	3" x 1 1/4" x 3"	C.	CU HOT
Model 0918XL 20732 Copper Tee, P x P x P, 3" x 2" x 2"[1] [G]	3" x 2" x 2"	C.	CU HOT
Model 0918XL 20734 Copper Tee, P x P x P, 3" x 2" x 2 1/2"[1] [G]	3" x 2" x 2 1/2"	C.	CU HOT
Model 0918XL 20739 Copper Tee, P x P x P, 3" x 2" x 3"[1] [G]	3" x 2" x 3"	C.	CU HOT
Model 0918XL 20744 Copper Tee, P x P x P, 3" x 2 1/2" x 2"[1] [G]	3" x 2 1/2" x 2"	C.	CU HOT
Model 0918XL 20749 Copper Tee, P x P x P, 3" x 2 1/2" x 2 1/2"[1] [G]	3" x 2 1/2" x 2 1/2"	C.	CU HOT
Model 0918XL 20754 Copper Tee, P x P x P, 3" x 2 1/2" x 3"[1] [G]	3" x 2 1/2" x 3"	C.	CU HOT
Model 0918XL 20759 Copper Tee, P x P x P, 3" x 3" x 1/2"[1] [G]	3" x 3" x 1/2"	C.	CU HOT
Model 0918XL 20774 Copper Tee, P x P x P, 4" x 3" x 2"[1] [G]	4" x 3" x 2"	C.	CU HOT
Model 0918XL 20784 Copper Tee, P x P x P, 4" x 3" x 3"[1] [G]	4" x 3" x 3"	C.	CU HOT
Model 0918XL 20788 Copper Tee, P x P x P, 4" x 4" x 1/2"[1] [G]	4" x 4" x 1/2"	C.	CU HOT

Model 0918XL 20793 Copper Tee, P x P x P, 4" x 4" x 3/4"[1] [G]	4" x 4" x 3/4"	C.	CU HOT
Model 0918XL 20794 Copper Tee, P x P x P, 4" x 4" x 1"[1] [G]	4" x 4" x 1"	C.	CU HOT
Model 0918XL 20795 Copper Tee, P x P x P, 4" x 4" x 1 1/4"[1] [G]	4" x 4" x 1 1/4"	C.	CU HOT
Model 0918XL 20798 Copper Tee, P x P x P, 3" x 3" x 1 1/2"[1] [G]	3" x 3" x 1 1/2"	C.	CU HOT
Model 0918XL 20803 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 1 1/2"[1] [G]	2 1/2" x 2 1/2" x 1 1/2"	C.	CU HOT
Model 0918XL 20808 Copper Tee, P x P x P, 4" x 4" x 1 1/2"[1] [G]	4" x 4" x 1 1/2"	C.	CU HOT
Model 0918XL 22278 Copper Tee, P x P x P, 2 1/2" x 2" x 2"[1] [G]	2 1/2" x 2" x 2"	C.	CU HOT
Model 0918XL 22283 Copper Tee, P x P x P, 2 1/2" x 2" x 1 1/2"[1] [G]	2 1/2" x 2" x 1 1/2"	C.	CU HOT
Model 0918XL 22293 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 1"[1] [G]	2 1/2" x 2 1/2" x 1"	C.	CU HOT
Model 0918XL 22298 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 3/4"[1] [G]	2 1/2" x 2 1/2" x 3/4"	C.	CU HOT
Model 0918XL 22303 Copper Tee, P x P x P, 2 1/2" x 2 1/2" x 1/2"[1] [G]	2 1/2" x 2 1/2" x 1/2"	C.	CU HOT
Model 0918XL 22308 Copper Tee, P x P x P, 3" x 3" x 1"[1] [G]	3" x 3" x 1"	C.	CU HOT
Model 0918XL 22313 Copper Tee, P x P x P, 3" x 3" x 1 1/4"[1] [G]	3" x 3" x 1 1/4"	C.	CU HOT
Model 0918XL 22323 Copper Tee, P x P x P, 3" x 3" x 3/4"[1] [G]	3" x 3" x 3/4"	C.	CU HOT
Model 0926.1XL 20668, Copper Elbow 45°, FTG x P, 2 1/2"[1] [G]	2 1/2"	C.	CU HOT
Model 0926.1XL 20673 Copper Elbow 45°, FTG x P, 3"[1] [G]	3"	C.	CU HOT
Model 0926.1XL 20678 Copper Elbow 45°, FTG x P, 4"[1] [G]	4"	C.	CU HOT
Model 0926XL 20653 Copper Elbow 45°, P x P, 2 1/2"[1] [G]	2 1/2"	C.	CU HOT
Model 0926XL 20658 Copper Elbow 45°, P x P, 3"[1] [G]	3"	C.	CU HOT
Model 0926XL 20663 Copper Elbow 45°, P x P, 4"[1] [G]	4"	C.	CU HOT
Model 0956XL 20833 Copper Cap, P, 2 1/2"[1] [G]	2 1/2"	C.	CU HOT
Model 0956XL 20843 Copper Cap, P, 3"[1] [G]	3"	C.	CU HOT

Model 0956XL 20848 Copper Cap, P, 4"[1] [G]	4"	C.	CU HOT
Model 0959.5XL 20853 Copper Adapter Flange, Flange x P, 2 1/2"[1] [G]	2 1/2"	C.	CU HOT
Model 0959.5XL 20858 Copper Adapter Flange, Flange x P, 3"[1] [G]	3"	C.	CU HOT
Model 0959.5XL 20863 Copper Adapter Flange, Flange x P, 4"[1] [G]	4"	C.	CU HOT
Model 2811ZL 90506 Press Adapter, Straight, PEX x MNPT[G]	3/8" x 1/2"	C.	BRONZE HOT
Model 2811ZL 90521 Press Adapter, Straight, PEX x MNPT[G]	1/2" x 1/2"	C.	BRONZE HOT
Model 2811ZL 90526 Press Adapter, Straight, PEX x MNPT[G]	1/2" x 3/4"	C.	BRONZE HOT
Model 2811ZL 90527 Press Adapter, Straight, PEX x MNPT[G]	5/8" x 1/2"	C.	BRONZE HOT
Model 2811ZL 90531 Press Adapter, Straight, PEX x MNPT[G]	5/8" x 3/4"	C.	BRONZE HOT
Model 2811ZL 90541 Press Adapter, Straight, PEX x MNPT[G]	3/4" x 3/4"	C.	BRONZE HOT
Model 2811ZL 90542 Press Adapter, Straight, PEX x MNPT[G]	3/4" x 1/2"	C.	BRONZE HOT
Model 2811ZL 90546 Press Adapter, Straight, PEX x MNPT[G]	3/4" x 1"	C.	BRONZE HOT
Model 2811ZL 90556 Press Adapter, Straight, PEX x MNPT[G]	1" x 3/4"	C.	BRONZE HOT
Model 2811ZL 90561 Press Adapter, Straight, PEX x MNPT[G]	1" x 1"	C.	BRONZE HOT
Model 2811ZL 90562 Press Adapter, Straight, PEX x MNPT[G]	3/4" x 1 1/4"	C.	BRONZE HOT
Model 2811ZL 90566 Press Adapter, Straight, PEX x MNPT[G]	1" x 1 1/4"	C.	BRONZE HOT
Model 2811ZL 90571 Press Adapter, Straight, PEX x MNPT[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
Model 2811ZL 90581 Press Adapter, Straight, PEX x MNPT[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
Model 2811ZL 90591 Press Adapter, Straight, PEX x MNPT[G]	2" x 2"	C.	BRONZE HOT
Model 2812ZL 91520 Press Adapter, Straight, PEX x FNPT[G]	1/2" x 1/2"	C.	BRONZE HOT
Model 2812ZL 91525 Press Adapter, Straight, PEX x FNPT[G]	1/2" x 3/4"	C.	BRONZE HOT
Model 2812ZL 91540 Press Adapter, Straight, PEX x FNPT[G]	3/4" x 3/4"	C.	BRONZE HOT

Model 2812ZL 91541 Press Adapter, Straight, PEX x FNPT[G]	3/4" x 1/2"	C.	BRONZE HOT
Model 2812ZL 91545 Press Adapter, Straight, PEX x FNPT[G]	1" x 3/4"	C.	BRONZE HOT
Model 2812ZL 91560 Press Adapter, Straight, PEX x FNPT[G]	1" x 1"	C.	BRONZE HOT
Model 2812ZL 91570 Press Adapter, Straight, PEX x FNPT[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
Model 2812ZL 91580 Press Adapter, Straight, PEX x FNPT[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
Model 2812ZL 91590 Press Adapter, Straight, PEX x FNPT[G]	2" x 2"	C.	BRONZE HOT
Model 2813.1ZL 97520 Press Street Adapter, PEX x FTG[G]	1/2" x 1/2"	C.	BRONZE HOT
Model 2813.1ZL 97525 Press Street Adapter, PEX x FTG[G]	1/2" x 3/4"	C.	BRONZE HOT
Model 2813.1ZL 97535 Press Street Adapter, PEX x FTG[G]	3/4" x 1/2"	C.	BRONZE HOT
Model 2813.1ZL 97540 Press Street Adapter, PEX x FTG[G]	3/4" x 3/4"	C.	BRONZE HOT
Model 2813.1ZL 97545 Press Street Adapter, PEX x FTG[G]	3/4" x 1"	C.	BRONZE HOT
Model 2813.1ZL 97560 Press Street Adapter, PEX x FTG[G]	1" x 1"	C.	BRONZE HOT
Model 2813.1ZL 97570 Press Street Adapter, PEX x FTG[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
Model 2813.1ZL 97580 Press Street Adapter, PEX x FTG[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
Model 2813.1ZL 97590 Press Street Adapter, PEX x FTG[G]	2" x 2"	C.	BRONZE HOT
Model 2813.2ZL 97820 Press PB Adapter, PEX x PB[G]	1/2" x 1/2"	C.	BRONZE HOT
Model 2813.2ZL 97840 Press PB Adapter, PEX x PB[G]	3/4" x 3/4"	C.	BRONZE HOT
Model 2813.3ZL 97690 Press Fitting Adapter PEX x FTG[G]	2" x 2"	C.	BRONZE HOT
Model 2813.5ZL 92006 Press Tubing Adapter, PEX x Copper[G]	3/8" x 1/2"	C.	BRONZE HOT
Model 2813.5ZL 92021 Press Tubing Adapter, PEX x Copper[G]	1/2" x 1/2"	C.	BRONZE HOT
Model 2813.5ZL 92026 Press Tubing Adapter, PEX x Copper[G]	1/2" x 3/4"	C.	BRONZE HOT
Model 2813.5ZL 92027 Press Tubing Adapter, PEX x Copper[G]	5/8" x 1/2"	C.	BRONZE HOT

Model 2813.5ZL 92031 Press Tubing Adapter, PEX x Copper[G]	5/8" x 3/4"	C.	BRONZE HOT
Model 2813.5ZL 92036 Press Tubing Adapter, PEX x Copper[G]	3/4" x 1/2"	C.	BRONZE HOT
Model 2813.5ZL 92041 Press Tubing Adapter, PEX x Copper[G]	3/4" x 3/4"	C.	BRONZE HOT
Model 2813.5ZL 92045 Press Tubing Adapter, PEX x Copper[G]	3/4" x 1"	C.	BRONZE HOT
Model 2813.5ZL 92060 Press Tubing Adapter, PEX x Copper[G]	1" x 1"	C.	BRONZE HOT
Model 2813.5ZL 92070 Press Tubing Adapter, PEX x Copper[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
Model 2813.5ZL 92080 Press Tubing Adapter, PEX x Copper[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
Model 2813.5ZL 92090 Press Tubing Adapter, PEX x Copper[G]	2" x 2"	C.	BRONZE HOT
Model 2813PZL 99620 Press ProPress Transition Coupler, PEX x C[G]	1/2" x 1/2"	C.	BRONZE HOT
Model 2813PZL 99626 Press ProPress Transition Coupler, PEX x C[G]	1/2" x 3/4"	C.	BRONZE HOT
Model 2813PZL 99627 Press ProPress Transition Coupler, PEX x C[G]	5/8" x 1/2"	C.	BRONZE HOT
Model 2813PZL 99628 Press ProPress Transition Coupler, PEX x C[G]	5/8" x 3/4"	C.	BRONZE HOT
Model 2813PZL 99630 Press ProPress Transition Coupler, PEX x C[G]	3/4" x 1/2"	C.	BRONZE HOT
Model 2813PZL 99640 Press ProPress Transition Coupler, PEX x C[G]	3/4" x 3/4"	C.	BRONZE HOT
Model 2813PZL 99645 Press ProPress Transition Coupler, PEX x C[G]	1" x 3/4"	C.	BRONZE HOT
Model 2813PZL 99660 Press ProPress Transition Coupler, PEX x C[G]	1" x 1"	C.	BRONZE HOT
Model 2813PZL 99665 Press ProPress Transition Coupler, PEX x C[G]	1 1/4" x 1"	C.	BRONZE HOT
Model 2813PZL 99670 Press ProPress Transition Coupler, PEX x C[G]	1 1/4" x 1 1/4"	C.	BRONZE HOT
Model 2813PZL 99675 Press ProPress Transition Coupler, PEX x C[G]	1 1/2" x 1"	C.	BRONZE HOT
Model 2813PZL 99680 Press ProPress Transition Coupler, PEX x C[G]	1 1/2" x 1 1/2"	C.	BRONZE HOT
Model 2813PZL 99685 Press ProPress Transition Coupler, PEX x C[G]	2" x 1"	C.	BRONZE HOT
Model 2813PZL 99690 Press ProPress Transition Coupler, PEX x C[G]	2" x 2"	C.	BRONZE HOT

Model 2814.5Z 99309 Press Copper Tubing Elbow 90°, PEX x Copper Tubing[G]	3/4" x 3/4"	C. HOT	BRONZE
Model 2814.5ZL 99308 Press Copper Tubing Elbow 90°, PEX x Copper Tubing[G]	1/2" x 3/4"	C. HOT	BRONZE
Model 2814.5ZL 99312 Press Copper Tubing Elbow 90°, PEX x Copper Tubing[G]	5/8" x 3/4"	C. HOT	BRONZE
Model 2814.6ZL 99310 Press Copper Fitting Elbow 90°, PEX x Copper Tubing[G]	1/2" x 1/2"	C. HOT	BRONZE
Model 2814.6ZL 99313 Press Cu Fitting Elbow 90°, PEX x Cu Tubing or Fitting[G]	5/8" x 1/2"	C. HOT	BRONZE
Model 2814.7ZL 99307 Press Cu Tubing/Fitting Elb 90°, PEX x Cu Tubing or Fitting[G]	1/2" x 1/2" or 3/4"	C. HOT	BRONZE
Model 2814.7ZL 99311 Press Cu Tubing/Fitting Elbow 90°, PEXxCu Tubing or Fitting[G]	3/4" x 1/2" or 3/4"	C. HOT	BRONZE
Model 2814ZL 92520 Press Elbow 90°, PEX x MNPT[G]	1/2" x 1/2"	C. HOT	BRONZE
Model 2814ZL 92525 Press Elbow 90°, PEX x MNPT[G]	1/2" x 3/4"	C. HOT	BRONZE
Model 2814ZL 92540 Press Elbow 90°, PEX x MNPT[G]	3/4" x 3/4"	C. HOT	BRONZE
Model 2814ZL 92545 Press Elbow 90°, PEX x MNPT[G]	3/4" x 1"	C. HOT	BRONZE
Model 2814ZL 92560 Press Elbow 90°, PEX x MNPT[G]	1" x 1"	C. HOT	BRONZE
Model 2814ZL 92565 Press Elbow 90°, PEX x MNPT[G]	3/4" x 1 1/4"	C. HOT	BRONZE
Model 2814ZL 92570 Press Elbow 90°, PEX x MNPT[G]	1" x 1 1/4"	C. HOT	BRONZE
Model 2814ZL 92580 Press Elbow 90°, PEX x MNPT[G]	1 1/2" x 1 1/2"	C. HOT	BRONZE
Model 2814ZL 92590 Press Elbow 90°, PEX x MNPT[G]	2" x 2"	C. HOT	BRONZE
Model 2814ZL 92757 Press Elbow 90°, PEX x MNPT[G]	1 1/4" x 1 1/4"	C. HOT	BRONZE
Model 2815ZL 93000 Press Coupling, PEX[G]	3/8"	C. HOT	BRONZE
Model 2815ZL 93001 Press Coupling, PEX[G]	5/16"	C. HOT	BRONZE
Model 2815ZL 93005 Press Coupling, PEX x PEX[G]	1/2" x 3/8"	C. HOT	BRONZE
Model 2815ZL 93020 Press Coupling, PEX[G]	1/2"	C. HOT	BRONZE
Model 2815ZL 93030 Press Coupling, PEX[G]	5/8"	C. HOT	BRONZE

Model 2815ZL 93040 Press Coupling, PEX[G]	3/4"	C.	BRONZE HOT
Model 2815ZL 93050 Press Coupling, PEX x PEX[G]	1/2" x 3/4"	C.	BRONZE HOT
Model 2815ZL 93055 Press Coupling, PEX x PEX[G]	3/4" x 1"	C.	BRONZE HOT
Model 2815ZL 93060 Press Coupling, PEX[G]	1"	C.	BRONZE HOT
Model 2815ZL 93065 Press Coupling, PEX x PEX[G]	1" x 1 1/4"	C.	BRONZE HOT
Model 2815ZL 93070 Press Coupling, PEX[G]	1 1/4"	C.	BRONZE HOT
Model 2815ZL 93071 Press Coupling, PEX x PEX[G]	3/4" x 1 1/4"	C.	BRONZE HOT
Model 2815ZL 93072 Press Coupling, PEX x PEX[G]	3/4" x 1 1/2"	C.	BRONZE HOT
Model 2815ZL 93073 Press Coupling, PEX x PEX[G]	1" x 1 1/2"	C.	BRONZE HOT
Model 2815ZL 93075 Press Coupling, PEX x PEX[G]	1 1/4" x 1 1/2"	C.	BRONZE HOT
Model 2815ZL 93080 Press Coupling, PEX[G]	1 1/2"	C.	BRONZE HOT
Model 2815ZL 93090 Press Coupling, PEX[G]	2"	C.	BRONZE HOT
Model 2815ZL 93091 Press Coupling, PEX x PEX[G]	2" x 1 1/2"	C.	BRONZE HOT
Model 2816ZL 93520 Press 90° Elbow, PEX[G]	1/2"	C.	BRONZE HOT
Model 2816ZL 93530 Press 90° Elbow, PEX[G]	5/8"	C.	BRONZE HOT
Model 2816ZL 93540 Press 90° Elbow, PEX[G]	3/4"	C.	BRONZE HOT
Model 2816ZL 93560 Press 90° Elbow, PEX[G]	1"	C.	BRONZE HOT
Model 2816ZL 93570 Press 90° Elbow, PEX[G]	1 1/4"	C.	BRONZE HOT
Model 2816ZL 93580 Press 90° Elbow, PEX[G]	1 1/2"	C.	BRONZE HOT
Model 2816ZL 93590 Press 90° Elbow, PEX[G]	2"	C.	BRONZE HOT
Model 2818ZL 94020 Press Tee, PEX[G]	1/2"	C.	BRONZE HOT
Model 2818ZL 94021 Press Tee, PEX x PEX x PEX[G][G]	1/2" x 3/8" x 3/8"	C.	BRONZE HOT

Model 2818ZL 94022 Press Tee, PEX x PEX x PEX[G]	1/2" x 1/2" x 3/4"	C.	BRONZE HOT
Model 2818ZL 94030 Press Tee, PEX[G]	5/8"	C.	BRONZE HOT
Model 2818ZL 94032 Press Tee, PEX x PEX x PEX[G]	3/4" x 1/2" x 1/2"	C.	BRONZE HOT
Model 2818ZL 94034 Press Tee, PEX x PEX x PEX[G]	3/4" x 1/2" x 3/4"	C.	BRONZE HOT
Model 2818ZL 94036 Press Tee, PEX x PEX x PEX[G]	3/4" x 3/4" x 1/2"	C.	BRONZE HOT
Model 2818ZL 94037 Press Tee, PEX x PEX x PEX[G]	1" x 1/2" x 1/2"	C.	BRONZE HOT
Model 2818ZL 94038 Press Tee, PEX x PEX x PEX[G]	1" x 3/4" x 1/2"	C.	BRONZE HOT
Model 2818ZL 94039 Press Tee, PEX x PEX x PEX[G]	1" x 1/2" x 1"	C.	BRONZE HOT
Model 2818ZL 94040 Press Tee, PEX[G]	3/4"	C.	BRONZE HOT
Model 2818ZL 94050 Press Tee, PEX x PEX x PEX[G]	1" x 1" x 1/2"	C.	BRONZE HOT
Model 2818ZL 94052 Press Tee, PEX x PEX x PEX[G]	1" x 3/4" x 3/4"	C.	BRONZE HOT
Model 2818ZL 94053 Press Tee, PEX x PEX x PEX[G]	1" x 3/4" x 1"	C.	BRONZE HOT
Model 2818ZL 94056 Press Tee, PEX x PEX x PEX[G]	1" x 1" x 3/4"	C.	BRONZE HOT
Model 2818ZL 94060 Press Tee, PEX[G]	1"	C.	BRONZE HOT
Model 2818ZL 94070 Press Tee, PEX[G]	1 1/4"	C.	BRONZE HOT
Model 2818ZL 94071 Press Tee, PEX x PEX x PEX[G]	1 1/4" x 1" x 3/4"	C.	BRONZE HOT
Model 2818ZL 94072 Press Tee, PEX x PEX x PEX[G]	1 1/4" x 1 1/4" x 3/4"	C.	BRONZE HOT
Model 2818ZL 94073 Press Tee, PEX x PEX x PEX[G]	1 1/4" x 1" x 1"	C.	BRONZE HOT
Model 2818ZL 94074 Press Tee, PEX x PEX x PEX[G]	1 1/4" x 1 1/4" x 1"	C.	BRONZE HOT
Model 2818ZL 94080 Press Tee, PEX[G]	1 1/2"	C.	BRONZE HOT
Model 2818ZL 94081 Press Tee, PEX x PEX x PEX[G]	1 1/2" x 1" x 3/4"	C.	BRONZE HOT
Model 2818ZL 94082 Press Tee, PEX x PEX x PEX[G]	1 1/2" x 1 x 1"	C.	BRONZE HOT

Model 2818ZL 94083 Press Tee, PEX x PEX x PEX[G]	1 1/2" x 1 1/2"x3/4"	C. HOT	BRONZE
Model 2818ZL 94084 Press Tee, PEX x PEX x PEX[G]	1 1/2" x 1 1/2" x 1"	C. HOT	BRONZE
Model 2818ZL 94085 Press Tee, PEX x PEX x PEX[G]	1 1/2"x1 1/2"x1 1/4"	C. HOT	BRONZE
Model 2818ZL 94091 Press Tee, PEX x PEX x PEX[G]	2" x 1 1/2" x 1"	C. HOT	BRONZE
Model 2818ZL 94092 Press Tee, PEX x PEX x PEX[G]	2" x 1 1/2" x 1 1/4"	C. HOT	BRONZE
Model 2818ZL 94093 Press Tee, PEX x PEX x PEX[G]	2" x 1 1/2" x 1 1/2"	C. HOT	BRONZE
Model 2856ZL 95000 Press Test Plug, PEX[G]	3/8"	C. HOT	BRONZE
Model 2856ZL 95121 Press Test Plug, PEX[G]	1/2"	C. HOT	BRONZE
Model 2856ZL 95131 Press Test Plug, PEX[G]	5/8"	C. HOT	BRONZE
Model 2856ZL 95141 Press Test Plug, PEX[G]	3/4"	C. HOT	BRONZE
Model 2856ZL 95161 Press Test Plug, PEX[G]	1"	C. HOT	BRONZE
Model 2915 78047 ProPress Copper Coupling w/ Stop, P x P, 1/2"[1] [G]	1/2"	C. HOT	CU
Model 2915 78052 ProPress Copper Coupling w/ Stop, P x P, 3/4"[1] [G]	3/4"	C. HOT	CU
Model 2915 78057 ProPress Copper Coupling w/ Stop, P x P, 1"[1] [G]	1"	C. HOT	CU
Model 2915 78062 ProPress Copper Coupling w/ Stop, P x P, 1 1/4"[1] [G]	1 1/4"	C. HOT	CU
Model 2915 78067 ProPress Copper Coupling w/ Stop, P x P, 1 1/2"[1] [G]	1 1/2"	C. HOT	CU
Model 2915 78072 ProPress Copper Coupling w/ Stop, P x P, 2"[1] [G]	2"	C. HOT	CU
Model 2915.1 14543 ProPress Copper Reducer, FTG x P, 1 1/2" x 3/4"[1] [G]	1 1/2" x 3/4"	C. HOT	CU
Model 2915.1 22333 ProPress Copper Reducer, FTG x P, 1 1/4" x 1/2"[1] [G]	1 1/4" x 1/2"	C. HOT	CU
Model 2915.1 78077 ProPress Copper Reducer, FTG x P, 3/4" x 1/2"[1] [G]	3/4" x 1/2"	C. HOT	CU
Model 2915.1 78082 ProPress Copper Reducer, FTG x P, 1" x 1/2"[1] [G]	1" x 1/2"	C. HOT	CU
Model 2915.1 78087 ProPress Copper Reducer, FTG x P, 1" x 3/4"[1] [G]	1" x 3/4"	C. HOT	CU

Model 2915.1 78092 ProPress Copper Reducer, FTG x P, 1 1/4" x 3/4"[1] [G]	1 1/4" x 3/4"	C.	CU HOT
Model 2915.1 78097 ProPress Copper Reducer, FTG x P, 1 1/4" x 1"[1] [G]	1 1/4" x 1"	C.	CU HOT
Model 2915.1 78102 ProPress Copper Reducer, FTG x P, 1 1/2" x 1"[1] [G]	1 1/2" x 1"	C.	CU HOT
Model 2915.1 78107 ProPress Copper Reducer, FTG x P, 1 1/2" x 1 1/4"[1] [G]	1 1/2" x 1 1/4"	C.	CU HOT
Model 2915.1 78112 ProPress Copper Reducer, FTG x P, 2" x 1"[1] [G]	2" x 1"	C.	CU HOT
Model 2915.1 78117 ProPress Copper Reducer, FTG x P, 2" x 1 1/4"[1] [G]	2" x 1 1/4"	C.	CU HOT
Model 2915.1 78122 ProPress Copper Reducer, FTG x P, 2" x 1 1/2"[1] [G]	2" x 1 1/2"	C.	CU HOT
Model 2915.2 15588 ProPress Copper Reducer, P x P, 1 1/2" x 1"[1] [G]	1 1/2" x 1"	C.	CU HOT
Model 2915.2 15593 ProPress Copper Reducer, P x P, 1 1/4" x 3/4"[1] [G]	1 1/4" x 3/4"	C.	CU HOT
Model 2915.2 15603 ProPress Copper Reducer, P x P, 1" x 1/2"[1] [G]	1" x 1/2"	C.	CU HOT
Model 2915.2 15608 ProPress Copper Reducer, P x P, 2" x 1"[1] [G]	2" x 1"	C.	CU HOT
Model 2915.2 18468 ProPress Copper Reducer, P x P, 2" x 3/4"[1] [G]	2" x 3/4"	C.	CU HOT
Model 2915.2 18473 ProPress Copper Reducer, P x P, 1 1/2" x 3/4"[1] [G]	1 1/2" x 3/4"	C.	CU HOT
Model 2915.2 22328 ProPress Copper Reducer, P x P, 2" x 1 1/4"[1] [G]	2" x 1 1/4"	C.	CU HOT
Model 2915.2 78147 ProPress Copper Reducer, P x P, 3/4" x 1/2"[1] [G]	3/4" x 1/2"	C.	CU HOT
Model 2915.2 78152 ProPress Copper Reducer, P x P, 1" x 3/4"[1] [G]	1" x 3/4"	C.	CU HOT
Model 2915.2 78157 ProPress Copper Reducer, P x P, 1 1/4" x 1"[1] [G]	1 1/4" x 1"	C.	CU HOT
Model 2915.2 78162 ProPress Copper Reducer, P x P, 1 1/2" x 1 1/4"[1] [G]	1 1/2" x 1 1/4"	C.	CU HOT
Model 2915.2 78167 ProPress Copper Reducer, P x P, 2" x 1 1/2"[1] [G]	2" x 1 1/2"	C.	CU HOT
Model 2915.3 78172 ProPress Copper Coupling - No Stop, P x P, 1/2"[1] [G]	1/2"	C.	CU HOT
Model 2915.3 78177 ProPress Copper Coupling - No Stop, P x P, 3/4"[1] [G]	3/4"	C.	CU HOT
Model 2915.3 78182 ProPress Copper Coupling - No Stop, P x P, 1"[1] [G]	1"	C.	CU HOT

Model 2915.3 78187 ProPress Copper Coupling - No Stop, P x P, 1 1/4"[1] [G]	1 1/4"	C.	CU HOT
Model 2915.3 78192 ProPress Copper Coupling - No Stop, P x P, 1 1/2"[1] [G]	1 1/2"	C.	CU HOT
Model 2915.3 78197 ProPress Copper Coupling - No Stop, P x P, 2"[1] [G]	2"	C.	CU HOT
Model 2915.5 79005 ProPress Copper Coupling - Extended, No Stop, P x P, 1/2"[1] [G]	1/2"	C.	CU HOT
Model 2915.5 79010 ProPress Copper Coupling - Extended, No Stop, P x P, 3/4"[1] [G]	3/4"	C.	CU HOT
Model 2915.5 79015 ProPress Copper Coupling - Extended, No Stop, P x P, 1" [1] [G]	1"	C.	CU HOT
Model 2915.5 79020 ProPress Copper Coupling - Extended, No Stop, P x P, 1 1/4"[1] [G]	1 1/4"	C.	CU HOT
Model 2915.5 79025 ProPress Copper Coupling - Extended, No Stop, P x P, 1 1/2"[1] [G]	1 1/2"	C.	CU HOT
Model 2915.5 79030 ProPress Copper Coupling - Extended, No Stop, P x P, 2" [1] [G]	2"	C.	CU HOT
Model 2916 77022 ProPress Copper Elbow 90°, P x P, 3/4"[1] [G]	3/4"	C.	CU HOT
Model 2916 77027 ProPress Copper Elbow 90°, P x P, 1"[1] [G]	1"	C.	CU HOT
Model 2916 77032 ProPress Copper Elbow 90°, P x P, 1 1/4"[1] [G]	1 1/4"	C.	CU HOT
Model 2916 77037 ProPress Copper Elbow 90°, P x P, 1 1/2"[1] [G]	1 1/2"	C.	CU HOT
Model 2916 77042 ProPress Copper Elbow 90°, P x P, 2"[1] [G]	2"	C.	CU HOT
Model 2916 77317 ProPress Copper Elbow 90°, P x P, 1/2"[1] [G]	1/2"	C.	CU HOT
Model 2916.1 77052 ProPress Copper Elbow 90°, FTG x P, 3/4"[1] [G]	3/4"	C.	CU HOT
Model 2916.1 77057 ProPress Copper Elbow 90°, FTG x P, 1"[1] [G]	1"	C.	CU HOT
Model 2916.1 77062 ProPress Copper Elbow 90°, FTG x P, 1 1/4"[1] [G]	1 1/4"	C.	CU HOT
Model 2916.1 77067 ProPress Copper Elbow 90°, FTG x P, 1 1/2"[1] [G]	1 1/2"	C.	CU HOT
Model 2916.1 77072 ProPress Copper Elbow 90°, FTG x P, 2"[1] [G]	2"	C.	CU HOT
Model 2916.1 77347 ProPress Copper Elbow 90°, FTG x P, 1/2"[1] [G]	1/2"	C.	CU HOT
Model 2916.3 77325 ProPress Copper Reducing Elbow 90°, P x P, 3/4"x 1/2" [1] [G]	3/4" x 1/2"	C.	CU HOT

Model 2916.3 77330 ProPress Copper Reducing Elbow 90°, P x P, 1"x 3/4" [1] [G]	1" x 3/4"	C. HOT	CU
Model 2918 14568 ProPress Copper Tee, P x P x P, 1 1/4" x 1" x 1"[1] [G]	1 1/4" x 1" x 1"	C. HOT	CU
Model 2918 15448 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/2" x 1/2"[1] [G]	1 1/2"x1 1/2"x1/2"	C. HOT	CU
Model 2918 15453 ProPress Copper Tee, P x P x P, 1 1/2"x 1 1/4" x 1"[1] [G]	1 1/2" x 1 1/4" x 1"	C. HOT	CU
Model 2918 15458 ProPress Copper Tee, P x P x P, 1 1/2" x 1" x 1"[1] [G]	1 1/2" x 1" x 1"	C. HOT	CU
Model 2918 15463 ProPress Copper Tee, P x P x P, 1 1/2" x 1" x 1 1/2"[1] [G]	1 1/2" x 1" x 1 1/2"	C. HOT	CU
Model 2918 15483 ProPress Copper Tee, P x P x P, 1 1/2"x 1 1/4" x 1 1/4"[1] [G]	1 1/2"x1 1/4"x1 1/4"	C. HOT	CU
Model 2918 15488 ProPress Copper Tee, P x P x P, 1" x 1" x 1 1/4"[1] [G]	1" x 1" x 1 1/4"	C. HOT	CU
Model 2918 15493 ProPress Copper Tee, P x P x P, 1/2" x 1/2" x 1"[1] [G]	1/2" x 1/2" x 1"	C. HOT	CU
Model 2918 15498 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 1"[1] [G]	2" x 1 1/2" x 1"	C. HOT	CU
Model 2918 15503 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 1 1/2"[1] [G]	2" x 1 1/2" x 1 1/2"	C. HOT	CU
Model 2918 15508 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 1 1/4"[1] [G]	2" x 1 1/2" x 1 1/4"	C. HOT	CU
Model 2918 15513 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 3/4"[1] [G]	2" x 1 1/2" x 3/4"	C. HOT	CU
Model 2918 15518 ProPress Copper Tee, P x P x P, 2" x 1 1/4" x 1 1/4"[1] [G]	2" x 1 1/4" x 1 1/4"	C. HOT	CU
Model 2918 15538 ProPress Copper Tee, P x P x P, 2" x 2" x 1/2"[1] [G]	2" x 2" x 1/2"	C. HOT	CU
Model 2918 22228 ProPress Copper Tee, P x P x P, 2" x 1 1/2" x 2"[1] [G]	2" x 1 1/2" x 2"	C. HOT	CU
Model 2918 22233 ProPress Copper Tee, P x P x P, 1 1/2"x 1 1/4" x 3/4"[1] [G]	1 1/2"x1 1/4"x3/4"	C. HOT	CU
Model 2918 22238 ProPress Copper Tee, P x P x P, 1 1/4" x 1" x 1/2"[1] [G]	1 1/4" x 1" x 1/2"	C. HOT	CU
Model 2918 22243 ProPress Copper Tee, P x P x P, 1 1/4" x 3/4" x 1/2"[1] [G]	1 1/4" x 3/4" x 1/2"	C. HOT	CU
Model 2918 22248 ProPress Copper Tee, P x P x P, 1 1/4" x 3/4" x 1 1/4"[1] [G]	1 1/4"x3/4"x1 1/4"	C. HOT	CU
Model 2918 22253 ProPress Copper Tee, P x P x P, 1 1/4" x 1/2" x 1 1/4"[1] [G]	1 1/4"x1/2"x1 1/4"	C. HOT	CU
Model 2918 22258 ProPress Copper Tee, P x P x P, 1 1/4" x 3/4" x 3/4"[1] [G]	1 1/4" x 3/4" x 3/4"	C. HOT	CU

Model 2918 22263 ProPress Copper Tee, P x P x P, 1" x 1/2" x 3/4"[1] [G]	1" x 1/2" x 3/4"	C.	CU HOT
Model 2918 22268 ProPress Copper Tee, P x P x P, 1 1/4" x 3/4" x 1"[1] [G]	1 1/4" x 3/4" x 1"	C.	CU HOT
Model 2918 77377 ProPress Copper Tee, P x P x P, 1/2"[1] [G]	1/2"	C.	CU HOT
Model 2918 77382 ProPress Copper Tee, P x P x P, 1/2" x 1/2" x 3/4"[1] [G]	1/2" x 1/2" x 3/4"	C.	CU HOT
Model 2918 77387 ProPress Copper Tee, P x P x P, 3/4"[1] [G]	3/4"	C.	CU HOT
Model 2918 77392 ProPress Copper Tee, P x P x P, 3/4" x 1/2" x 1/2"[1] [G]	3/4" x 1/2" x 1/2"	C.	CU HOT
Model 2918 77397 ProPress Copper Tee, P x P x P, 3/4" x 1/2" x 3/4"[1] [G]	3/4" x 1/2" x 3/4"	C.	CU HOT
Model 2918 77402 ProPress Copper Tee, P x P x P, 3/4" x 3/4" x 1/2"[1] [G]	3/4" x 3/4" x 1/2"	C.	CU HOT
Model 2918 77407 ProPress Copper Tee, P x P x P, 3/4" x 3/4" x 1"[1] [G]	3/4" x 3/4" x 1"	C.	CU HOT
Model 2918 77412 ProPress Copper Tee, P x P x P, 1"[1] [G]	1"	C.	CU HOT
Model 2918 77417 ProPress Copper Tee, P x P x P, 1" x 3/4" x 1/2"[1] [G]	1" x 3/4" x 1/2"	C.	CU HOT
Model 2918 77422 ProPress Copper Tee, P x P x P, 1" x 3/4" x 3/4"[1] [G]	1" x 3/4" x 3/4"	C.	CU HOT
Model 2918 77427 ProPress Copper Tee, P x P x P, 1" x 3/4" x 1"[1] [G]	1" x 3/4" x 1"	C.	CU HOT
Model 2918 77432 ProPress Copper Tee, P x P x P, 1" x 1" x 1/2"[1] [G]	1" x 1" x 1/2"	C.	CU HOT
Model 2918 77437 ProPress Copper Tee, P x P x P, 1" x 1" x 3/4"[1] [G]	1" x 1" x 3/4"	C.	CU HOT
Model 2918 77442 ProPress Copper Tee, P x P x P, 1 1/4"[1] [G]	1 1/4"	C.	CU HOT
Model 2918 77447 ProPress Copper Tee, P x P x P, 1 1/4" x 1 1/4" x 1"[1] [G]	1 1/4" x 1 1/4" x 1"	C.	CU HOT
Model 2918 77452 ProPress Copper Tee, P x P x P, 1 1/4" x 1 1/4" x 3/4"[1] [G]	1 1/4" x 1 1/4" x 3/4"	C.	CU HOT
Model 2918 77457 ProPress Copper Tee, P x P x P, 1 1/2"[1] [G]	1 1/2"	C.	CU HOT
Model 2918 77462 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/2" x 3/4"[1] [G]	1 1/2" x 1 1/2" x 3/4"	C.	CU HOT
Model 2918 77467 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/2" x 1"[1] [G]	1 1/2" x 1 1/2" x 1"	C.	CU HOT
Model 2918 77472 ProPress Copper Tee, P x P x P, 1 1/2" x 1 1/2" x 1 1/4" [1] [G]	1 1/2" x 1 1/2" x 1 1/4" 1/4"	C.	CU HOT

Model 2918 77477 ProPress Copper Tee, P x P x P, 2"[1] [G]	2"	C.	CU HOT
Model 2918 77482 ProPress Copper Tee, P x P x P, 2" x 2" x 1 1/2"[1] [G]	2" x 2" x 1 1/2"	C.	CU HOT
Model 2918 77487 ProPress Copper Tee, P x P x P, 2" x 2" x 1 1/4"[1] [G]	2" x 2" x 1 1/4"	C.	CU HOT
Model 2918 79660 ProPress Copper Tee, P x P x P, 1 1/2" x 1" x 3/4"[1] [G]	1 1/2" x 1" x 3/4"	C.	CU HOT
Model 2918 94757 ProPress Copper Tee, P x P x P, 1 1/4" x 1 1/4" x 1/2"[1] [G]	1 1/4"x1 1/4"x1/2"	C.	CU HOT
Model 2918 94762 ProPress Copper Tee, P x P x P, 1 1/4" x 1" x 3/4"[1] [G]	1 1/4" x 1" x 3/4"	C.	CU HOT
Model 2918 94767 ProPress Copper Tee, P x P x P, 1" x 1/2" x 1"[1] [G]	1" x 1/2" x 1"	C.	CU HOT
Model 2918 94772 ProPress Copper Tee, P x P x P, 2" x 2" x 1"[1] [G]	2" x 2" x 1"	C.	CU HOT
Model 2918 94777 ProPress Copper Tee, P x P x P, 2" x 2" x 3/4"[1] [G]	2" x 2" x 3/4"	C.	CU HOT
Model 2926 77023 ProPress Copper Elbow 45°, P x P, 3/4"[1] [G]	3/4"	C.	CU HOT
Model 2926 77028 ProPress Copper Elbow 45°, P x P, 1"[1] [G]	1"	C.	CU HOT
Model 2926 77033 ProPress Copper Elbow 45°, P x P, 1 1/4"[1] [G]	1 1/4"	C.	CU HOT
Model 2926 77038 ProPress Copper Elbow 45°, P x P, 1 1/2"[1] [G]	1 1/2"	C.	CU HOT
Model 2926 77043 ProPress Copper Elbow 45°, P x P, 2"[1] [G]	2"	C.	CU HOT
Model 2926 77607 ProPress Copper Elbow 45°, P x P, 1/2"[1] [G]	1/2"	C.	CU HOT
Model 2926.1 77053 ProPress Copper Elbow 45°, FTG x P, 3/4"[1] [G]	3/4"	C.	CU HOT
Model 2926.1 77058 ProPress Copper Elbow 45°, FTG x P, 1"[1] [G]	1"	C.	CU HOT
Model 2926.1 77063 ProPress Copper Elbow 45°, FTG x P, 1 1/4"[1] [G]	1 1/4"	C.	CU HOT
Model 2926.1 77068 ProPress Copper Elbow 45°, FTG x P, 1 1/2"[1] [G]	1 1/2"	C.	CU HOT
Model 2926.1 77073 ProPress Copper Elbow 45°, FTG x P, 2"[1] [G]	2"	C.	CU HOT
Model 2926.1 77637 ProPress Copper Elbow 45°, FTG x P, 1/2"[1] [G]	1/2"	C.	CU HOT
Model 2928 77742 ProPress Copper Cross-Over, P x P, 1/2"[1] [G]	1/2"	C.	CU HOT

Model 2928 77747 ProPress Copper Cross-Over, P x P, 3/4"[1] [G]	3/4"	C. HOT	CU
Model 2956 77712 ProPress Copper Cap, P, 1/2"[1] [G]	1/2"	C. HOT	CU
Model 2956 77717 ProPress Copper Cap, P, 3/4"[1] [G]	3/4"	C. HOT	CU
Model 2956 77722 ProPress Copper Cap, P, 1"[1] [G]	1"	C. HOT	CU
Model 2956 77727 ProPress Copper Cap, P, 1 1/4"[1] [G]	1 1/4"	C. HOT	CU
Model 2956 77732 ProPress Copper Cap, P, 1 1/2"[1] [G]	1 1/2"	C. HOT	CU
Model 2956 77737 ProPress Copper Cap, P, 2"[1] [G]	2"	C. HOT	CU
Model 2975.2 19786 ProPress Copper 90° Stub-Out, FTG x Closed, 1/2"[1] [G]	1/2"	C. HOT	CU
Model 2975.2 19791 ProPress Copper 90° Stub-Out, FTG x Closed, 3/4"[1] [G]	3/4"	C. HOT	CU
Model 2975.2 19961 ProPress Copper 90° Stub-Out, FTG x Closed, 1"[1] [G]	1"	C. HOT	CU
Model 4011 #80010 ProPress 316 Adapter, P x M NPT[2] [G]	1/2" x 1/2"	C. HOT	SS
Model 4011 #80015 ProPress 316 Adapter, P x M NPT[2] [G]	1/2" x 3/4"	C. HOT	SS
Model 4011 #80020 ProPress 316 Adapter, P x M NPT[2] [G]	3/4" x 1/2"	C. HOT	SS
Model 4011 #80025 ProPress 316 Adapter, P x M NPT[2] [G]	3/4" x 3/4"	C. HOT	SS
Model 4011 #80030 ProPress 316 Adapter, P x M NPT[2] [G]	3/4" x 1"	C. HOT	SS
Model 4011 #80035 ProPress 316 Adapter, P x M NPT[2] [G]	1" x 3/4"	C. HOT	SS
Model 4011 #80040 ProPress 316 Adapter, P x M NPT[2] [G]	1" x 1"	C. HOT	SS
Model 4011 #80045 ProPress 316 Adapter, P x M NPT[2] [G]	1 1/4" x 1 1/4"	C. HOT	SS
Model 4011 #80050 ProPress 316 Adapter, P x M NPT [2] [G]	1 1/2" x 1 1/2"	C. HOT	SS
Model 4011 #80055 ProPress 316 Adapter, P x M NPT[2] [G]	2" x 2"	C. HOT	SS
Model 4011XL #80060 ProPress 316 Adapter, P x M NPT[2] [G]	2 1/2"	C. HOT	SS
Model 4011XL #80065 ProPress 316 Adapter, P x M NPT [2] [G]	3"	C. HOT	SS

Model 4011XL #80070 ProPress 316 Adapter, P x M NPT [2] [G]	4"	C.	SS HOT
Model 4012 #80075 ProPress 316 Adapter, P x F NPT[2] [G]	2" x 1"	C.	SS HOT
Model 4012 #80080 ProPress 316 Adapter, P x F NPT[2] [G]	1/2" x 1/2"	C.	SS HOT
Model 4012 #80085 ProPress 316 Adapter P x F NPT[2] [G]	3/4" x 1/2"	C.	SS HOT
Model 4012 #80090 ProPress 316 Adapter, P x F NPT[2] [G]	3/4" x 3/4"	C.	SS HOT
Model 4012 #80092 ProPress 316 Adapter, P x F NPT[2] [G]	1" x 1/2"	C.	SS HOT
Model 4012 #80095 ProPress 316 Adapter, P x F NPT[2] [G]	1" x 3/4"	C.	SS HOT
Model 4012 #80100 ProPress 316 Adapter, P x F NPT[2] [G]	1" x 1"	C.	SS HOT
Model 4012 #80105 ProPress 316 Adapter, P x F NPT[2] [G]	1 1/4" x 1 1/4"	C.	SS HOT
Model 4012 #80110 ProPress 316 Adapter, P x F NPT[2] [G]	1 1/2" x 1 1/4"	C.	SS HOT
Model 4012 #80115 ProPress 316 Adapter, P x F NPT[2] [G]	1 1/2" x 1 1/2"	C.	SS HOT
Model 4012 #80120 ProPress 316 Adapter, P x F NPT[2] [G]	2" x 1 1/2"	C.	SS HOT
Model 4012 #80125 ProPress 316 Adapter, P x F NPT[2] [G]	2" x 2"	C.	SS HOT
Model 4012.5 #80126 ProPress 316 Instrumentation Adapter, FTG x F NPT[2] [G]	1/2" x 1/2"	C.	SS HOT
Model 4012.5 #80127 ProPress 316 Instrumentation Adapter, FTG x F NPT[2] [G]	3/4" x 3/4"	C.	SS HOT
Model 4015 #80265 ProPress 316 Coupling, P x P[2] [G]	1/2"	C.	SS HOT
Model 4015 #80270 ProPress 316 Coupling, P x P[2] [G]	3/4"	C.	SS HOT
Model 4015 #80275 ProPress 316 Coupling, P x P[2] [G]	1"	C.	SS HOT
Model 4015 #80280 ProPress 316 Coupling, P x P[2] [G]	1 1/4"	C.	SS HOT
Model 4015 #80285 ProPress 316 Coupling, P x P[2] [G]	1 1/2"	C.	SS HOT
Model 4015 #80290 ProPress 316 Coupling, P x P[2] [G]	2"	C.	SS HOT
Model 4015.1 #80160 ProPress 316 Reducer, FTG x P[2] [G]	3/4" x 1/2"	C.	SS HOT

Model 4015.1 #80165 ProPress 316 Reducer, FTG x P [2] [G]	1" x 1/2"	C.	SS HOT
Model 4015.1 #80170 ProPress 316 Reducer, FTG x P [2] [G]	1" x 3/4"	C.	SS HOT
Model 4015.1 #80175 ProPress 316 Reducer, FTG x P [2] [G]	1 1/4" x 1/2"	C.	SS HOT
Model 4015.1 #80180 ProPress 316 Reducer, FTG x P [2] [G]	1 1/4" x 3/4"	C.	SS HOT
Model 4015.1 #80185 ProPress 316 Reducer, FTG x P [2] [G]	1 1/4" x 1"	C.	SS HOT
Model 4015.1 #80190 ProPress 316 Reducer, FTG x P [2] [G]	1 1/2" x 1/2"	C.	SS HOT
Model 4015.1 #80195 ProPress 316 Reducer, FTG x P [2] [G]	1 1/2" x 3/4"	C.	SS HOT
Model 4015.1 #80200 ProPress 316 Reducer, FTG x P [2] [G]	1 1/2" x 1"	C.	SS HOT
Model 4015.1 #80205 ProPress 316 Reducer, FTG x P [2] [G]	1 1/2" x 1 1/4"	C.	SS HOT
Model 4015.1 #80210 ProPress 316 Reducer, FTG x P [2] [G]	2" x 1/2"	C.	SS HOT
Model 4015.1 #80215 ProPress 316 Reducer, FTG x P [2] [G]	2" x 3/4"	C.	SS HOT
Model 4015.1 #80220 ProPress 316 Reducer, FTG x P [2] [G]	2" x 1"	C.	SS HOT
Model 4015.1 #80225 ProPress 316 Reducer, FTG x P [2] [G]	2" x 1 1/4"	C.	SS HOT
Model 4015.1 #80230 ProPress 316 Reducer, FTG x P [2] [G]	2" x 1 1/2"	C.	SS HOT
Model 4015.1XL #80235 ProPress 316 Reducer, FTG x P [2] [G]	2 1/2" x 2"	C.	SS HOT
Model 4015.1XL #80240 ProPress 316 Reducer, FTG x P [2] [G]	3" x 2"	C.	SS HOT
Model 4015.1XL #80245 ProPress 316 Reducer, FTG x P [2] [G]	3" x 2 1/2"	C.	SS HOT
Model 4015.1XL #80250 ProPress 316 Reducer, FTG x P [2] [G]	4" x 2"	C.	SS HOT
Model 4015.1XL #80255 ProPress 316 Reducer, FTG x P [2] [G]	4" x 2 1/2"	C.	SS HOT
Model 4015.1XL #80260 ProPress 316 Reducer, FTG x P [2] [G]	4" x 3"	C.	SS HOT
Model 4015.5 #80310 ProPress 316 Coupling, P x P [2] [G]	1/2"	C.	SS HOT
Model 4015.5 #80315 ProPress 316 Coupling, P x P [2] [G]	3/4"	C.	SS HOT

Model 4015.5 #80320 ProPress 316 Coupling, P x P[2] [G]	1"	C.	SS HOT
Model 4015.5 #80325 ProPress 316 Coupling, P x P[2] [G]	1 1/4"	C.	SS HOT
Model 4015.5 #80330 ProPress 316 Coupling, P x P[2] [G]	1 1/2"	C.	SS HOT
Model 4015.5 #80335 ProPress 316 Coupling, P x P[2] [G]	2"	C.	SS HOT
Model 4015.5XL #80340 ProPress 316 Coupling, P x P[2] [G]	2 1/2"	C.	SS HOT
Model 4015.5XL #80345 ProPress 316 Coupling, P x P[2] [G]	3"	C.	SS HOT
Model 4015.5XL #80350 ProPress 316 Coupling, P x P[2] [G]	4"	C.	SS HOT
Model 4015XL #80295 ProPress 316 Coupling, P x P[2] [G]	2 1/2"	C.	SS HOT
Model 4015XL #80300 ProPress 316 Coupling, P x P[2] [G]	3"	C.	SS HOT
Model 4015XL #80305 ProPress 316 Coupling, P x P[2] [G]	4"	C.	SS HOT
Model 4016 #80400 ProPress 316 Elbow 90°, P x P[2] [G]	1/2"	C.	SS HOT
Model 4016 #80405 ProPress 316 Elbow 90°, P x P[2] [G]	3/4"	C.	SS HOT
Model 4016 #80410 ProPress 316 Elbow 90°, P x P[2] [G]	1"	C.	SS HOT
Model 4016 #80415 ProPress 316 Elbow 90°, P x P[2] [G]	1 1/4"	C.	SS HOT
Model 4016 #80420 ProPress 316 Elbow 90°, P x P[2] [G]	1 1/2"	C.	SS HOT
Model 4016 #80425 ProPress 316 Elbow 90°, P x P[2] [G]	2"	C.	SS HOT
Model 4016.1 #80490 ProPress 316 Elbow 90°, FTG x P[2] [G]	1/2" x 1/2"	C.	SS HOT
Model 4016.1 #80495 ProPress 316 Elbow 90°, FTG x P[2] [G]	3/4" x 3/4"	C.	SS HOT
Model 4016.1 #80500 ProPress 316 Elbow 90°, FTG x P[2] [G]	1" x 1"	C.	SS HOT
Model 4016.1 #80505 ProPress 316 Elbow 90°, FTG x P[2] [G]	1 1/4" x 1 1/4"	C.	SS HOT
Model 4016.1 #80510 ProPress 316 Elbow 90°, FTG x P[2] [G]	1 1/2" x 1 1/2"	C.	SS HOT
Model 4016.1 #80515 ProPress 316 Elbow 90°, FTG x P[2] [G]	2" x 2"	C.	SS HOT

Model 4016.1XL #80525 ProPress 316 Elbow 90°, FTG x P[2] [G]	3"	C.	SS
		HOT	
Model 4016.1XL #80530 ProPress 316 Elbow 90°, FTG x P[2] [G]	4"	C.	SS
		HOT	
Model 4016XL #80430 ProPress 316 Elbow 90°, P x P[2] [G]	2 1/2"	C.	SS
		HOT	
Model 4016XL #80435 ProPress 316 Elbow 90°, P x P[2] [G]	3"	C.	SS
		HOT	
Model 4016XL #80440 ProPress 316 Elbow 90°, P x P[2] [G]	4"	C.	SS
		HOT	
Model 4017.2 #80820 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	3/4" x 3/4" x 1/2"	C.	SS
		HOT	
Model 4017.2 #80830 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	3/4" x 3/4" x 3/4"	C.	SS
		HOT	
Model 4017.2 #80840 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	1" x " x 1/2"	C.	SS
		HOT	
Model 4017.2 #80850 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	1" x 1" x 3/4"	C.	SS
		HOT	
Model 4017.2 #80860 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	1 1/4" x 1 1/4" x 1/2"	C.	SS
		HOT	
Model 4017.2 #80870 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	1 1/4" x 1 1/4" x 3/4"	C.	SS
		HOT	
Model 4017.2 #80880 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	1 1/4" x 1 1/4" x 1"	C.	SS
		HOT	
Model 4017.2 #80890 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	1 1/2" x 1 1/2" x 1/2"	C.	SS
		HOT	
Model 4017.2 #80900 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	1 1/2" x 1 1/2" x 3/4"	C.	SS
		HOT	
Model 4017.2 #80910 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	1 1/2" x 1 1/2" x 1"	C.	SS
		HOT	
Model 4017.2 #80920 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	2" x 2" x 1/2"	C.	SS
		HOT	
Model 4017.2 #80930 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	2" x 2" x 3/4"	C.	SS
		HOT	
Model 4017.2 #80940 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	2" x 2" x 1"	C.	SS
		HOT	
Model 4017.2XL #80950 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	2 1/2" x 2 1/2" x 3/4"	C.	SS
		HOT	
Model 4017.2XL #80960 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	2 1/2" x 2 1/2" x 1"	C.	SS
		HOT	
Model 4017.2XL #80970 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	3" x 3" x 3/4"	C.	SS
		HOT	
Model 4017.2XL #80980 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	3" x 3" x 1"	C.	SS
		HOT	

Model 4017.2XL #80990 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	4" x 4" x 3/4"	C.	SS HOT
Model 4017.2XL #81000 ProPress 316 Reducing Tee, P x P x F NPT[2] [G]	4" x 4" x 1"	C.	SS HOT
Model 4018 #80580 ProPress 316 Tee, P x P x P[2] [G]	1/2"	C.	SS HOT
Model 4018 #80585 ProPress 316 Tee, P x P x P[2] [G]	3/4"	C.	SS HOT
Model 4018 #80590 ProPress 316 Tee, P x P x P[2] [G]	1"	C.	SS HOT
Model 4018 #80595 ProPress 316 Tee, P x P x P[2] [G]	1 1/4"	C.	SS HOT
Model 4018 #80600 ProPress 316 Tee, P x P x P[2] [G]	1 1/2"	C.	SS HOT
Model 4018 #80605 ProPress 316 Tee, P x P x P[2] [G]	2"	C.	SS HOT
Model 4018 #80630 ProPress 316 Reducing Tee, P x P x P[2] [G]	3/4" x 3/4" x 1/2"	C.	SS HOT
Model 4018 #80640 ProPress 316 Reducing Tee, P x P x P[2] [G]	1" x 1" x 1/2"	C.	SS HOT
Model 4018 #80650 ProPress 316 Reducing Tee, P x P x P[2] [G]	1" x 1" x 3/4"	C.	SS HOT
Model 4018 #80660 ProPress 316 Reducing Tee, P x P x P[2] [G]	1 1/4" x 1 1/4" x 1/2"	C.	SS HOT
Model 4018 #80670 ProPress 316 Reducing Tee, P x P x P[2] [G]	1 1/4" x 1 1/4" x 3/4"	C.	SS HOT
Model 4018 #80680 ProPress 316 Reducing Tee, P x P x P[2] [G]	1 1/4" x 1 1/4" x 1"	C.	SS HOT
Model 4018 #80690 ProPress 316 Reducing Tee, P x P x P[2] [G]	1 1/2" x 1 1/2" x 1/2"	C.	SS HOT
Model 4018 #80700 ProPress 316 Reducing Tee, P x P x P[2] [G]	1 1/2" x 1 1/2" x 3/4"	C.	SS HOT
Model 4018 #80710 ProPress 316 Reducing Tee, P x P x P[2] [G]	1 1/2" x 1 1/2" x 1"	C.	SS HOT
Model 4018 #80720 ProPress 316 Reducing Tee, P x P x P[2] [G]	2" x 2" x 1/2"	C.	SS HOT
Model 4018 #80730 ProPress 316 Reducing Tee, P x P x P[2] [G]	2" x 2" x 3/4"	C.	SS HOT
Model 4018 #80740 ProPress 316 Reducing Tee, P x P x P[2] [G]	2" x 2" x 1"	C.	SS HOT
Model 4018 #80750 ProPress 316 Reducing Tee, P x P x P[2] [G]	2" x 2" x 1 1/2"	C.	SS HOT
Model 4018XL #80610 ProPress 316 Tee, P x P x P[2] [G]	2 1/2"	C.	SS HOT

Model 4018XL #80615 ProPress 316 Tee, P x P x P[2] [G]	3"	C.	SS
		HOT	
Model 4018XL #80620 ProPress 316 Tee, P x P x P[2] [G]	4"	C.	SS
		HOT	
Model 4018XL #80751 ProPress 316 Reducing Tee, P x P x P[2] [G]	2 1/2"x2 1/2"x1 1/2"	C.	SS
		HOT	
Model 4018XL #80752 ProPress 316 Reducing Tee, P x P x P[2] [G]	2 1/2" x 2" x 2"	C.	SS
		HOT	
Model 4018XL #80753 ProPress 316 Reducing Tee, P x P x P[2] [G]	2 1/2" x 2" x 1 1/2"	C.	SS
		HOT	
Model 4018XL #80760 ProPress 316 Reducing Tee, P x P x P[2] [G]	2 1/2" x 2 1/2" x 2"	C.	SS
		HOT	
Model 4018XL #80770 ProPress 316 Reducing Tee, P x P x P[2] [G]	3" x 3" x 2"	C.	SS
		HOT	
Model 4018XL #80780 ProPress 316 XL Reducing Tee, P x P x P[2] [G]	3" x 3" x 2 1/2"	C.	SS
		HOT	
Model 4018XL #80781 ProPress 316 Reducing Tee, P x P x P[2] [G]	3" x 3" x 1 1/2"	C.	SS
		HOT	
Model 4018XL #80782 ProPress 316 Reducing Tee, P x P x P[2] [G]	3" x 3" x 1 1/4"	C.	SS
		HOT	
Model 4018XL #80790 ProPress 316 Reducing Tee, P x P x P[2] [G]	4" x 4" x 2"	C.	SS
		HOT	
Model 4018XL #80791 ProPress 316 Reducing Tee, P x P x P[2] [G]	4" x 4" x 1 1/2"	C.	SS
		HOT	
Model 4018XL #80800 ProPress 316 Reducing Tee, P x P x P[2] [G]	4" x 4" x 2 1/2"	C.	SS
		HOT	
Model 4018XL #80810 ProPress 316 Reducing Tee, P x P x P[2] [G]	4" x 4" x 3"	C.	SS
		HOT	
Model 4026 #80445 ProPress 316 Elbow 45°, P x P[2] [G]	1/2"	C.	SS
		HOT	
Model 4026 #80450 ProPress 316 Elbow 45°, P x P[2] [G]	3/4"	C.	SS
		HOT	
Model 4026 #80455 ProPress 316 Elbow 45°, P x P[2] [G]	1"	C.	SS
		HOT	
Model 4026 #80460 ProPress 316 Elbow 45°, P x P[2] [G]	1 1/4"	C.	SS
		HOT	
Model 4026 #80465 ProPress 316 Elbow 45°, P x P[2] [G]	1 1/2"	C.	SS
		HOT	
Model 4026 #80470 ProPress 316 Elbow 45°, P x P[2] [G]	2"	C.	SS
		HOT	
Model 4026.1 #80535 ProPress 316 Elbow 45°, FTG x P[2] [G]	1/2" x 1/2"	C.	SS
		HOT	
Model 4026.1 #80540 ProPress 316 Elbow 45°, FTG x P[2] [G]	3/4" x 3/4"	C.	SS
		HOT	

Model 4026.1 #80545 ProPress 316 Elbow 45°, FTG x P[2] [G]	1" x 1"	C.	SS HOT
Model 4026.1 #80550 ProPress 316 Elbow 45°, FTG x P[2] [G]	1 1/4" x 1 1/4"	C.	SS HOT
Model 4026.1 #80555 ProPress 316 Elbow 45°, FTG x P[2] [G]	1 1/2" x 1 1/2"	C.	SS HOT
Model 4026.1 #80560 ProPress 316 Elbow 45°, FTG x P[2] [G]	2" x 2"	C.	SS HOT
Model 4026.1XL #80565 ProPress 316 Elbow 45°, FTG x P[2] [G]	2 1/2"	C.	SS HOT
Model 4026.1XL #80570 ProPress 316 Elbow 45°, FTG x P[2] [G]	3"	C.	SS HOT
Model 4026.1XL #80575 ProPress 316 Elbow 45°, FTG x P[2] [G]	4"	C.	SS HOT
Model 4026XL #80475 ProPress 316 Elbow 45°, P x P[2] [G]	2 1/2"	C.	SS HOT
Model 4026XL #80480 ProPress 316 Elbow 90°, P x P[2] [G]	3"	C.	SS HOT
Model 4026XL #80485 ProPress 316 Elbow 90°, P x P[2] [G]	4"	C.	SS HOT
Model 4056 #80355 ProPress 316 Cap, Cap x P[2] [G]	1/2"	C.	SS HOT
Model 4056 #80360 ProPress 316 Cap, Cap x P[2] [G]	3/4"	C.	SS HOT
Model 4056 #80365 ProPress 316 Cap, Cap x P[2] [G]	1"	C.	SS HOT
Model 4056 #80370 ProPress 316 Cap, Cap x P[2] [G]	1 1/4"	C.	SS HOT
Model 4056 #80375 ProPress 316 Cap, Cap x P[2] [G]	1 1/2"	C.	SS HOT
Model 4056 #80380 ProPress 316 Cap, Cap x P[2] [G]	2"	C.	SS HOT
Model 4056.1XL #80385 ProPress 316 Cap, Cap x P[2] [G]	2 1/2"	C.	SS HOT
Model 4056.1XL #80390 ProPress 316 Cap, Cap x P[2] [G]	3"	C.	SS HOT
Model 4056.1XL #80395 ProPress 316 Cap, Cap x P[2] [G]	4"	C.	SS HOT
Model 4059 #81035 ProPress 316 Adapter Flange, P x Flange[2] [G]	1/2"	C.	SS HOT
Model 4059 #81040 ProPress 316 Adapter Flange, P x Flange[2] [G]	3/4"	C.	SS HOT
Model 4059 #81045 ProPress 316 Adapter Flange, P x Flange[2] [G]	1"	C.	SS HOT

Model 4059 #81050 ProPress 316 Adapter Flange, P x Flange[2] [G]	1 1/4"	C.	SS HOT
Model 4059 #81055 ProPress 316 Adapter Flange, P x Flange[2] [G]	1 1/2"	C.	SS HOT
Model 4059 #81060 ProPress 316 Adapter Flange, P x Flange[2] [G]	2"	C.	SS HOT
Model 4059XL #81065 ProPress 316 Adapter Flange, P x Flange[2] [G]	2 1/2"	C.	SS HOT
Model 4059XL #81070 ProPress 316 Adapter Flange, P x Flange[2] [G]	3"	C.	SS HOT
Model 4059XL #81075 ProPress 316 Adapter Flange, P x Flange[2] [G]	4"	C.	SS HOT
Model 4060 #81005 ProPress 316 Union, P x P[2] [G]	1/2"	C.	SS HOT
Model 4060 #81010 ProPress 316 Union, P x P[2] [G]	3/4"	C.	SS HOT
Model 4060 #81015 ProPress 316 Union, P x P[2] [G]	1"	C.	SS HOT
Model 4060 #81020 ProPress 316 Union, P x P[2] [G]	1 1/4"	C.	SS HOT
Model 4060 #81025 ProPress 316 Union, P x P[2] [G]	1 1/2"	C.	SS HOT
Model 4060 #81030 ProPress 316 Union, P x P[2] [G]	2"	C.	SS HOT

[1] Use of this material may not be appropriate in all water chemistries. Copper (tube, pipe, or fitting) may require corrosion control to limit the leaching of copper into drinking water under certain water chemistries. Refer to Informative Annex I-6.1 of NSF/ANSI/CAN 61 for water quality considerations to be used before installing this product.

[2] Certified for SS 316/SS 316L only.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : Valduggia (VC), Italy

Mechanical Devices

Water Water

Trade Designation	Size	Contact Temp	Contact Material
Valves			
2980 ZL ProPress Potable Balancing Valve[1] [G]	1/2" - 2"	C. HOT	MLTPL
ProPress XL 2-Piece Ball Valve (EPDM)[2]	2 1/2" - 4"	C. HOT	MLTPL

[1] Valves are certified for the following sizes:

- 1/2" (57300)
- 1/2"L (57300)
- 1/2"U (57300)
- 3/4" (666060)
- 1" (667940)
- 1 1/4" (662630)
- 1 1/2" (666370)
- 2" (660910)

[2] Certified for the following configurations:

- Model 2971.1
- 2 1/2" ProPress XL 2-Piece Ball Valve (78300)
- 3" ProPress XL 2-Piece Ball Valve (78305)
- 4" ProPress XL 2-Piece Ball Valve (78310)

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : Trimbach, Switzerland

Mechanical Devices

Trade Designation	Water Contact Size	Water Contact Temp	Water Contact Material
Valves[G]			
Viega Automatic Recirculation Valve Model 29813ZL / P/N: 79901	1"	C. HOT	MLTPL

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Number of matching Manufacturers is 1

Number of matching Products is 1193

Processing time was 0 seconds