



Certificate number: 2102722

Date issued 23rd February 2021

Date expired 22nd February 2026 Original/Amendment *Amendment*

Kiwa UK Regulation 4 (KUKreg4) Approval

ATS3 – Without Production Surveillance

Issued by Kiwa Watertec (UK)

Evaluation Guideline: Kiwa UK – EG004
Reference Standards: Regulators Specification
Model Designations: see Appendix

Manufacturer: Viega GmbH & Co. KG.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied on to comply with the above Evaluation Guideline and Standards, and can be marked with the KUKreg4mark.

The intended use of this certificate is for compliance with Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales; 2009 Northern Ireland and 2014 Byelaws Scotland

This certificate has been issued in accordance with the Kiwa regulations for product certification, which is managed in accordance with ISO/IEC 17065.

Signed on behalf of Kiwa Watertec

David Jay,
Business Unit Manager – Authorised Signatory
Kiwa Watertec

CERTIFICATE

3901770301

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk

Certificate issued to:
Viega GmbH & Co. KG.
Viega Platz 1
D-57439 Attendorn
Germany



UK Approval Certificate (page 2 of 2)

Appendix to Certificate 2102722

The following products are covered by this certificate -

<p>PRODUCT DESCRIPTION: Side entry BS1212 part 4 (2016) compact type float operated inlet valve for WCs flushing cistern having a plastic body and adjustable float and EPDM 'O'-rings. ATS3 – Without Production Surveillance.</p>
<p>MODEL(S): 8580.338.</p>
<p>SIZE: ½" BSP (M).</p>
<p>SCOPE: Manufacturer recommended maximum working pressure 10 Bar & cold water use only. Hygienic purposes: Non-metallic materials suitable for continuous use with cold water.</p>
<p>MATERIALS: Non-Metallic materials assessed (BS6920) to backflow prevention device.</p>
<p>BACKFLOW PROTECTION NOTES: When an independent inlet valve is used in conjunction with a cistern to form an independent flushing cistern or to form a WC suite, additional verification to validate backflow prevention arrangements is required. Please refer to the clarifications of the requirements of the Water Supply (Water Fittings) Regulations, Byelaws in Scotland, as they apply to Type AG and Type AUK1 air gaps in WC suites and the interim agreement.</p>
<p>MARKING: Viega, date of manufacture TT.MM.JJJJ (day. Month. Year) BS1212-4. Date indicators, cavity numbers, materials indicators and drawing numbers.</p>
<p>ADDITIONAL NOTES: Opacity. Opacity cannot be guaranteed on this assembly.</p>

Extra Notes: