

ATTESTATION OF CONFORMITY

ISSUED TO	:	VIEGA GMBH & CO. KG Viega Platz 1, 57439 Attendorn, Germany
PRODUCT(S) DESCRIPTION	:	Fittings for the PROFIPRESS / SANPRESS - System
MANUFACTURED BY	:	VIEGA GMBH & CO. KG
APPLICABLE STANDARD SPECIFICATIONS / REQUIREMENTS	:	Kiwa evaluation guideline BRL-K774
CONFORMITY CERTIFICATE DETAILS	:	
CERTIFICATE NUMBER	:	K6312/16
CERTIFICATE TITLE	:	PRODUCT CERTIFICATE
ISSUED BY	:	KIWA
ISSUED TO	:	VIEGA GMBH & CO. KG
EVALUATION REPORT NO	:	RA24062282

ATTESTATION

Dubai Central Laboratory Department hereby attests that the product(s) described above conforms to the requirements of the applicable standard specifications / requirements.

This attestation is based solely on the review and verification of the validity and authenticity of the Product Conformity Certificate and as per Evaluation Report as mentioned above. **This attestation shall not be used when the Product Conformity Certificate becomes invalid at any time.**



Manager-Certification and Quality Control of Products Section
Dubai Central Laboratory Department

Attestation No : VA24060186
Original Issue Date : 04-09-2024
Current Issue Date : 04-09-2024
Valid Up To : 03-09-2027

*This Attestation of Conformity is in accordance with Certification Scheme Type N as described in ISO/IEC 17067:2013
"Conformity assessment – Fundamentals of product certification and guidelines for product certification schemes."*

*This Attestation is an electronic document and shall not be reproduced except in full. Any alteration shall invalidate this document.
The Evaluation Report mentioned above including its attachments forms an integral part of this Attestation.*

	Organization/Unit: إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	
	Document Title: VERIFICATION AND ATTESTATION SERVICE - EVALUATION REPORT	عنوان الوثيقة:	
	Doc Ref. DM-DCLD-F-IC-6003	رقم الوثيقة:	

DETAILS OF APPLICATION AND PRODUCT:

DATE:	08 July 2024
VAS EVALUATION REPORT NO.	RA24062282
VAS APPLICATION NO.	AP24060306
APPLICANT NAME	VIEGA GMBH & CO. KG
PRODUCT DESCRIPTION	Fittings for the PROFIPRESS / SANPRESS - System
MANUFACTURED BY	VIEGA GMBH & CO. KG

DETAILS OF VERIFICATION AND EVALUATION:

DOCUMENT(S) VERIFIED	VERIFICATION DETAILS	RESULT	REMARKS
Product Certificate K6312/16 Issued in accordance with the Kiwa Regulations for product certification.	KIWA – website Product Certificate K6312/16 https://www.kiwa.com/en/media/certified-companies-andorganizations/certifiedcompanies-andorganizations/?q=K87066	Product Certificate is Valid and applicable to above product.	Fittings for the PROFIPRESS / SANPRESS – System STATEMENT BY KIWA With this product certificate , issued in accordance with the Kiwa Regulation for certification, Kiwa declares that legitimate confidence exists that the products supplied by VIEGA GMBH & CO. KG As specified in the product certificate and marked with the Kiwa - mark in the manner as indicated in this product certificate may on delivery, be relied upon to comply with the Kiwa evaluation guideline BRL-K774 “Compression fitting to tighten with matching clamping device” dated 02-10-2019.

	Organization/Unit: إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	
	Document Title: VERIFICATION AND ATTESTATION SERVICE - EVALUATION REPORT	عنوان الوثيقة:	
	Doc Ref. DM-DCLD-F-IC-6003	رقم الوثيقة:	

FINAL RECOMMENDATION

It is hereby recommended to grant the Attestation Certificate to the applicant.

This recommendation is based on the full compliance with the requirements in the DM-DCLD-RD-DP33-6001 "General Rules for Verification and Attestation Service.

EVALUATED BY

Name: NEDA'A AL-AWADHI

Date: 10-07-2024

NOTED & APPROVED BY

Manager - Certification and Quality Control of
Products Section

Date: 10-07-2024

* This is an electronic document. No signatures are required.

** Attachments: **Product Certificate : K6312/16**

Date of Issue : 29/04/2024	Rev. No.: 06
Level of Confidentiality / درجة السرية: Confidential / سري	Page 2 of 2



Product certificate K6312/16

Issued 2022-05-01
Replaces K6312/15
Page 1 of 11

Fittings for the PROFIPRESS / SANPRESS-system

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Viega GmbH & Co. KG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K774 "Compression fittings to tighten with matching clamping device" dated 02-10-2019.

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

28/160711

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company

Viega GmbH & Co. KG
Viega Platz 1
57439 ATTENDORN
Germany
Tel. +49 (0) 2722 61-0
Fax +49 (0) 2722 61-1415
info@viega.de
www.viega.de



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Fittings for the PROFIPRESS / SANPRESS-system

PRODUCT SPECIFICATION

The products mentioned below belong to this product certificate.

Fittings made of Bronze

type no. 2211, adaptor

Sizes:

12 x $\frac{3}{8}$
 12 x $\frac{1}{2}$
 15 x $\frac{3}{8}$
 15 x $\frac{1}{2}$
 15 x $\frac{3}{4}$
 18 x $\frac{1}{2}$
 18 x $\frac{3}{4}$
 22 x $\frac{1}{2}$
 22 x $\frac{3}{4}$
 22 x 1
 28 x $\frac{3}{4}$
 28 x 1
 28 x $1\frac{1}{4}$
 35 x 1
 35 x $1\frac{1}{4}$
 35 x $1\frac{1}{2}$
 42 x $1\frac{1}{4}$
 42 x $1\frac{1}{2}$
 54 x $1\frac{1}{2}$
 54 x 2

type no. 2212, with inner thread

Sizes:

12 x G $\frac{3}{8}$
 12 x G $\frac{1}{2}$
 15 x G $\frac{3}{8}$
 15 x G $\frac{1}{2}$
 15 x G $\frac{3}{4}$
 18 x Rp $\frac{1}{2}$
 18 x Rp $\frac{3}{4}$
 22 x G $\frac{1}{2}$
 22 x G $\frac{3}{4}$
 22 x G1
 28 x G $\frac{1}{2}$
 28 x G $\frac{3}{4}$
 28 x G1
 28 x G $1\frac{1}{4}$
 35 x G $\frac{3}{4}$
 35 x G1
 35 x G $1\frac{1}{4}$
 42 x G $1\frac{1}{4}$
 42 x G $1\frac{1}{2}$
 54 x G $1\frac{1}{2}$
 54 x G2

type no. 2211.1, with outer thread

Sizes:

12 x R $\frac{1}{2}$
 15 x R $\frac{1}{2}$
 18 x R $\frac{1}{2}$
 18 x R $\frac{3}{4}$
 22 x R $\frac{1}{2}$
 22 x R $\frac{3}{4}$
 28 x R1
 35 x R $1\frac{1}{4}$
 42 x R $1\frac{1}{2}$

type no. 2212.1, with inner thread

Sizes:

12 x G $\frac{1}{2}$
 15 x G $\frac{1}{2}$
 18 x G $\frac{1}{2}$
 18 x G $\frac{3}{4}$
 22 x G $\frac{1}{2}$
 22 x G $\frac{3}{4}$
 28 x G $\frac{3}{4}$
 28 x G1
 35 x G1
 35 x G $1\frac{1}{4}$
 42 x G $1\frac{1}{2}$
 54 x G2

Fittings for the PROFIPRESS / SANPRESS-system

type no. 2213, adaptor

Sizes:

16 x 15
20 x 15
20 x 18

type no. 2214, with outer thread

Sizes:

12 x R $\frac{3}{8}$
12 x R $\frac{1}{2}$
15 x R $\frac{3}{8}$
15 x R $\frac{1}{2}$
15 x R $\frac{3}{4}$ (also as 2214.1)
18 x R $\frac{1}{2}$
18 x R $\frac{3}{4}$
22 x R $\frac{3}{4}$
28 x R1
35 x R1 $\frac{1}{4}$
42 x R1 $\frac{1}{2}$
54 x R2

type no. 2214.2, with inner thread

Sizes:

12 x G $\frac{3}{8}$
12 x G $\frac{1}{2}$
15 x G $\frac{3}{8}$
15 x G $\frac{1}{2}$
15 x G $\frac{3}{4}$
18 x G $\frac{1}{2}$
18 x G $\frac{3}{4}$
22 x G $\frac{1}{2}$
22 x G $\frac{3}{4}$
22 x G1
28 x G $\frac{1}{2}$
28 x G $\frac{3}{4}$
28 x G1
35 x G1 $\frac{1}{4}$
42 x G1 $\frac{1}{2}$
54 x G2

type no. 2214.3, with inner thread

Sizes:

15 x G $\frac{1}{2}$ A

type no. 2215, straight connector

Sizes: 12, 15, 18, 22, 28, 35, 42, 54

type no. 2216, elbow 90°

Sizes: 12, 15, 18, 22, 28, 35, 42, 54

type no. 2217.1, T-piece with outer thread

Sizes:

18 x R $\frac{3}{4}$ x 18
22 x R $\frac{3}{4}$ x 22
28 x R $\frac{3}{4}$ x 28
35 x R $\frac{3}{4}$ x 35
42 x R $\frac{3}{4}$ x 42
54 x R $\frac{3}{4}$ x 54
54 x R1 x 54
54 x R1 $\frac{1}{4}$ x 54

type no. 2217.2, with inner thread

Sizes:

12 x G $\frac{1}{2}$ A x 12
15 x G $\frac{3}{8}$ A x 15
15 x G $\frac{1}{2}$ A x 15
18 x G $\frac{1}{2}$ A x 18
22 x G $\frac{1}{2}$ A x 22
22 x G $\frac{3}{4}$ A x 22
28 x G $\frac{1}{2}$ A x 28
28 x G $\frac{3}{4}$ A x 28
35 x G $\frac{1}{2}$ A x 35
35 x G1A x 35
42 x G $\frac{1}{2}$ A x 42
42 x G1A x 42
54 x G1 $\frac{1}{2}$ A x 54
54 x G $\frac{1}{2}$ A x 54
54 x G1A x 54

Fittings for the PROFIPRESS / SANPRESS-system

type no. 2217.3, double straight wall plate

Sizes:

15mm x ½

22mm x ½

type no. 2217.4, T-pieces with inner thread

Sizes:

15 x ¼

18 x ¼

22 x ¼

28 x ¼

35 x ¼

42 x ¼

54 x ¼

type no. 2218, T-piece

Sizes:

12 x 15 x 12

15 x 12 x 15

15 x 15 x 15

15 x 18 x 15

15 x 22 x 15

18 x 12 x 18

18 x 18 x 18

18 x 15 x 15

18 x 15 x 18

18 x 22 x 18

22 x 12 x 22

22 x 15 x 15

22 x 15 x 18

22 x 15 x 22

22 x 18 x 18

22 x 18 x 22

22 x 22 x 15

22 x 22 x 22

22 x 28 x 22

28 x 15 x 28

28 x 18 x 22

28 x 18 x 28

28 x 22 x 22

28 x 22 x 28

28 x 28 x 15

28 x 28 x 18

28 x 28 x 28

35 x 15 x 35

35 x 18 x 35

35 x 22 x 28

35 x 22 x 35

35 x 28 x 28

35 x 28 x 35

35 x 35 x 35

42 x 15 x 42

42 x 22 x 42

42 x 28 x 42

42 x 35 x 35

42 x 35 x 42

42 x 42 x 42

54 x 22 x 54

54 x 28 x 54

54 x 35 x 54

54 x 42 x 42

54 x 42 x 54

54 x 54 x 54

Mounting units**type no. 2221, 15 x G½**

(distance between centres 150/2-00-mm)

type no. 2222, 15 x G½

(distance between centres 150-mm)

type no. 2222.1, 15 x G½

(distance between centres 200-mm)

type no. 2222.6 EX, 12 x G⅝

(distance between centres 120)

Wall plate**type no. 2225**

15 x G½ (45 long)

type no. 2226, elbow 45°

Sizes: 12,15,18,22,28,35,42,54

type no. 2221.1, 15 x G½

(distance between centres 80/100)

type no. 2222.05, 15 x G½

(distance between centres 150-mm)

type no. 2222.2, 15 x G½

(distance between centres 100-mm)

type no. 2225.6

15 x Rp½ (45 long)

type no. 2228.7, double wall plate

15mm x G½

18mm x G½

22mm x G½

Wall passage**type no. 2232.1, angled with wall plate**

15 x G½A x R¾ (25, 35, 55 or 65 long)

type no. 2232.11, angled

15 x G½A x R¾ (25, 35, 55 or 65 long)

type no. 2232.3, straight

15 x G½A x R¾ (30 long)

type no. 2232.31, straight

15 x G½A x R¾ (30 long)

Fittings for the PROFIPRESS / SANPRESS-system

type no. 2251, compensator

Sizes: 35, 42, 54, 18, 15, 22, 28

type no. 2255, elbow with swivel nut and inner thread

Sizes:

12 x ½

15 x ½

18 x ½

18 x ¾

22 x ¾

22 x 1

28 x 1

35 x 1¼

42 x 1½

54 x 2

type no. 2263, connecting coupling with swivel nut and inner thread

Sizes:

12 x ¾

12 x ½

12 x ¾

15 x ¾

15 x ½

15 x ¾

15 x 1

15 x 1¼

18 x ¾

18 x 1

22 x ¾

22 x 1

22 x 1¼

22 x 1½

28 x 1¼

28 x 1½

35 x 1½

35 x 2

42 x 1¾

42 x 2

54 x 2¾

54 x 2¼

54 x 2½

54 x 2¾

type no. 2260, connecting coupling with swivel nut

Sizes: 12, 15, 18, 22, 35, 28, 54, 42

type no. 2262, connecting coupling with swivel nut and inner thread

Sizes:

12 x ½

15 x ½

15 x ¾

18 x ½

18 x ¾

22 x ¾

22 x 1

28 x ¾

28 x 1

35 x 1¼

42 x 1½

54 x 2

type no. 2264, with pipe end and outer thread

Sizes:

15 x R¾

18 x R½

22 x R1

28 x R1¼

35 x R1½

42 x R1¾

54 x R2¾

Fittings for the PROFIPRESS / SANPRESS-system

type no. 2265, connecting coupling with swivel nut and outer thread

Sizes:

12 x ¾
 12 x ½
 15 x ½
 15 x ¾
 18 x ½
 18 x ¾
 22 x ½
 22 x ¾
 22 x 1
 28 x ¾
 28 x 1
 35 x 1¼
 42 x 1½
 54 x 2

type no. 22123, adaptor

Sizes:

15 x ½
 18 x ½
 22 x ½

type no. 22154, straight connector

Sizes:

22, 35, 28

type no. 22161, elbow 90°

Sizes:

15 x 15
 18 x 18
 22 x 22
 28 x 28
 35 x 35
 42 x 42
 54 x 54

type no. 22261, elbow 45°

Sizes:

15 x 15
 18 x 18
 22 x 22
 28 x 28
 35 x 35
 42 x 42
 54 x 54

type no. 2267, isolating coupling

Sizes:

15 x ½
 15 x ¾
 18 x ½
 18 x ¾
 22 x ¾
 22 x 1
 28 x 1
 35 x ¼
 42 x ½
 54 x 2

type no. 22151, reducer

Sizes:

15 x 12
 18 x 12
 18 x 15
 22 x 12
 22 x 15
 22 x 18
 28 x 15
 28 x 18
 28 x 22
 35 x 28
 35 x 22
 42 x 22
 42 x 28
 42 x 35
 54 x 22
 54 x 28
 54 x 35
 54 x 42

type no. 22155, straight connector

Sizes: 15, 18, 22, 28, 35, 42, 54

type no. 22255, elbow with wall plate

Sizes:

12 x ½
 15 x ½
 16 x ½
 18 x ½
 18 x ¾
 22 x ½
 22 x ¾

type no. 22595, flange adaptor

Sizes: 28 (DN25), 35 (DN32), 42 (DN40), 54 (DN50)

Fittings for the PROFIPRESS / SANPRESS-system

type no. 2211XL, adaptor

Sizes:

76,1 x 2½

88,9 x 3

108 x 4

type no. 2216XL, elbow 90°

Sizes: 76.1, 88.9, 108

type no. 2226XL, elbow 45°

Sizes:

76,1 ixa 45 Grad

88,9 ixa 45 Grad

108 ixa 45 Grad

type no. 2256XL, cap

Sizes: 76.1, 88.9, 108

type no. 22151XL, reducer

Sizes:

76,1 x 54

88,9 x 54

88,9 x 76,1

108 x 54

108 x 76,1

108 x 88,9

type no. 22161XL, elbow 90°

Sizes:

76,1 ixa 90 Grad

88,9 ixa 90 Grad

108 ixa 90 Grad

type no. 22595XL, flange adaptor

Sizes:

76,1 (DN65)

88,9 (DN80)

108 (DN100)

type no. 2215XL, straight connector

Sizes: 76.1, 88.9, 108

type no. 2218XL, T-piece

Sizes:

76,1 x 54 x 76,1

76,1 x 76,1 x 76,1

88,9 x 54 x 88,9

88,9 x 76,1 x 88,9

88,9 x 88,9 x 88,9

108 x 54 x 108

108 x 76,1 x 108

108 x 88,9 x 108

108 x 108 x 108

type no. 2226.1XL, elbow 45°

Sizes: 76,1; 88,9; 108

type no. 2259.3XL, flange

Sizes: 76,1 (DN65)

type no. 22155XL, straight connector

Sizes: 76.1, 88.9, 108

type no. 22172XL, T-piece

Sizes:

76,1 x ¾ x 76,1

76,1 x 2 x 76,1

88,9 x ¾ x 88,9

88,9 x 2 x 88,9

108 x ¾ x 108

108 x 2 x 108

Fittings for the PROFIPRESS / SANPRESS-system

PRODUCT SPECIFICATION

The products mentioned below belong to this certificate.

Fittings made of Copper

type no. 2415, Socket,

Sizes: 12, 15, 18, 22, 28, 35, 42 and 54

type no. 2415.1, Socket reducing with pipe end

Sizes:

15 x 12

18 x 12

18 x 15

22 x 15

28 x 15

28 x 18

28 x 22

35 x 22

35 x 28

42 x 22

42 x 28

42 x 35

54 x 35

54 x 42

type no. 2415.2, Socket reducing

Sizes:

15 x 12

18 x 15

22 x 15

22 x 18

28 x 22

35 x 28

42 x 35

54 x 42

type no. 2416, Elbow 90°

Sizes: 12, 15, 18, 22, 28, 35, 42 and 54

type no. 2416.1, Elbow 90° with pipe end

Sizes: 12, 15, 18, 22, 28, 35, 42 and 54

Fittings for the PROFIPRESS / SANPRESS-system

PRODUCT SPECIFICATION

The products mentioned below belong to this certificate.

type no. 2418, T-piece

Sizes:

12 x 12 x 12	28 x 15 x 22
12 x 15 x 12	28 x 15 x 28
15 x 12 x 12	28 x 18 x 22
15 x 12 x 15	28 x 18 x 28
15 x 15 x 12	28 x 22 x 22
15 x 15 x 15	28 x 22 x 28
15 x 18 x 15	28 x 28 x 22
15 x 22 x 15	28 x 28 x 28
18 x 12 x 18	35 x 15 x 35
18 x 15 x 15	35 x 18 x 35
18 x 15 x 18	35 x 22 x 28
18 x 18 x 15	35 x 22 x 35
18 x 18 x 18	35 x 28 x 28
18 x 22 x 18	35 x 28 x 35
22 x 12 x 22	35 x 35 x 35
22 x 15 x 15	42 x 22 x 42
22 x 15 x 18	42 x 28 x 42
22 x 15 x 22	42 x 35 x 42
22 x 18 x 15	42 x 42 x 42
22 x 18 x 18	54 x 22 x 54
22 x 18 x 22	54 x 28 x 54
22 x 22 x 22	54 x 35 x 54
22 x 22 x 15	54 x 42 x 54
22 x 22 x 18	54 x 54 x 54
22 x 28 x 22	

type no. 2426, Bend 45°

Sizes: 12, 15, 18, 22, 28, 35, 42 and 54

type no. 2426.2, Bend 45° reducing

Sizes: 15 x 12

type no. 2428, Passage

Sizes: 15, 18 and 22

type no. 2457, stop

Sizes: 15, 18, 22, 28, 35, 42 and 54

type no. 2426.1, Bend 45° with pipe end

Sizes: 12, 15, 18, 22, 28, 35, 42 and 54

type no. 2427, Passage bend

Sizes: 12, 15, 18 and 22

type no. 2456, Cap

Sizes: 15, 18, 22, 28, 35, 42 and 54

type no. 2415.XL, Socket,

Sizes: 64, 76,1, 88,9, 108

type no. 2415.1XL, reducer

Sizes:

64 x 42
64 x 54
76,1 x 54
76,1 x 64
88,9 x 54
88,9 x 64
88,9 x 76,1
108 x 54
108 x 76,1
108 x 88,9

type no. 2415.5XL, Slide socket,

Sizes: 64, 76,1, 88,9, 108

type 2416XL, Elbow 90°

Sizes: 64, 76,1, 88,9, 108

Fittings for the PROFIPRESS / SANPRESS-system

PRODUCT SPECIFICATION

The products mentioned below belong to this certificate.

type 2416.1XL, Elbow 90° with pipe end

Sizes: 64, 76,1, 88,9, 108

type no. 2417.2XL, T-piece with inner thread

Sizes:

64 x ¾" x 64

64 x 1" x 64

76,1 x ¾" x 76,1

76,1 x 2" x 76,1

88,9 x ¾" x 88,9

88,9 x 2" x 88,9

108 x ¾" x 108

108 x 2" x 108

type no. 2418XL, T-piece

Sizes:

64 x 35 x 64

64 x 42 x 64

64 x 54 x 64

64 x 64 x 64

76,1 x 54 x 76,1

76,1 x 76,1 x 76,1

88,9 x 54 x 88,9

88,9 x 76,1 x 88,9

88,9 x 88,9 x 88,9

108 x 54 x 108

108 x 76,1 x 108

108 x 88,9 x 108

108 x 108 x 108

type 2426XL, bend 45°

Sizes: 64, 76,1, 88,9, 108

type 2426.1XL, bend 90° with pipe end

Sizes: 64, 76,1, 88,9, 108

type 2456XL, Cap with inner thread

Sizes:

64 x ¾"

76,1 x ¾"

88,9 x ¾"

108 x ¾"

type no. 2459XL, flange

Sizes:

64 (DN65)

76,1 (DN65)

88,9 (DN80)

108 (DN100)

Fittings for the PROFIPRESS / SANPRESS-system

Fitness for contact with drinking water





This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" dated 01-07-2017 ("Materials and chemicals in the supply of drinking water and warm tap water Regulation"), published in the Government Gazette).

These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.


MARKING

The Kiwa®-mark products are marked with the word mark "KIWA  or, on very small fittings only, the abbreviated word mark  or  or .

The fittings shall be provided with at least the following marks:

- manufacturer's name, trade name; product name or logo;
- nominal diameter.

The marking can also be applied on the package. The fittings must be delivered in a packaging unit with a maximum of 20 pieces per package.

- the word mark "KIWA  ;
- manufacturer's name or trade name;
- nominal diameter.

The package shall be completely sealed and protected against the penetration of moisture.

Method of marking:

- non-erasable;
- visible after assembly.

APPLICATION AND USE

The fittings with compression ends are being used to make tensile connections in drinking water installations with a maximum working pressure of 1000 kPa and a maximum water temperature of 90 °C. The connections can be made with stainless steel tubes according to KIWA evaluation guideline BRL-K762 and/or copper tubes according to KIWA evaluation guideline BRL-K760 in the quality "half hard" and "hard".

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Viega GmbH & Co. KG
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.