



Certificate number: 2404730-01 (2)

Issued 10/10/2024
Expires N/A 1+

Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)
Model number(s) – see Appendix

Viega GmbH & Co KG.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

**Regulation 4(1)(a) of the Water Supply (Water Fittings) Regulations 1999 England & Wales:
2009 Northern Ireland and 2014 Byelaws Scotland.**

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en/about-kiwa/water-products/> or the QR code below to ensure that the certificate is still valid.

CERTIFICATE

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk

Certificate Issued to:
Viega GmbH & Co KG,
Viega Platz 1, 57439
Attendorn



KUKreg4

Product Certificate

Appendix to Certificate number: 2404730-01 (2)

The following products belong to this certificate

Reg4 approval no:	2404730
Section:	1100
Application no:	S2311002
Product description:	Range of press fittings manufactured from 316 stainless steel for use with stainless steel pipe. Manufacturers recommended maximum working pressure, 16 Bar & maximum operating temperature 85°C.
Models:	Pipe 1.4401: 2203 15 - 54mm - 2203XL 64 - 108. Pipe 1.4521: 2205 (15 - 54mm) – 2205XL 64 - 108mm. Elbows: 2316, 2316XL, 2316.1, 2316.1XL, 2326, 2326XL, 23261, 23261XL, 2327. T-pieces: 2318, 2318XL, 23172, 23171, 23172XL. Adapter pieces: 2311, 2311XL, 2312, 2312XL, 23111, 23121, 2314, 23142, 23145. Couplings: 2315, 2315XL, 23155, 23155XL. Reductions: 23151, 23151XL. Screw fittings: ,2360, 2362, 2363, 2364, 2365, 2355. Plugs: 2356, 2356XL, 23561XL. Flanges: 2359, 2359XL. Wall plates: 23255, 23257, 23173.
Size:	15mm to 64mm and 64mm to 108mm.
Marking:	Viega, size, DVGW and batch numbers on body.
Materials:	Non-metallic materials assessed (BS6920) to point of discharge.
Backflow protection notes:	N/A
Additional notes:	All water contact & exposed components satisfy opacity requirements.

Reg4 approval no:	2407701
Section:	1100
Application no:	S231003
Product description:	Range of copper and gunmetal press fitting system for use with copper tube to BS EN 1057. Manufacturers recommended maximum working pressure, 16 Bar & maximum operating temperature 85°C
Models:	<p>Model: 2214: Size: 12 x 3/8, 12 x 1/2 , 15 x 3/8 , 15 x 1/2 , 15 x 3/4 , 18 x 1/2 , 18 x 3/4 , 22 x 3/4 , 28 x 1 , 35 x 11/4 , 42 x 1'1/2 , 54 x 2".</p> <p>Model: 22141: Size: 15 x 1/2.</p> <p>Model: 22142: Size: 12 x 3/8, 12 x 1/2 , 15 x 3/8 , 15 x 1/2 , 15 x 3/4 , 18 x 1/2 , 18 x 3/4 , 22 x 3/4 , 28 x 1 , 35 x 11/4 , 42 x 1'1/2 , 54 x 2".</p> <p>Model: 22143: Size: 15 x 1/2.</p> <p>Model: 2416 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p> <p>Model: 24161 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p> <p>Model: 24162 Size: 15 x 12.</p> <p>Model: 24161XL Size: 64, 66.7, 76.1 88.9 108.</p> <p>Model: 2416XL Size: 64, 66.7, 76.1, 88.9, 108.</p> <p>Model: 2426 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p> <p>Model: 24261 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p> <p>Model: 24261XL Size: 64, 66.7, 76.1, 88.9, 108.</p> <p>Model: 2426XL Size: 64, 66.7, 76.1, 88.9, 108.</p> <p>Model: 2427 Size: 12, 15, 18, 22.</p> <p>Model: 2428 Size: 12, 15, 18, 22.</p> <p>Model: 2216 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p> <p>Model: 22161 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p> <p>Model: 2226 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p>

Product Certificate

Appendix to Certificate number: 2404730-01 (2)

	<p>Model :22261 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p> <p>Model: 2211 Size: 12 x 3/8, 12 x 1/2, 15 x 1/2, 15 x 3/4, 15 x 3/8, 18 x 1/2, 18 x 3/4, 22 x 1/2, 22 x 3/4, 22 x 1, 28 x 3/4, 28 x 1, 28x11/4, 35 x 1, 35 x 11/4, 42 x 11/2, 42 x 11/4, 54 x 2, 54 x 11/2.</p> <p>Model: 22111 Size: 12 x 1/2, 15 x 1/2, 18 x 1/2, 18 x 3/4, 22 x 1/2, 22 x 3/4, 28 x 1, 35 x 11/4, 42 x 11/2.</p> <p>Model: 2411XL Size: 64.0 x 21/2, 66.7 x 21/2, 76.1 x 21/2, 88.9 x 3, 108.0 x 4.</p> <p>Model: 2212 Size: 12 x 3/8, 12 x 1/2, 15 x 1/2, 15 x 3/4, 15 x 3/8, 18 x 1/2, 18 x 3/4, 22 x 1/2, 22 x 3/4, 22 x 1, 28 x 3/4, 28 x 1, 28 x11/4, 35 x 1, 35 x 11/4, 42 x 11/2, 42 x 11/4, 54 x 2, 54 x 11/2.</p> <p>Model: 22121 Size: 12 x 1/2, 15 x 1/2, 18 x 1/2, 18 x 3/4, 22 x 1/2, 22 x 3/4, 28 x 3/4, 28 x 1, 35 x 11/4, 35 x 1, 42 x 11/2, 54 x 2.</p> <p>Model: 22122 Size: 15 x 1/2.</p> <p>Model: 22123 Size: 15 x 1/2, 18 x 1/2, 22 x 1/2.</p> <p>Model :2412XL Size: 64 x 21/2, 66,7 x 11/2</p> <p>Model: 2225 Size: 15 x 1/2.</p> <p>Model: 22255 Size: 12 x 1/2, 15 x 1/2, 18 x 1/2, 18 x 3/4, 22 x 1/2, 22 x 3/4,</p> <p>Model: 22256 Size: 15 x 1/2</p> <p>Model: 22321 Size: 15 x 1/2 x 3/4 x 25, 15 x 1/2 x 3/4 x 35, 15 x 1/2 x 3/4 x 55, 15 x 1/2 x 3/4 x 65</p> <p>Model: 22323 Size: 15 x 1/2 x 3/4 x 30.</p> <p>Model: 2228.7 Size: 15 x 1/2, 15 x 1/2 x 15, 18 x 1/2 x 18, 22 x 1/2 x 22.</p> <p>Model: 2255 Size: 12 x1/2, 15 x 1/2, 18 x 1/2, 18 x 3/4, 22 x 1/2, 22 x 3/4, 28 x 3/4, 28 x 1, 35 x 11/4, 35 x 1, 42 x 11/2, 54 x 2.</p> <p>Model: 2264 Size: 15 x 3/4, 18 x 3/4, 22 x 1, 28 x 11/4, 35 x 11/2, 42 x 13/4, 54 x 23/8.</p> <p>Model: 2221 Size: 15 x 1/2 x 45 x 150/200.</p> <p>Model: 2221.1 Size: 15 x 1/2 x 45 x 80/100.</p> <p>Model: 2222 Size: 15 x 1/2 x 150.</p> <p>Model: 2222.6EX Size: 12 x 3/8 x 120.</p> <p>Model: 2222.05 Size: 15 x 1/2 x 150.</p> <p>Model: 2222.2 Size: 15 x 1/2 x100.</p> <p>Model: 2229 Size: 1/2.</p> <p>Model: 2415 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p> <p>Model: 24151 Size: 15 x.12, 18 x.12, 18 x.15, 22 x.15, 22 x 18, 28 x 15, 28 x 18, 28 x 22, 35 x 22, 35 x 28, 42 x 22, 42 x 28, 42 x 35, 54 x 28, 54 x 35, 54 x 42.</p> <p>Model: 2415.1XL Size: 64.0 x 42, 64.0 x54, 66.7x 28, 66,7 x 35, 66.7 x 42, 66.7 x 54, 76.1 x 54, 76.1 x 64,0, 76.1 x 66,7, 88.9 x 54, 88.9 x 66.7, 88.9 x 76.1, 108 x 54, 108 x 66.7, 108 x 76.1, 108 x 88.9.</p> <p>Model: 24152 Size: 15 x 12, 18 x 15, 22 x 15, 22 x 18, 28 x 22, 35 x 28, 42 x 35, 54 x 4.</p> <p>Model: 2415.3 Size: 12, 15, 18, 22, 28, 35, 42, 54.</p> <p>Model: 24155XL Size: 64, 66,7, 76.1, 88.9, 108.</p> <p>Model: 2415XL Size: 64, 66,7, 76.1, 88.9, 108.</p> <p>Model: 22171 Size: 18 x 3/4 x 18, 22 x 3/4 x 22, 28 x 3/4 x 28, 35 x 3/4 x 35, 42 x 1 x 42, 54 x 3/4 x 54, 54 x 1 x 54, 54 x 11/4 x 54.</p> <p>Model: 22173 Size: 15x1/2x15, 22x1/2x22.</p> <p>Model: 2017.2 Size: 12 x 1/2 x 12, 15 X 1/2 X 15, 15 x 3/8 X 15, 18 x 1/2 X 18, 22 x 1/2 X 22, 22 x 3/4 x 22, 28 x 1/2 x 28, 28 x 3/4 x 28, 35 x 1/2 x 35, 35 x 1x35, 42 x 1/2 x 42, 42 x 1 x 42, 54 x 1/2 X 54, 54 x 1 x 54,</p> <p>Model: 2417.2XL Size: 64.0 x 3/4 x 6 4,0, 64.0 x 1 x 64.0, 76.1 x 3/4 x 76.1, 76.1 x 2 x 76.1, 88.9 x 3/4 x 88.9, 88.9 x 2 x 88.9, 108.0 x 3/4 x 108, 108.0 x 2 x108.</p> <p>Model: 2418 Size: 12 x 15 x 12. 15 x 12 x 12, 15 x12 x 15, 15 x 15 x 12, 15 x 18 x 15, 15 x 22 x 15. 18 x 15 x 15, 18 x 12 x 15, 18 x 12 x 18, 18 x 15 x 18, 18 x 15 x 15, 18 x 18 x 15, 18 x 22 x 18. 22 x12 x 22, 22 x 15 x 15, 22 x 15 x 18, 22 x 18 x 15, 22 X 15 X 22, 22 x 18 x 18, 22 x 18 x 22, 22 x 22 x 15, 22 x 22 x 18, 22 x 28 x 22. 28 x 15 x 28, 28 x 15 x 22, 28 x 18 x 28, 28 x18 x 22, 28 x 22 x 22, 28 x 22 x 28,</p>
--	---

Product Certificate

Appendix to Certificate number: 2404730-01 (2)

	<p>28 x 28 x 22. 35 x 15 x 35, 35 x 18 x 35, 35 x 22 x 28, 35 x 28 x 28, 35 x 22 x 35, 35 x 28 x 35, 35 x 35 x 22, 35 x 35 x 28. 42 x 22 x 42, 42 x 28 x 42, 42 x 35 x 42. 54 x 22 x 54, 54 x 28 x 54, 54 x 35 x 54, 54 x 42 x 54. Model: 2418XL Size: 64 x 35 x 64, 64 x 42 x 64, 64 x 54 x 64, 66.7 x 28 x 66.7, 66.7 x 35 x 66.7, 66.7 x 42 x 66.7, 66.7 x 54 x 66.7. 76,1 x 54 x 76,1, 76,1 x 66,1 x 76,1. 88,9 x 54 x 88,9, 88,9 x 76,1 x 88,9 108 x 54 x 108,0, 108 x 76,1 x 108,0, 108 x 88,9 x 108,0. Model: 2218 Size: 12 x 15 x 12. 15 x 12 x 15, 15 x 15 x 15, 15 x 18 x 15, 15 x 22 x 15, 18 x 12 x 18, 18 x 15 x 15, 18 x 15 x 18, 18 x 18 x 18, 18 x 22 x 18, 22 x 12 x 22, 22 x 15 x 15, 22 x 15 x 18, 22 x 15 x 18, 22 x 15 x 22, 22 x 18 x 18, 22 x 18 x 22, 22 x 22 x 15, 22 x 22 x 22, 22 x 28 x 22, 28 x 15 x 28, 28 x 18 x 22, 28 x 18 x 28, 28 x 22 x 22, 28 x 22 x 28, 28 x 28 x 15, 28 x 28 x 18, 28 x 28 x 28, 35 x 15 x 35, 35 x 18 x 35, 35 x 22 x 28, 35 x 22 x 35, 35 x 28 x 28, 35 x 28 x 35, 35 x 35 x 35, 42 x 15 x 42, 42 x 22 x 42, 42 x 28 x 42, 42 x 35 x 42, 42 x 42 x 42, 54 x 22 x 54, 54 x 28 x 54, 54 x 35 x 54, 54 x 42 x 42, 54 x 42 x 54, 54 x 54 x 54. Model: 24181 Size: 22 x 15 x 22. Model: 2456 Size: 12, 15, 18, 22, 28, 35, 42, 54. Model: 2457 " Size: 12, 15, 18, 22, 28, 35, 42, 54. Model: 2456XL Size: 64, 66.7, 76.1 88.9 108. Model: 2456.1XL Size: 66,7. Model: 2259.5 Size: DN25 x 28, DN32 x 35, DN40 x 42, DN50 x 54. Model: 2459.5XL Size: DN 65 x 64,0, DN 65 x 66,7, DN 65 x 76,1, DN 80 x 76,1, DN 80 x 88,9, DN 100 x 108. Model: 22151 Size: 15 X 12, 18 X 12, 18 X 15, 22 x 12, 22 X 15, 28 x 22, 35 x 22, 35 x 28, 42 x 28, 42 x 35, 42 x 42, 54 x 28, 54 x 35. Model: 2215 Size: 12, 15, 18, 22, 28, 35, 42, 54. Model: 22154 Size: 22, 28, 35. Model: 2215.5 Size: 15, 18, 22, 28, 35, 42, 54. Model: 2244 Size: 15 x 15, 18 x 12 x 18, 18 x 15, 22 x 12 x 22, 22 x 15. Model: 2247 Size: 18 x 15, 22 x 18. Model: 2248 Size: 15 x 15, 18 x 15, 22 x 15, 28 x 15. Model: 2260 Size: 12, 15, 18, 22, 28, 35, 42, 54. Model: 2262 Size: 12 x 1/2, 15 x 1/2, 15 x 3/4, 18 x 1/2, 18 x 3/4, 22 x 3/4, 22 x 1, 28 x 3/4, 28 X 1, 35 x 11/4, 42 x 11/2, 54 x 2. Model: 2263 Size: 12 x 1/2, 12 x 3/8, 12 x 3/4, 15 x 3/4, 15 x 3/8, 15 x 1/2, 15 x 1, 15 X 11/4, 18 x 1, 18 x 3/4, 22 x 3/4, 22 x 1, 22 x 11/4, 22 x 11/2, 28 x 1, 28 x 11/4, 28 x 11/2, 35 x 11/2, 35 x 2, 42 x 13/4, 42 x 2, 54 x 23/8, 54 x 21/2, 54 x 21/4, 54 x 23/4. Model: 2267 Size: 1/2 x 15, 3/4 x 15, 1/2 x 18, 3/4 x 18, 3/4 x 22, 1 x 22, 1 x 28, 11/4 x 35, 11/2 x 42, 2 x 54. Model: 2265 Size: 12 x 3/8, 12 x 1/2, 15 x 1/2, 15 x 3/4, 18 x 1/2, 18 x 3/4, 22 x 1/2, 22 x 3/4, 22 x 1, 28 x 3/4, 28 x 1, 35 x 11/4, 42 x 11/2, 54 x 2. Model: 2251 Size: 15, 18, 22, 28, 35, 42, 54.</p>
Size:	See models detailed above.
Marking:	Viega, size, DVGW and batch numbers on body.
Materials:	Non-metallic materials assessed (BS6920) to point of discharge.
Backflow protection notes:	N/A
Additional notes:	All water contact & exposed components satisfy opacity requirements.

Product Certificate

Appendix to Certificate number: 2404730-01 (2)

Reg4 approval no:	2410728
Section:	1100
Application no:	S2311076
Product description:	'Geopress K range of plastic press fittings for polyethylene pipes DN25-DN63 manufactured in accordance with EN 12201, PE80, PE100. Manufacturers recommended maximum working pressure 16 Bar. For cold water use above and below ground.
Models:	9711TW, adapter with Smart Connect Feature. 25-63mm x ¾-2'. 9712TW, adapter with Smart Connect Feature. 25-63mm x ¾-2'. 9714TW, adapter elbow 90° with Smart Connect Feature. 25-63mm x ¾-2'. 9714.2TW, adapter elbow 90° with Smart Connect Feature. 32-63 x 1-2'. 9720.1TW, adapter elbow 90° with Smart Connect Feature. 32-63 x 1-11/2'. 9715TW, coupling with Smart Connect Feature. 25-63mm. 9715.2TW, reducing coupling with Smart Connect Feature. 32-63mm x 25-50mm. 9715.5TW, repair coupling with Smart Connect Feature. 32-63mm. 9716TW, elbow 90° with Smart Connect Feature. 25-63mm. 9718TW, T-piece with Smart Connect Feature. 25-63mm x 25-63mm. 9726TW, elbow 45° with Smart Connect Feature. 32-63mm. 9756TW, cap with Smart Connect Feature. 25-63mm.
Size:	25mm to 64mm and ¾ to 2' see models above.
Marking:	Fitting/sleeve moulded Viega and size. Metal transfer stamped batch number and size.
Materials:	Non-metallic materials assessed (BS6920) for Viega fitting only.
Backflow protection notes:	N/A
Additional notes:	All water contact & exposed components satisfy opacity requirements.