

IAPMO INDIA PRIVATE LIMITED

38/1 & 2, First Floor, Beratena Agrahara, Hosur Main Road, Bengaluru- 560100

CERTIFICATE OF LISTING



IAPMO India Pvt. Ltd. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is combined with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Issued To:

Viega GmbH & Co. KG

Viega Platz 1, Attendorn, NRW, Germany - 57439.

Product:

Copper, Copper Alloy Fittings (Press Type)

Products are in compliance with the following code(s):

Uniform Mechanical Code of India (UMC-I®)

Products are certified to the following standard(s)

UMC-I

File Number: 1012-1

Void After: September 2026



Tom Palkon
Executive Vice President and
Chief Technical Services Officer
The IAPMO Group.

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO India Product Listing Directory at <https://listings.iapmo.org/indiapld.iapmo.org>

This listing period is based upon the last date of the month indicated on the Executive Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO INDIA PRIVATE LIMITED

38/1 & 2, First Floor, Beratena Agrahara, Hosur Main Road, Bengaluru- 560100



CERTIFICATE OF LISTING

Issued To: VIEGA GmbH & Co. KG

File Number: 1012-1

Product: Copper, Copper Alloy Fittings (Press Type) Void After: September 2026

Identification:

Each fitting shall be permanently marked with the manufacturer's name or trademark, nominal size or sizes, legend "PW" or "Potable Water" when intended for potable water applications, and the UMC-I TM certification mark.

Characteristics:

Copper and copper alloy press type fittings with rubber O-rings. The press joint is made with a special hydraulic compression tool. To be installed in accordance with the manufacturer's instructions and the latest edition of the Uniform Mechanical Code - India. Products comply with the applicable sections of the latest edition of the Uniform Mechanical Code - India. Manufactured in compliance with IAPMO PS 117-2016e1. Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to applicable requirements of ISO/IEC 17025.

Listel Models:

Model	Description	Dimension	Material
2211	Adapter Piece	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		12 X 3/8	
		15 X 1/2	
		15 X 3/4	
		15 X 3/8	
		18 X 1/2	
		18 X 3/4	
		22 X 1	
		22 X 1/2	
		22 X 3/4	
		28 X 1	
		28 X 1 1/4	
		28 X 3/4	
		35 X 1	
		35 X 1 1/2	
		35 X 1 1/4	
42 X 1 1/2			
42 X 1 1/4			

IAPMO INDIA PRIVATE LIMITED

38/1 & 2, First Floor, Beratena Agrahara, Hosur Main Road, Bengaluru- 560100

Continued...

Model	Description	Dimension	Material
2211	Adapter Piece	54 X 1 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		54 X 2	
2211.1	Plug Piece	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15 X 1/2	
		18 X 1/2	
		18 X 3/4	
		22 X 1/2	
		22 X 3/4	
		28 X 1	
		35 X 1 1/4	
		42 X 1 1/2	
2212	Adapter Piece	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		12 X 3/8	
		15 X 1/2	
		15 X 3/4	
		15 X 3/8	
		18 X 1/2	
		18 X 3/4	
		22 X 1	
		22 X 1/2	
2212	Adapter Piece	22 X 3/4	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		28 X 1	
		28 X 1/2	
		28 X 1 1/4	
		28 X 3/4	
		35 X 1	
		35 X 1 1/4	
		35 X 3/4	
		42 X 1 1/2	
		42 X 1 1/4	
		54 X 1 1/2	
		54 X 2	

IAPMO INDIA PRIVATE LIMITED

38/1 & 2, First Floor, Beratena Agrahara, Hosur Main Road, Bengaluru- 560100

Continued...

Model	Description	Dimension	Material
2212.1	Plug Piece	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15 X 1/2	
		18 X 1/2	
		18 X 3/4	
		22 X 1/2	
		22 X 3/4	
		28 X 1	
		28 X 3/4	
2212.1	Plug Piece	35 X 1	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		35 X 1 1/4	
		42 X 1 1/2	
		54 X 2	
2212.3	Adapter Piece	15 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		18 X 1/2	
		22 X 1/2	
2213	Union	15 X 16	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
2214	Bend 90°	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		12 X 3/8	
		15 X 1/2	
		15 X 3/4	
		15 X 3/8	
		18 X 1/2	
		18 X 3/4	
		22 X 3/4	
		28 X 1	
35 X 1 1/4			
2214	Bend 90°	42 X 1 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		54 X 2	
2214.1	Elbow 90°	15 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2214.2	Elbow 90°	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		12 X 3/8	
		15 X 1/2	
		15 X 3/4	
		15 X 3/8	
		18 X 1/2	
		18 X 3/4	
		22 X 1	
		22 X 1/2	
		22 X 3/4	
		28 X 1	
		28 X 1/2	
		28 X 3/4	
		35 X 1 1/4	
42 X 1 1/2			
54 X 2			
2214.3	Plug-in Elbow 90°	15 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
2215	Sleeve	12	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15	
		18	
		22	
		28	
		35	
		42	
		54	
2215.1	Reduction Piece	15 X 12	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		18 X 12	
		18 X 15	
		22 X 12	
		22 X 15	
		22 X 18	
		28 X 15	
		28 X 18	
		28 X 22	
		35 X 22	
		35 X 28	
		42 X 22	

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2215.1	Reduction Piece	42 X 28	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		42 X 35	
		54 X 22	
		54 X 28	
		54 X 35	
		54 X 42	
2215.4	Sliding Sleeve	22	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		28	
		35	
2215.5	Sliding Sleeve	15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		18	
		22	
		28	
		35	
		42	
		54	
2215.6	Adapter Piece	1 1/4 X 35	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		1 X 28	
2217.1	T-Piece	18 X 3/4 X 18	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		22 X 3/4 X 22	
2217.1	T-Piece	28 X 3/4 X 28	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		35 X 3/4 X 35	
		42 X 3/4 X 42	
		54 X 1 1/4 X 54	
		54 X 1 X 54	
		54 X 3/4 X 54	
		54 X 1 1/4 X 54	

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2217.2	T-Piece	12 X 1/2 X 12	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15 X 1/2 X 15	
		15 X 3/8 X 15	
		18 X 1/2 X 18	
		22 X 1/2 X 22	
		22 X 3/4 X 22	
		28 X 1/2 X 28	
		28 X 3/4 X 28	
		35 X 1/2 X 35	
		35 X 1 X 35	
		42 X 1/2 X 42	
		42 X 1 X 42	
		54 X 1/2 X 54	
2217.2	T-Piece	54 X 1 X 54	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
2217.3	Wall Plate T-Piece	15 X 1/2 X 15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		22 X 1/2 X 22	
2217.4	T-Piece with plug-in end	15 X 1/4 X 15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		18 X 1/4 X 18	
		22 X 1/4 X 22	
		28 X 1/4 X 28	
		35 X 1/4 X 35	
		42 X 1/4 X 42	
54 X 1/4 X 54			
2218	T-Piece	12 X 15 X 12	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15	
		15 X 12 X 15	
		15 X 18 X 15	
		15 X 22 X 15	
		18	
		18 X 12 X 18	
		18 X 15 X 15	
		18 X 15 X 18	
		18 X 22 X 18	

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2218	T-Piece	22	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		22 X 12 X 22	
		22 X 15 X 15	
		22 X 15 X 18	
		22 X 15 X 22	
		22 X 18 X 18	
		22 X 18 X 22	
		22 X 22 X 15	
		22 X 28 X 22	
		28	
		28 X 15 X 28	
		28 X 18 X 22	
		28 X 18 X 28	
		28 X 22 X 22	
		28 X 22 X 28	
		28 X 28 X 15	
		28 X 28 X 18	
		35	
35 X 15 X 35			
35 X 18 X 35			
2218	T-Piece	35 X 22 X 28	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		35 X 22 X 35	
		35 X 28 X 28	
		35 X 28 X 35	
		42	
		42 X 15 X 42	
		42 X 22 X 42	
		42 X 28 X 42	
		42 X 35 X 35	
		42 X 35 X 42	
		54	
		54 X 22 X 54	
		54 X 28 X 54	
		54 X 35 X 54	
		54 X 42 X 42	
54 X 42 X 54			
2225	Wall Plate	15 X 1/2 X 45	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2225.5	Wall Plate	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15 X 1/2	
		18 X 1/2	
2225.5	Wall Plate	18 X 3/4	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		22 X 1/2	
		22 X 3/4	
2225.6	Wall Plate	15 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
2228.7	Wall Plate	15 X 1/2 X 15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		18 X 1/2 X 18	
		22 X 1/2 X 22	
2232.1	Wall lead-in	15X1/2X3/4X25	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15X1/2X3/4X35	
		15X1/2X3/4X55	
		15X1/2X3/4X65	
2232.3	Wall lead-in	15X 1/2X 3/4X 30	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
2244	Cross Piece	15 X 15 X 15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		18 X 15 X 18	
		22 X 15 X 22	
2247	Cross Piece	18 X 15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		22 X 15	
2248	Cross Piece	15 X 15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		18 X 15	
		22 X 15	
2248	Cross Piece	28 X 15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2251	Compensator	15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		18	
		22	
		28	
		35	
		42	
		54	
2255	Union	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15 X 1/2	
		18 X 1/2	
		18 X 3/4	
		22 X 1	
		22 X 3/4	
		28 X 1	
		35 X 1 1/4	
		42 X 1 1/2	
54 X 2			
2259.5	Flange Adapter	28	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		35	
2259.5	Flange Adapter	42	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		54	
2260	Union	12	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15	
		18	
		22	
		28	
		35	
		42	
		54	

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2262	Union	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15 X 1/2	
		15 X 3/4	
		18 X 1/2	
		18 X 3/4	
		22 X 1	
		22 X 3/4	
		28 X 1	
		28 X 3/4	
		35 X 1 1/4	
2262	Union	42 X 1 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		54 X 2	
2263	Union	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		12 X 3/4	
		12 X 3/8	
		15 X 1	
		15 X 1/2	
		15 X 1 1/4	
		15 X 3/4	
		15 X 3/8	
		18 X 1	
		18 X 3/4	
		22 X 1	
		22 X 1 1/2	
		22 X 1 1/4	
		22 X 3/4	
		28 X 1 1/2	
		28 X 1 1/4	
		35 X 1 1/2	
35 X 2			

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2263	Union	42 X 1 3/4	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		42 X 2	
		54 X 2 1/2	
		54 X 2 1/4	
		54 X 2 3/4	
		54 X 2 3/8	
		28 X 1	
		54 X 2 1/4	
		54 X 2 3/4	
		54 X 2 3/8	
		54 X 2 1/2	
2264	Union	15 X 3/4	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		18 X 3/4	
		22 X 1	
		28 X 1 1/4	
		35 X 1 1/2	
		42 X 1 3/4	
		54 X 2 3/8	
2265	Union	12 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		12 X 3/8	
2265	Union	15 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15 X 3/4	
		18 X 1/2	
		18 X 3/4	
		22 X 1	
		22 X 1/2	
		22 X 3/4	
		28 X 1	
		28 X 3/4	
		35 X 1 1/4	
		42 X 1 1/2	
		54 X 2	
		54 X 2	

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2267	Insulation Union	15 X 1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		15 X 3/4	
		18 X 1/2	
		18 X 3/4	
		22 X 1	
		22 X 3/4	
		28 X 1	
2267	Insulation Union	35 X 1 1/4	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		42 X 1 1/2	
		54 X 2	
2411XL	Adapter Piece	64,0 X 2 1/2	Copper (Cu)
		66,7 X 2 1/2	
		76,1 X 2 1/2	
		88,9 X 3	
		108,0 X 4	
2412XL	Adapter Piece	64,0 X 2 1/2	Copper (Cu)
		66,7 X 2 1/2	
2415	Sleeve	12	Copper (Cu)
		15	
		18	
		22	
		28	
		35	
		42	
		54	
2415.1	Reduction Piece	15 X 12	Copper (Cu)
		18 X 12	

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2415.1	Reduction Piece	18 X 15	Copper (Cu)
		22 X 15	
		22 X 18	
		28 X 15	
		28 X 18	
		28 X 22	
		35 X 22	
		35 X 28	
		42 X 22	
		42 X 28	
		42 X 35	
		54 X 28	
		54 X 35	
54 X 42			
2415.1XL	Reduction Piece	64,0 X 42	Copper (Cu)
		64,0 X 54	
		66,7 X 28	
		66,7 X 35	
		66,7 X 42	
		66,7 X 54	
2415.1XL	Reduction Piece	76,1 X 54	Copper (Cu)
		76,1 X 64,0	
		88,9 X 54	
		88,9 X 66,7	
		88,9 X 76,1	
		108,0 X 54	
		108,0 X 76,1	
		108,0 X 88,9	
108 X 66,7			
2415.2	Sleeve	15 X 12	Copper (Cu)
		18 X 15	
		22 X 15	
		22 X 18	
		28 X 22	
		35 X 28	
		42 X 35	
		54 X 42	
2415.3	Sliding Sleeve	15	Copper (Cu)
		18	
		22	

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2415.3	Sliding Sleeve	28	Copper (Cu)
		35	
		42	
		54	
		12	
		16	
2415.5XL	Sliding Sleeve	64	Copper (Cu)
		66.7	
		76.1	
		88.9	
		108	
2415XL	Sliding Sleeve	64	Copper (Cu)
		66.7	
		76.1	
		88.9	
		108	
2416	Bend 90°	12	Copper (Cu)
		15	
		18	
		22	
2416	Bend 90°	28	Copper (Cu)
		35	
		42	
		54	
2416.1	Bend 90°	12	Copper (Cu)
		15	
		18	
		22	
		28	
		35	
		42	
		54	
2416.1XL	Bend 90°	64	Copper (Cu)
		66.7	
		76.1	
		88.9	
		108	
2416.2	Reducing Elbow 90°	15 X 12	Copper (Cu)
2416XL	Bend 90°	64	Copper (Cu)
		66.7	

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2416XL	Bend 90°	76.1	Copper (Cu)
		88.9	
		108	
2417.2XL	T-Piece	64,0 X 3/4 X 64,0	Copper (Cu)
		64,0 X 1 X 64,0	
		76,1 X 2 X 76,1	
		76,1 X 3/4 X 76,1	
		88,9 X 2 X 88,9	
		88,9 X 3/4 X 88,9	
		108,0 X 2 X 108,0	
2418	T-Piece	12	Copper (Cu)
		12 X 15 X 12	
		15	
		15 X 12 X 12	
		15 X 12 X 15	
		15 X 15 X 12	
		15 X 18 X 15	
		15 X 22 X 15	
		15 X 12 X 15	

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2418	T-Piece	15 X 15 X 12	Copper (Cu)
		15 X 18 X 15	
		15 X 22 X 15	
		18	
		18 X 12 X 15	
		18 X 12 X 18	
		18 X 14 X 18	
		18 X 15 X 15	
		18 X 15 X 18	
		18 X 18 X 15	
		18 X 22 X 18	
		18 X 18 X 15	
		18 X 22 X 18	
		22	
		22 X 12 X 22	
		22 X 14 X 22	
		22 X 15 X 15	
		22 X 15 X 18	
22 X 15 X 22			
22 X 18 X 15			
2418	T-Piece	22 X 18 X 18	Copper (Cu)
		22 X 18 X 22	
		22 X 22 X 15	
		22 X 22 X 18	
		22 X 28 X 22	
		28	
		28 X 15 X 22	
		28 X 15 X 28	
		28 X 18 X 22	
		28 X 18 X 28	
		28 X 22 X 22	
		28 X 22 X 28	
		28 X 28 X 22	
		35	
		35 X 15 X 35	
		35 X 18 X 35	
		35 X 22 X 28	
		35 X 22 X 35	
35 X 28 X 28			
35 X 28 X 35			

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2418	T-Piece	35 X 35 X 22	Copper (Cu)
		35 X 35 X 28	
		42	
		42 X 22 X 42	
		42 X 28 X 42	
		42 X 35 X 42	
		54	
		54 X 22 X 54	
		54 X 28 X 54	
		54 X 35 X 54	
		54 X 42 X 54	
2418.1	T-Piece	22 X 15 X 22	Copper (Cu)
2418XL	T-Piece	64,0	Copper (Cu)
		64,0 X 35 X 64,0	
		64,0 X 42 X 64,0	
		64,0 X 54 X 64,0	
		66,7	
		66,7 X 35 X 66,7	
		66,7 X 28 X 66,7	
		66,7 X 42 X 66,7	
2418XL	T-Piece	66,7 X 54 X 66,7	Copper (Cu)
		76,1	
		76,1 X 66,7 X 76,1	
		76,1 X 54 X 76,1	
		88,9	
		88,9 X 54 X 88,9	
		88,9X76,1X88,9	
		108,0	
		108,0 X 54 X	
		108,0	
		108,0X76,1X108,0	
		108,0X88,9X108,0	
		2426	
15			
18			
22			
28			
35			
42			
54			

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2426.1	Bend 45°	12	Copper (Cu)
		15	
		18	
		22	
		28	
		35	
		42	
		54	
2426.1XL	Bend 45°	64	Copper (Cu)
		66.7	
		76.1	
		88.9	
		108	
2426.2	Bend	15 X 12	Copper (Cu)
2426XL	Bend	64	Copper (Cu)
		66.7	
		76.1	
		88.9	
		108	
2427	Crossover	12	Copper (Cu)
2427	Crossover	15	Copper (Cu)
		18	
		22	
2428	Crossover	15	Copper (Cu)
		18	
		22	
2456	Closure Cap	12	Copper (Cu)
		15	
		18	
		22	
		28	
		35	
		42	
		54	
2456XL	Closure Cap	64,0 X 3/4	Copper (Cu)

IAPMO INDIA PRIVATE LIMITED

Continued...

Model	Description	Dimension	Material
2457	Plug	15	Copper (Cu)
		18	
		22	
		28	
		35	
2457	Plug	42	Copper (Cu)
		54	
2459.5XL	Flange Adapter	64	Copper (Cu)
		66.7	
		76.1	
		88.9	
		108	
4713P	Adapter Piece	16 X 15	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		20 X 15	
94477.0-713	Elbow	1/2	Bronze (gunmetal) CC499K or Silicon Bronze CC246E CuSi4Zn9MnP
		3/4	
		1	
9777.9	Sleeve	10	Copper (Cu)
9778	Sleeve	12 X 10	Copper (Cu)
9778.1	Sleeve	15 X 10	Copper (Cu)